

McRoberts Secondary

Electricity Test 2025-12-01



Personal Data

Family Name:

Given Name:

Signature:

checked

Registration Number

--	--	--	--	--	--	--	--

0	<input type="checkbox"/>	0					
1	<input type="checkbox"/>	1					
2	<input type="checkbox"/>	2					
3	<input type="checkbox"/>	3					
4	<input type="checkbox"/>	4					
5	<input type="checkbox"/>	5					
6	<input type="checkbox"/>	6					
7	<input type="checkbox"/>	7					
8	<input type="checkbox"/>	8					
9	<input type="checkbox"/>	9					

In this section **no** changes or modifications must be made!

Scrambling

0 0

Type
015

Exam ID(Physics 12)
25120100001

Please mark the boxes carefully: Not marked: or

This document is scanned automatically. Please keep clean and do not bend or fold. For filling in the document please use a **blue or black pen**.


Only clearly marked and positionally accurate crosses will be processed!

Answers 1 - 15

	a	b	c	d
1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	a	b	c	d


1. Which of the following is a scalar? **Select all that apply.**
 - a. Electric charge.
 - b. Electric force.
 - c. Electric field.
 - d. Electric potential difference (voltage).
2. What is always true of an electrically charged object?
 - a. It has more protons than electrons.
 - b. It has no neutrons.
 - c. It has an unequal number of protons and electrons.
 - d. It has more electrons than protons.
3. Electric field lines
 - a. Circle clockwise around positive charges.
 - b. Radiate outward from positive charges.
 - c. Circle clockwise around negative charges.
 - d. Radiate outward from negative charges.
4. The electron-volt (eV) is a unit of
 - a. Power.
 - b. Voltage.
 - c. Current.
 - d. Energy.
5. What is the magnitude of the coulomb force a $+8.9 \mu\text{C}$ charge exerts on a $+6 \mu\text{C}$ charge 43 cm away?
 - a. 1.1 N
 - b. 1.5 N
 - c. 2.6 N
 - d. 2.1 N
6. The magnitude of the electric field at a distance of 4 m from a point charge is 1 N/C . What is the magnitude of the electric field at a distance of 1 m from the point charge?
 - a. $(4/1) \text{ N/C}$
 - b. $(1/4)^2 \text{ N/C}$
 - c. $(1/4) \text{ N/C}$
 - d. $(4/1)^2 \text{ N/C}$
7. Two point charges are separated by a distance of 7 cm. Their electric potential energy is 1 J, relative to infinity. What would their electric potential energy be if the separation is changed to 6 cm?
 - a. $(7/6)^2 \text{ J}$
 - b. $(6/7)^2 \text{ J}$
 - c. $(6/7) \text{ J}$
 - d. $(7/6) \text{ J}$

8. The electric potential at a distance of 1 m from a point charge is 1 V. What is the electric potential at a distance of 4 m from the point charge?
- $(4/1) \text{ V}$
 - $(4/1)^2 \text{ V}$
 - $(1/4)^2 \text{ V}$
 - $(1/4) \text{ V}$
9. Two charged objects repel each other with a force F . What is the force between them if one charge multiplied by 6, the other charge is multiplied by 2, and the distance between them is reduced to $1/3$ its original value?
- $36 F$
 - $(12/3) F$
 - $(12/9) F$
 - $108 F$
10. What is the force on a $+7.0 \text{ mC}$ charge when placed in a uniform electric field of strength 868 N/C ?
- 6.1 N
 - 3.4 N
 - 4.3 N
 - 7.9 N
11. It takes 22 J of energy to move 2.4 C of charge from point A to point B. What is the potential difference between points A and B?
- 5.1 V
 - 9.2 V
 - 33 V
 - 53 V
12. Consider a uniform electric field of 78.0 N/C pointing toward the east. If the voltage measured relative to ground at a given point in the field is 522 V , what is the voltage at a point 1.00 m directly south of the point?
- 522 V
 - -897 V
 - -784 V
 - -220 V
13. What is the magnitude of the electric field 23 cm away from a $+4.8 \text{ nC}$ point charge?
- 6200 N/C
 - 820 N/C
 - 600 N/C
 - 2900 N/C
14. Two point charges, $q_1 = 5.0 \mu\text{C}$ and $q_2 = -5.0 \mu\text{C}$, are fixed at opposing corners of a square of side length 5.0 m . What is the electric field strength at one of unoccupied corners of the square (point P in the figure)?



- a. 3800 N/C
- b. 3200 N/C
- c. 2500 N/C
- d. 2900 N/C

15. Two balls, each of mass 0.9 kg, acquire the same electric charge. Each charge is suspended from the same point by a massless, electrically insulating string. They repel each other and hang with a separation of 7.0 cm. The length of the string from the point of support to the centre of a ball is 11 cm. What is the charge on each ball? (The figure is not drawn to scale.)



- a. $2.5 \mu\text{C}$
- b. $1.6 \mu\text{C}$
- c. $1.4 \mu\text{C}$
- d. $1.3 \mu\text{C}$