Assignment 01: Rolling In the Mud

1. Create the following matrices:

$$\boldsymbol{u} = \begin{bmatrix} 11 & 13 & 17 \end{bmatrix} \tag{1}$$

$$\boldsymbol{v} = \begin{bmatrix} -1 \\ -1 \\ -1 \end{bmatrix} \tag{2}$$

$$\mathbf{A} = \begin{bmatrix} -\mathbf{u} \\ 2\mathbf{u} \\ 7\mathbf{u} \end{bmatrix} \tag{3}$$

$$\boldsymbol{B} = \begin{bmatrix} \boldsymbol{A}^{\mathrm{T}} & \boldsymbol{v} \end{bmatrix} \tag{4}$$

2. Perform the following calculations:

$$c = e^{j\pi/4} \tag{5}$$

$$d = \sqrt{\mathbf{j}} \tag{6}$$

$$l = \left\lfloor \sqrt[2.1]{8.4108 \times 10^6} \right\rfloor \tag{7}$$

$$k = \lfloor 100\log(2) \rfloor + \lceil e^{7.5858} \rceil \tag{8}$$

3. Of all the operators that we covered, matrix left division, mldivide, isn't commonly seen in other programming languages. What's sepcial about this operator is that it allows us to pragmatically solve systems of linear equations of the form Ax = b.

Read the documentation for left matrix division and solve the system of linear equations given coefficient matrix

$$\mathbf{A} = \begin{bmatrix} 1 & -11 & -3 \\ 1 & 1 & 0 \\ 2 & 5 & 1 \end{bmatrix} \tag{9}$$

and constants

$$\boldsymbol{b} = \begin{bmatrix} -37\\ -1\\ 10 \end{bmatrix}. \tag{10}$$