

# MusicFormats API guide

<https://github.com/jacques-menu/musicformats>

v0.9.66 – January 25, 2023

Jacques Menu

## Minimal score



```
1 S_lpsrScore translateMsrToLpsr (  
2     const S_msrScore&          originalMsrScore,  
3     const S_msrOahGroup&      msrOpts,  
4     const S_lpsrOahGroup&     lpsrOpts,  
5     mfPassIDKind              passIDKind,  
6     std::string                passDescription,  
7     const S_mfcMultiComponent& multiComponent)  
8 {  
9     // ... ..  
10  
11     // create an msr2lpsrTranslator  
12     msr2lpsrTranslator  
13         translator (  
14             originalMsrScore);  
15  
16     // build the LPSR score  
17     S_lpsrScore  
18         resultingLpsr =  
19         translator.translateMsrToLpsr (  
20             originalMsrScore,  
21             multiComponent);  
22  
23     // ... ..  
24  
25     return resultingLpsr;  
26 }
```

# Contents

1	Acknowledgements . . . . .	3
<b>I</b>	<b>MusicFormats API principles</b>	<b>4</b>
2	API principles . . . . .	5
<b>II</b>	<b>The MXSR API</b>	<b>6</b>
3	Creating scores with the MXSR API. . . . .	7
<b>III</b>	<b>The MSR API</b>	<b>8</b>
4	Creating scores with the MSR API . . . . .	9
<b>IV</b>	<b>The LPSR API</b>	<b>10</b>
5	Creating scores with the LPSR API . . . . .	11
<b>V</b>	<b>The BSR API</b>	<b>12</b>
6	Creating scores with the BSR API. . . . .	13
<b>VI</b>	<b>Indexes</b>	<b>14</b>

# List of Figures

## Chapter 1

# Acknowledgements

Many thanks to Dominique Fober, the designer and maintainer of the `libmusicxml2` library. This author would not have attempted to work on a MusicXML to LilyPond converter without his work being already available.

In particular, the conversion of MusicXML data to a tree is extremely well done directly from the MusicXML DTD, and that was a necessary step to produce LilyPond code. Dominique also provided a nice way to browse this tree with a two-phase visitor design pattern, which this author uses extensively in his own code. The interested reader can find information about that in [libmusicxml2.pdf](#), and more technical details in [MusicFormatsMaintenanceGuide.pdf](#).

`xml2ly` and some of the specific examples presented in this document started as this author's contribution to `libmusicxml2`, and was later moved to a separate GitHub repository for practical reasons.

## Part I

# MusicFormats API principles

## Chapter 2

# API principles

# **Part II**

## **The MXSR API**

## Chapter 3

# Creating scores with the MXSR API



---

# **Part III**

## **The MSR API**

## Chapter 4

# Creating scores with the MSR API

---

# Part IV

## The LPSR API

## Chapter 5

# Creating scores with the LPSR API

---

# **Part V**

## **The BSR API**

## Chapter 6

# Creating scores with the BSR API

---

# Part VI

## Indexes

# Main index

<b>A</b>		
API .....		<a href="#">1</a>
<b>D</b>		
Dominique Fober .....		<a href="#">3</a>
DTD .....		<a href="#">3</a>
<b>L</b>		
libmusicxml2 .....		<a href="#">3</a>
LilyPond .....		<a href="#">3</a>
<b>M</b>		
MusicFormats .....		<a href="#">1</a>
MusicXML .....		<a href="#">3</a>