

# MusicFormats API user guide

<https://github.com/jacques-menu/musicformats>

v0.9.61 – Feb 27, 2022

Jacques Menu

## Minimal score



```
1 S_lpsrScore translateMsrToLpsr (  
2   S_msrScore          originalMsrScore,  
3   S_msrOahGroup       msrOpts,  
4   S_lpsrOahGroup      lpsrOpts,  
5   string              passNumber,  
6   string              passDescription,  
7   S_mfcMultiComponent multiComponent)  
8 {  
9   // ... ..  
10  
11   // create an msr2lpsrTranslator  
12   msr2lpsrTranslator  
13     translator (  
14       originalMsrScore);  
15  
16   // build the LPSR score  
17   S_lpsrScore  
18     resultingLpsr =  
19     translator.translateMsrToLpsr (  
20       originalMsrScore,  
21       multiComponent);  
22  
23   // ... ..  
24  
25   return resultingLpsr;  
26 }
```

# Contents

# List of Figures

# Chapter 1

# Acknowledgements

Many thanks to Dominique Fober, the designer and maintainer of the `libmusicxml2` library. This author would not have attempted to work on a MusicXML to LilyPond converter without his work being already available.

In particular, the conversion of MusicXML data to a tree is extremely well done directly from the MusicXML DTD, and that was a necessary step to produce LilyPond code. Dominique also provided a nice way to browse this tree with a two-phase visitor design pattern, which this author uses extensively in his own code. The interested reader can find information about that in [libmusicxml2.pdf](#), and more technical details in [MusicFormatsMaintenanceGuide.pdf](#).

`xml2ly` and some of the specific examples presented in this document started as this author's contribution to `libmusicxml2`, and was later moved to a separate GitHub repository for practical reasons.

## Part I

# MusicFormats API principles

## Chapter 2

# API principles

## **Part II**

# **The MXSR API**

## Chapter 3

# Creating scores with the MXSR API



## Part III

# The MSR API

## Chapter 4

# Creating scores with the MSR API

## Part IV

# The LPSR API

## Chapter 5

# Creating scores with the LPSR API

## Part V

# The BSR API

## Chapter 6

# Creating scores with the BSR API

# Part VI

## Indexes

# Main index

<b>A</b>		
API .....		<a href="#">1</a>
<b>D</b>		
Dominique Fober .....		<a href="#">3</a>
DTD .....		<a href="#">3</a>
<b>L</b>		
libmusicxml2 .....		<a href="#">3</a>
LilyPond .....		<a href="#">3</a>
<b>M</b>		
MusicFormats .....		<a href="#">1</a>
MusicXML .....		<a href="#">3</a>