



AL YAMAMAH UNIVERSITY

College of Engineering and Architecture

Bachelor of Science in Software and Network Engineering

Jadwal: An Elegant, iOS-based Calendar Manager

Graduation Project

Group Project Submission	
Student Names	Student IDs
YAZED ALKHALAF	202211123
SAIMAN TAKLAS	202021400
AFFAN MOHAMMAD	202211086
ALI BA WAZIR	202211018
Submission Date: 19 Sep 2024	
Supervised By: Dr. Inaya Allah	

First Semester 2024–2025

ABSTRACT

ACKNOWLEDGMENT

Contents

Abstract	i
Acknowledgment	ii
List of Abbreviations	1
1 Introduction	2
1.1 Background of the Study	2
1.2 Problem Statement	2
1.3 Objectives of the Study	2
1.4 Scope of the Study	3
1.5 Significance of the Study	3
1.6 Limitations of the Study	4
1.7 Organization of the Senior Project	4
2 Literature Review	5
3 System Analysis and Design	6
3.1 Functional Requirements	6
3.2 Non-Functional Requirements	6
3.3 System use-cases	6
Use Case 1: Continue with Email	8
Use Case 2: Continue with Google	10
Use Case 3: Connect WhatsApp	12
Use Case 4: Continue with Google	14
Use Case 5: Set Event Priority	16
Bibliography	18

List of Figures

1.1 Project Gantt Chart	4
2.1 Feature Comparison Table	5
3.1 Use Case Diagram of Jadwal	7

List of Tables

LIST OF ABBREVIATIONS

1 INTRODUCTION

1.1 Background of the Study

As the world is moving towards globalizing, effective time management is becoming very important. Considering how everything seems to be rushing in today's world, there is a high requirement for an effective user-friendly time management tool. Paper-based calendars have been used for addressing the complexities of managing multiple schedules across various aspects of life such as work, school, and personal commitments. However, they often fall short in providing a comprehensive solution to modern scheduling challenges.

The introduction of the digital calendar has somewhat solved this problem but still, users face a lot of issues in keeping their calendars up-to-date and synchronized. There are still few people that manually input events into their calendars. This could be really tiring, especially when dealing with multiple calendars.

Moreover, the rise of instant messaging platforms like WhatsApp has changed the way we communicate and plan events. Mostly, important dates and appointments are discussed informally leading to a disconnect between where the information is initially shared and where it needs to be recorded for effective time management.

To address these challenges, we are planning an application called *Jadwal*, which aims to revolutionize how people manage their time and schedules in the digital age.

1.2 Problem Statement

Users often face challenges in keeping their calendars up-to-date, particularly when dealing with information from various sources, including informal communication mediums like WhatsApp. The process of manually adding events to the calendar is both time-consuming and prone to errors. Additionally, managing multiple calendars—such as those for work, school, and personal life—creates further complexity and increases the risk of scheduling conflicts. The lack of seamless integration with popular communication platforms exacerbates the problem, leading to a higher likelihood of missing important events due to the scattered distribution of information across different calendars and data sources.

1.3 Objectives of the Study

The main objectives of *Jadwal* are:

- To develop an intelligent calendar management system that automatically extracts events from the communication channels and adds them to the user's main calendar.

- To create a user friendly interface that allows users to automatically add events to the calendar.
- To implement smart resolution system that notifies users of scheduling conflicts and provides easy options for resolution.
- To integrate all the calendars into Jadwal's single calendar view to make viewing and managing all the events easy.
- To prioritize and automatically schedule daily routines such as waking time, sleeping time and prayer time.
- To significantly reduce the time users spend on manual calendar management.

1.4 Scope of the Study

Jadwal is not just another calendar application; it's a comprehensive time management tool designed to aggregate and optimize your existing calendars and data sources. The scope of the project includes:

- Development of an iOS application as the primary platform.
- Integration with calendars using CalDAV.
- WhatsApp message parsing for event extraction (subject to technical feasibility).
- Target audience: Busy professionals, students, and anyone juggling multiple schedules.
- User testing phase to ensure ease of use and effectiveness.

Our testing methods will include:

- Beta testing with a diverse group of users.
- Analytics to track user behavior and app performance.

1.5 Significance of the Study

Jadwal endeavours to solve problems and its significance can be summarized in the following:

1. **Time is Money:** Time is the only asset you can't get more of, it is being consumed til the last day of your life.
2. **Prayer First Calendar:** Prayer times come first, then your daily scheduled items.
3. **Streamlined Time Management:** By automatically extracting events from various communication channels, Jadwal significantly reduces the time and effort required for manual calendar management, allowing users to focus on more productive tasks.
4. **Reduced Human Error:** Automated event extraction and addition to calendars minimize the risk of missing important events or appointments due to manual input errors or forgetfulness.
5. **Integrated Communication and Scheduling:** By bridging the gap between informal communication (e.g., WhatsApp) and formal scheduling, Jadwal addresses a critical pain point in modern time management.
6. **Conflict Resolution:** The smart resolution system helps users identify and resolve scheduling conflicts efficiently, reducing stress and improving overall time management.
7. **Holistic View of Commitments:** By integrating multiple calendars into a single view, Jadwal provides users with a comprehensive overview of their commitments

across various aspects of life, facilitating better decision-making and work-life balance.

1.6 Limitations of the Study

Nothing is perfect, and our project is not a outlier. The limitations we have figured out about it are as follows:

- WhatsApp integration allows the app to read the users messages, so it would be hard to prove privacy hasn't been breached.
- WhatsApp integration might not always be there, they are a third-party.
- Learning new technologies for iOS development might require more time than anticipated.
- Accuracy of our algorithms to detect keywords indicating an event agreement has happened, especially for languages other than English.
- Time and manpower constraints may limit the number of features we can implement.
- Dependency on third-party calendar APIs and their limitations.

1.7 Organization of the Senior Project

Our project plan can be illustrated in the following gantt chart, **Figure 1.1**.




Figure 1.1: Project Gantt Chart

2 LITERATURE REVIEW

In developing Jadwal, we have drawn inspiration from and built upon existing research and products in the field of intelligent calendar management. Some key references include:

- **Clockwise (<https://www.getclockwise.com/>):** A smart calendar assistant that optimizes schedules and manages team coordination [Clockwise, 2024]. Clockwise’s approach to intelligent time blocking and meeting optimization provides valuable insights for Jadwal’s automated scheduling features.
- **Motion (<https://www.usemotion.com/>):** Motion’s Intelligent Calendar takes your meetings, your tasks, your to-do list, your activities, and creates one perfect, optimized schedule to get it all done [Motion, 2024].
- **Reclaim AI (<https://reclaim.ai/>):** An intelligent time management tool that helps optimize schedules and automate tasks [Reclaim, 2024].
- **Calendi (<https://calendi.ai/>):** Calendi describes itself as: “Calendi is an AI calendar system. Use it for scheduling tasks, automating meetings, and witness the future of calendar.” [Calendi, 2024]
- **An Exploratory Study of Calendar Use:** “Prospective remembering is the use of memory for remembering to do things in the future, as different from retrospective memory functions such as recalling past events.” [Tungare et al., 2008]
- **WhatsApp Integration:** Our research indicates that direct WhatsApp integration for event extraction has not been widely implemented in existing calendar applications, making this a unique feature of Jadwal.

Feature	Jadwal	Clockwise	Motion	Reclaim AI	Calendi
Open Source	✓	✗	✗	✗	✗
WhatsApp Integration	✓	✗	✗	✗	✗
CalDAV Support	✓	✓	✓	✓	?
Conflict Resolution	✓	✓	✓	✓	?
Prioritize Prayer Times	✓	✗	✗	✗	✗
iOS Application	✓	✓	✓	✓	?

Figure 2.1: Feature Comparison Table

3 SYSTEM ANALYSIS AND DESIGN

3.1 Functional Requirements

- The user shall be able to access their account using either Google OAuth or magic link via Email. For new users, a new account is created, and for existing users, they are given access to their account directly
- The system shall send a welcome email to new users.
- The user should be able to connect a calendar using CalDAV.
- The user should be able to connect their WhatsApp account.
- The user should be able to add events manually and set priorities optionally.
- The user should be able to view integrated calendar.
- The user should be able to configure daily routines.
- The user should be able to manage scheduling conflicts.
- The user should be able to schedule prayer times.
- The system shall send event notifications to the user.
- The system shall personalize the experience based on answers provided by the users.
- The system shall add the WhatsApp extracted events to the calendar. If a conflict occurs, the user shall get a notification to resolve the conflict with suggestions.
- The system shall synchronize calendar data across multiple devices.

3.2 Non-Functional Requirements

- **Platform Compatibility:** The app shall be compatible with iOS devices running iOS 14.0 or later.
- **Performance:** The app shall load the main calendar view within 3 seconds on 5G with speeds above 200mpbs.
- **User Experience:** The user interface shall follow iOS Human Interface Guidelines for consistency and ease of use.
- **Security:** All data transmissions between the app and servers shall be encrypted using HTTPS.
- **Localization:** The app shall support localization in Arabic and English.
- **Data Privacy:** The app shall comply with the data protection regulations and laws in Saudi Arabia.

3.3 System use-cases

Figure 3.1 shows the use case diagram for the system of Jadwal.




Figure 3.1: Use Case Diagram of Jadwal

Continue with Email

Basic Information

ID Number: 1
Priority: HIGH
Type: Regular

Short Description

This UC allows users to login or create an account using their email.

Trigger

This UC starts when the user enters their email to the system.

Actors

Primary: User **Secondary:** None

Preconditions

User must have an email

Relationships

Extends: Send Welcome Email **Includes:** N/A **Generalization/Specialization:** N/A

Major Inputs

- **Email** (Source: User)
- **Magic Link (from email)** (Source: User)

Major Outputs

- **Magic link email** (Destination: User)
- **Confirmation messages** (Destination: User Interface)

Main Flow

1. The user enters their email.
Information: System displays email input field.
2. System sends email and displays "Check your email" message.
Information: WhatsApp sends the linking code.
3. User interacts with email client.
Information: Confirmation of successful connection.
4. System verifies link and logs user in.
Information: System processes link and updates user status.

Alternate Flows

1. If the user has no account, the system creates a user.

Exceptions

- Invalid email format.
- Email not registered (if login only).
- Magic link expired or invalid.

Conclusion

This UC ends when the user is logged in.

Post-conditions

The system generates a JWT.

Special Requirements

An email server must be present to send email magic link.

Continue with Google

Basic Information

ID Number: 2
Priority: HIGH
Type: Regular

Short Description

This UC allows users to login or continue with Google if we have a Google account

Trigger

This UC starts when the user enters their email to the system.

Actors

Primary: User **Secondary:** Google

Preconditions

User must have an activated or valid Google email.

Relationships

Extends: Send Welcome Email **Includes:** N/A **Generalization/Specialization:** N/A

Major Inputs

- **Google account** (Source: User)
- **Authentication request to Google** (Source: System)

Major Outputs

- **Success or error message** (Destination: User)
- **Authentication response** (Destination: Google)

Main Flow

1. The user click continue with Google.
Information: System displays "continue with Google" button
2. Authentication request.
Information: A request sent to Google for user authentication and get JWT and sent it to the system, while the system will generate a our JWT
3. Authentication response.
Information: Confirmation of successful authentication

Alternate Flows

- User cancels authentication
- Authentication failure

Exceptions

- Invalid Google email
- Network issue

Conclusion

Post-conditions

The user is successfully authenticated and redirected to the main application interface

Business Rules

- User should have valid Google account

Special Requirements

Sign-in page should display clear button and error message

Connect WhatsApp

Basic Information

ID Number: 3
Priority: HIGH
Type: Regular

Short Description

This UC allows the user to connect their WhatsApp account to our system.

Trigger

This UC is triggered when the user clicks on "Connect WhatsApp" button in the app.

Actors

Primary: User **Secondary:** WhatsApp

Preconditions

User must be logged in

Relationships

Extends: N/A **Includes:** N/A **Generalization/Specialization:** N/A

Major Inputs

- **WhatsApp account number** (Source: User)
- **WhatsApp linking code** (Source: User)

Major Outputs

- **WhatsApp linking code** (Destination: WhatsApp)
- **WhatsApp auth creds** (Destination: System)

Main Flow

1. The user clicks "Connect WhatsApp" button.
Information: System asks for phone number via a dialog
2. The user enters their WhatsApp account phone number.
Information: WhatsApp sends the linking code.
3. The user enters the linking code shown in the WhatsApp app in our app.
Information: Confirmation of successful connection

Alternate Flows

None

Exceptions

- **Wrong linking code:** If the user enters a wrong linking code, the connection of the WhatsApp account will fail unless they enter the correct code.
- **Network issue:** A network issue interrupting the communication between the app, the server, and WhatsApp.

Conclusion

The UC ends when the user has a connected WhatsApp account.

Post-conditions

The system has access to the user's WhatsApp account.

Special Requirements

None

Continue with Google

Basic Information

ID Number: 4
Priority: #2
Type: HIGH

Regular

Short Description

This UC allows users to login or continue with Google if we have a Google account

Trigger

This UC starts when the user enters their email to the system.

Actors

Primary: User **Secondary:** Google

Preconditions

User must have an activated or valid Google email.

Relationships

Extends: Send Welcome Email **Includes:** N/A **Generalization/Specialization:** N/A

Major Inputs

- **Google account** (Source: User)
- **Authentication request to Google** (Source: System)

Major Outputs

- **Success or error message** (Destination: User)
- **Authentication response** (Destination: Google)

Main Flow

1. The user click continue with Google.
Information: System displays "continue with Google" button
2. Authentication request.
Information: A request sent to Google for user authentication and get JWT and sent it to the system, while the system will generate a our JWT
3. Authentication response.
Information: Confirmation of successful authentication

Alternate Flows

- User cancels authentication
- Authentication failure

Exceptions

- Invalid Google email
- Network issue

Conclusion

Post-conditions

The user is successfully authenticated and redirected to the main application interface

Business Rules

- User should have valid Google account

Special Requirements

Sign-in page should display clear button and error message

Set Event Priority

Basic Information

ID Number: 5
Priority: HIGH
Type: Regular

Short Description

The user adds or modifies an event, and the system detects a conflict with an existing event in the calendar.

Trigger

The user adds or modifies an event, and the system detects a conflict with an existing event in the calendar.

Actors

Primary: User **Secondary:** None

Preconditions

The user is logged into the application

Relationships

Extends: Send Welcome Email **Includes:** N/A **Generalization/Specialization:** N/A

Major Inputs

- **Conflicting events (both the new event and the existing event)** (Source: User)
- **Priority decision** (Source: User)

Major Outputs

- **The system prioritizes the selected event based on the user's choice** (Destination: Calendar)
- **Confirmation messages** (Destination: User Interface)

Main Flow

1. Conflict Detection

Information: The system detects overlapping events and prompts the user with a conflict

2. Choose Priority Option

Information: The system displays a dialogue box with both conflicting events and asks the user to select which event should take priority.

3. Resolve Conflict

Information: The system offers options to either reschedule the lower-priority event or keep both events with a conflict warning

4. Save

Information: • After the user selects the priority, the system saves the decision, either reschedules the lower-priority event or marks it as conflicting and updates the calendar accordingly.

Alternate Flows

1. User clicks on a date on the calendar to bring up a popup with event fields and the date is pre-filled.

2. The user can add a different color for the events

Exceptions

- No Available Time Slots

Post-conditions

The conflicting events are resolved, and the calendar reflects the user's decision on which event to prioritize.

Special Requirements

The user interface must clearly show conflict warnings.

Conclusion

The use case ends when the user's priority decision is saved, and the conflicting events are either rescheduled or maintained with a conflict warning.

Bibliography

- [Calendi, 2024] Calendi (2024). Calendi: Ai calendar system. Accessed: 2024-09-18.
- [Clockwise, 2024] Clockwise (2024). Clockwise: Smart calendar assistant. Accessed: 2024-09-18.
- [Motion, 2024] Motion (2024). Motion: Intelligent calendar. Accessed: 2024-09-18.
- [Reclaim, 2024] Reclaim (2024). Reclaim ai: Intelligent time management. Accessed: 2024-09-18.
- [Tungare et al., 2008] Tungare, M., Perez-Quinones, M., and Sams, A. (2008). An exploratory study of calendar use.