## **CS595—Big Data Technologies**

# **Assignment #11**

## **Worth: 5 points (1 point for each problem)**

### Due by the start of the next class period (04/12/2018)

Assignments should be uploaded via the Blackboard portal.

### **Readings**

NoSQL Distilled: Chapters 8 and 10

## **Starting HBase**

To start HBase first establish ssh tunneling as usual. Then access the Ambari Hadoop admin console by pointing your browser to localhost:8080. Log on Ambari with username and password maria\_dev. In the upper right you should see a selection 'Services.' Click on it and choose 'HBase.' Then, from the HBase page choose 'Service Actions' and select start. Then log on to maria\_dev and enter 'hbase shell.'

There are two documents about the HBase shell on the blackboard in the "Free Books and Chapters" section that will help with the assignment: HBase Shell Commands.

#### **Exercises**

Exercise 1)

Create an HBase table with the following characteristics

Table Name: cs595Tbl

First column family: cf1

Second column family: cf2

Then execute the DESCRIBE command on the table and return command you wrote and the output as the results of this exercise.

#### Exercise 2)

Put the following data into the table created in exercise 1:

Row Key	Column Family	Column (Qualifier)	Value
Row1	cf1	name	Sam
Row2	cf1	name	Ahmed
Row1	cf2	job	Pilot
Row2	cf2	job	Doctor
Row1	cf2	level	LZ3
Row2	cf2	level	AR7

Execute the SCAN command on this table returning all rows, column families and columns as the result of the exercise.

#### Exercise 3)

Using the above table write command that will get the value associated with row (Row1), column family (cf1) and column/qualifier (level). Provide the command and its result as the output of this exercise.

#### Exercise 4)

Using the above table write command that will get the value associated with row (Row2), column family (cf1) and column/qualifier (name). Provide the command and its result as the output of this exercise.

### Exercise 5)

Using the above table write a SCAN command that will return information about only one row using the LIMIT modifier. Provide the command and its result as the output of this exercise.