

<u>List</u>

Agenda

- 1 List
- 2 ArrayList
- 3 Vector
- 4 LinkedList

Understanding List





<u>List</u>

- List interface extends from Collection interface
- It stores elements in a sequential manner
- Elements in the list can be accessed or inserted based on their position
- Starts with zero based index
- Can contain duplicate elements
- An Iterator can be used to access the elements of the List

Please refer documentation and note down the important methods available in List interface

The ArrayList Class

- ArrayList class implements List interface
- It supports dynamic array that can grow dynamically
- Standard arrays are of fixed size. After arrays are created they cannot grow or shrink
- It provides more powerful insertion and search mechanisms than arrays
- Gives faster Iteration and fast random access
- Ordered Collection (by index), but not Sorted

```
ArrayList<Integer> list = new ArrayList<Integer>();
list.add(0, new Integer(42));
int total = list.get(0).intValue();
```

Refer documentation for the various ways in which an ArrayList can be created and the various methods available in ArrayList

Example

Let's Check the power of ArrayList with an example:

```
import java.util.*;
public class ArrayListTest {
public static void main(String[] args) {
List<String> test = new ArrayList<String>();
String s = "hi";
test.add("string");
test.add(s);
test.add(s+s);
System.out.print(test.size());
System.out.print(test.contains(42));
System.out.print(test.contains("hihi"));
test.remove("hi");
System.out.print(test.size());
which produces:
```

confidential

<u>Iterator</u>

- Iterator is an object that enables you to traverse through a collection
- Can be used to remove elements from the collection selectively, if desired

```
public interface Iterator<E>
    {
    boolean hasNext();
    E next();
    void remove();
}
```

```
ArrayList<Integer> ai=new ArrayList<Integer>();
Iterator i=ai.iterator();
while (i.hasNext())
System.out.println(i.next());
```

<u>Iterator</u>

- Java provides 2 interfaces that define the methods by which you can access each element of a collection: enumeration & iterators. Enumeration is a legacy interface and is considered obsolete for new code. It is now superceded by the iterator interface.
- The iterator() method returns an iterator to a collection. It is very similar to an Enumeration, but differs in the two respects:
- Iterator allows the caller to remove elements from the underlying collection during the iteration with well-defined semantics.
- Method names have been improved.
- The first point is important: There was *no* safe way to remove elements from a collection while traversing it with an Enumeration. The semantics of this operation were ill defined, and differed from implementation to implementation.
- **boolean hasNext()** Returns true if there are more elementsObject
- **next()** Returns next element. Throws NoSuchElementException if there is no next element.
- **void remove()** Removes current element. Throws IllegalStateException if an attempt is made to call remove() that is not preceded by a call to next()

ListIterator

- Used for obtaining a iterator for collections that implement List
- ListIterator gives us the ability to access the collection in either forward or backward direction
- Has both next() and previous() method to access the next and previous element in the List

Example

```
class ListIteratorExample {
   public static void main(String[] args) {
     ArrayList aList = new ArrayList();
     //Add elements to ArrayList object
    aList.add("1");
    aList.add("2");
    aList.add("3");
   ListIterator listIterator = aList.listIterator();
     System.out.println("Previous Index is : " + listIterator.previousIndex());
    System.out.println("Next Index is : " + listIterator.nextIndex());
       //advance current position by one using next method
    listIterator.next();
       System.out.println("After increasing current position by one element : ");
    System.out.println("Previous Index is : " + listIterator.previousIndex());
    System.out.println("Next Index is : " + listIterator.nextIndex());
```

Advantage of Iterator over for-each method

- for-each construct can also be used for iterating through the Collection
- Use Iterator instead of the for-each construct when you need to:
 - Remove the current element
 - The for-each construct hides the iterator, so you cannot call remove
 - Iterate over multiple collections in parallel

```
for(Object o : oa) {
Fruit d2 = (Fruit)o;
System.out.println(d2.name); }
```

Enhanced for loop

Iterating over collections looks cluttered

```
void printAll(Collection<emp> e) {
  for (Iterator<emp> i = e.iterator(); i.hasNext(); )
  System.out.println(i.next()); } }
```

Using enhanced for loop we can do the same thing as

```
void printAll(Collection<emp> e) {
  for (emp t: e) )
  System.out.println(t); }}
```

The loop above reads as "for each emp t in e."

Linked List

- Implements the List and also the Queue interface
- Some Useful Methods
 - void addFirst(Object x)
 - void addLast(Object x)
 - Object getFirst()
 - Object getLast()
 - Object removeFirst()
 - Object removeLast()

The Vector Class

- The java.util. Vector class implements a growable array of Objects
- Same as ArrayList, but Vector methods are synchronized for thread safety
- New java.util.Vector is implemented from List Interface
- Creation of a Vector

Points to Ponder

- Use List Collection classes if the order in which the element added matters
- Use List when you want to perform insert, delete and update operations based on particular positions in the list
- ArrayList, LinkedList and Vector all of them implement List interface
- LinkedList provides a better performance over ArrayList in insertion and deletion operation.
- In case of frequent insertion and deletion operation the choice can be LinkedList than ArrayList
- Search operations are faster in ArrayList
- Both ArrayList and LinkedList are not synchronized
- Vector is synchronized
- If thread safety is not important, then we should choose either ArrayList or LinkedList

Quiz

1. Which of the following class is synchronized?

- a. ArrayList
- b. Vector
- c. LinkedList
- d. All of the above

2. In which of the following classes position based operations can be performed?

- a. ArrayList
- b. LinkedList
- c. Vector
- d. All of the above

Summary

- In this module, you have learnt
 - > How to work with
 - ArrayList
 - LinkedList
 - Vector

confidential



Thank You

