

10th CBSE MATHEMATICS

2012-13

1 SECTION A

1.1. The roots of the quadratic equation $2x^2 - x - 6 = 0$ are :

- a) $-2, 3/2$
- b) $2, -3/2$
- c) $-2, 3/2$
- d) $2, 3/2$

1.2. If the n^{th} term of an A.P. is $(2n + 1)$, then the sum of its first three terms is

- a) $6n + 3$
- b) 15
- c) 12
- d) 21

1.3. From a point Q , 13cm away from the centre of a circle, the length of tangent PQ to the circle is 12cm . The radius of the circle (in cm) is

- a) 25
- b) $\sqrt{313}$
- c) 5
- d) 1

1.4. In Fig. 1.4, AP , AQ and BC are tangents of the circle. If $AB = 5\text{cm}$, $AC = 6\text{cm}$ and $BC = 4\text{cm}$, then the length of AP (in cm) is

- a) 7.5




Fig. 1.4.

- b) 15

- c) 10

- d) 9

1.5. The circumference of a circle is 22cm . The area of its quadrant (in cm^2) is

- a) $\frac{77}{2}$
- b) $\frac{77}{4}$
- c) $\frac{77}{8}$
- d) $\frac{77}{16}$

1.6. A solid right circular cone is cut into two parts at the middle of its height by a plane parallel to its base. The ratio of the volume of the smaller cone to the whole cone is

- a) 1 : 2
- b) 1 : 4
- c) 1 : 6
- d) 1 : 8

1.7. A kite is flying at a height of 30 m from the ground. The length of string from the kite to the ground is 60m . Assuming that there is no slack in the string, the angle of elevation of the

kite at the ground is

- a) 45°
- b) 30°
- c) 60°
- d) 90°

1.8. The distance of the point $(-3, 4)$ from the x-axis is

- a) 3
- b) -3
- c) 4
- d) 5

1.9. In Fig. 1.9, $P(5, -3)$ and $Q(3, y)$ are the points of trisection of the line segment joining $A(7, -2)$ and $B(1, -5)$. Then y equals.




Fig. 1.9.

- a) 2
 - b) 4
 - c) -4
 - d) $-\frac{5}{2}$
- 1.10. Cards bearing numbers $2, 3, 4, \dots, 11$ are kept in a bag. A card is drawn at random from the bag. The probability of getting a card with a prime number is

- a) $\frac{1}{2}$
- b) $\frac{2}{5}$
- c) $\frac{3}{10}$
- d) $\frac{5}{9}$

2 SECTION B

2.1. Find the value of p for which the roots of the equation $px(x - 2 + 6) = 0$, are equal.

2.2. How many two-digit natural numbers are divisible by 3?

2.3. In Fig. 2.3, a right triangle ABC , circumscribes a circle of radius r . If AB and BC are of lengths 8cm and 6cm respectively, find the value of r .




Fig. 2.3.

2.4. Prove that the tangents drawn at the ends of a diameter of a circle are parallel.

2.5. In Fig. 2.5, $ABCD$ is a square of side 4cm . A quadrant of a circle of radius 1cm is drawn at each vertex of the square and a circle of diameter 2cm is also drawn. Find the area of the shaded region. (Use $\pi = 3.14$)




Fig. 2.5.

OR

From a rectangular sheet of paper $ABCD$ with $AB = 40\text{cm}$ and $AD = 28\text{cm}$, a semi-circular

portion with BC as diameter is cut off. Find the area of the remaining paper. (Use $\pi = \frac{22}{7}$)

2.6. A solid sphere of radius 10.5cm is melted and recast into smaller solid cones, each of radius 3.5cm and height 3cm . Find the number of cones so formed. (Use $\pi = \frac{22}{7}$)

2.7. Find the value of k , if the point $P(2, 4)$ is equidistant from the points $A(5, k)$ and $B(k, 7)$.

2.8. A card is drawn at random from a well-shuffled pack of 52 cards. Find the probability of getting

- a red king
- a queen or a jack

3 SECTION C

3.1. Solve the following quadratic equation for x :
 $x^2 - 4ax - b^2 + 4a^2 = 0$

3.2. Find the sum of all multiples of 7 lying between 500 and 900.

3.3. Draw a triangle ABC with $BC = 7\text{cm}$, $\angle B = 45^\circ$ and $\angle C = 60^\circ$. Then construct another triangle, whose sides are times the corresponding sides of $\triangle ABC$.

3.4. In Fig. 3.4, a circle is inscribed in a triangle PQR with $PQ = 10\text{cm}$, $QR = 8\text{cm}$ and $PR = 12\text{cm}$. Find the lengths QM , RN and PL .




Fig. 3.4.

3.5. In Fig. 3.5, O is the centre of the circle with $AC = 24\text{cm}$, $AB = 7\text{cm}$ and $\angle BOD = 90^\circ$.

Find the area of the shaded region. (Use $\pi = 3.14$)




Fig. 3.5.

OR

In Fig. 3.5, find the area of the shaded region, if $ABCD$ is a square of side 14cm and APD and BPC are semicircles.




Fig. 3.5.

3.6. A hemispherical bowl of internal radius 9cm is full of water. Its contents are emptied in a cylindrical vessel of internal radius 6cm . Find the height of water in the cylindrical vessel.

3.7. The angles of depression of the top and bottom of a tower as seen from the top of a $60\sqrt{3}\text{m}$ high cliff are 45° and 60° respectively. Find the height of the tower.

3.8. Find the coordinates of a point P , which lies on the line segment joining the points $A(-2, -2)$ and $B(2, -4)$ such that $AP = \frac{3}{7} AB$.

OR

Find the area of the quadrilateral $ABCD$ whose vertices are $A(-3, -1)$, $B(-2, -4)$,

$C(4, -1)$ and $D(3, 4)$.

3.9. All kings, queens and aces are removed from a pack of 52 cards. The remaining cards are well shuffled and then a card is drawn from it. Find the probability that the drawn card is

- a) a black face card
- b) a red card

3.10. The numerator of a fraction is 3 less than its denominator. If 1 is added to the denominator, the fraction is decreased by $\frac{1}{15}$. Find the fraction.

OR

In a flight of 2800 km, an aircraft was slowed down due to bad weather. Its average speed is reduced by 100 km/h and time increased by 30 minutes. Find the original duration of the flight.

3.11. Find the common difference of an $A.P.$ whose first term is 5 and the sum of its first four terms is half the sum of the next four terms.

3.12. Prove that the length of tangents drawn from an external point to a circle are equal.

3.13. A hemispherical tank, full of water, is emptied by a pipe at the rate of $\frac{25}{7}$ litres per sec. How much time will it take to empty half the tank if the diameter of the base of the tank is 3m?

OR

A drinking glass is in the shape of the frustum of a cone of height 14cm. The diameters of its two circular ends are 4cm and 2cm. Find the capacity of the glass. (Use $\pi = \frac{22}{7}$)

3.14. A military tent of height 8 : 25 m is in the form of a right circular cylinder of base diameter 30m and height 5.5m surmounted by a right circular cone of same base radius. Find the length of the canvas used in making the tent, if the breadth of the canvas is 1.5m.

3.15. The angles of elevation and depression of the top and bottom of a light-house from the top of a 60m high building are 30 and 60 respectively. Find

- a) the difference between the heights of the light-house and the building.
- b) the distance between the light-house and the building