

## Table of Contents

Total Resources Allocation	2
Type_A_665M_M2950_TO_M3615_W	5
Type_A_665M_M2950_TO_M3615_R	8
T_B5_30M_M6900_TO_M6930_W	11
T_B5_30M_M6900_TO_M6930_R	12
T_B5_210M_M8550_TO_M8760_W	13
T_B5_210M_M8550_TO_M8760_R	15
T_B5_353M_M8822_TO_M9175_W	17
T_B5_353M_M8822_TO_M9175_R	19
T_B5_212M_M12440_TO_M12652_W	21
T_B5_212M_M12440_TO_M12652_R	23
T_B5_30M_M13925_TO_M13955_W	25
T_B5_30M_M13925_TO_M13955_R	27
T_B5_170M_M17500_TO_M17670_W	29
T_B5_170M_M17500_TO_M17670_R	31
T_B5_357M_M21733_TO_M22090_W	33
T_B5_357M_M21733_TO_M22090_R	35
T_B5_95M_M25625_TO_M25720_W	37
T_B5_95M_M25625_TO_M25720_R	39
T_B5_88M_M33100_TO_M33188_W	41
T_B5_88M_M33100_TO_M33188_R	43
T_B5_450M_M15600_TO_M16050_W	45
T_B5_450M_M15600_TO_M16050_R	47
T_B5_2035M_M3615_TO_M5650_W	49
T_B5_2035M_M3615_TO_M5650_R	52
T_B5_350M_M13350_TO_M13700_W	55
T_B5_350M_M13350_TO_M13700_R	57

### Resources Allocation for Submersible Embankment Slope Protection Work at Kishoregonj PW-35(D1-D31)

Code	Name	Unit	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13	D14	D15	D16	D17	D18	D19	D20	D21	D22	D23	D24	D25	D26	D27	D28	D29	D30	D31
101	Mixture Machine	Nos								6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6				
102	Excavator	Nos								15	15	15	15	15	15	15	15	15	15	15	15	15	15	14	14	14	14	13	13	13	13	11	11
103	Compaction Roller	Nos								14	14	14	14	14	14	14	13	13	13	13	13	13	13	13	4	4	4	4	4	3	3	3	3
104	Form Work	Nos								3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644	3644			
201	Cement	Bag								573	573	573	573	573	573	573	573	573	573	573	573	573	573	573	573	573	573	573	573	573			
202	Sand 1.5 FM	cum								50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50			
203	Stone Chips	cum								109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109			
204	Filter Sand	cum																															
205	Geotextile Filter	sqm															70	70	70	70	70	70	70		2464	2464	2464	2302	2302	2731	2731	2307	2307
206	Peagravel	cum																															
207	CC Block	Nos																															
208	Geobag	Nos															18	18	18	18	18	18	18		612	612	612	572	572	678	678	572	572
209	Turfing Sod	sqm															60	60	60	60	60	60	60		2100	2100	2100	1962	1962	2328	2328	1966	1966
301	Labor	m-day	143	143	143	143	143	143	143	449	449	449	449	449	449	449	446	446	446	446	446	446	446	454	402	402	402	406	406	396	222	227	227
401	Labor payment	BDT Thousand	52	52	52	52	52	52	52	224	224	224	224	224	224	224	223	223	223	223	223	223	223	224	177	177	177	178	178	169	116	114	114



### Resources Allocation for Submersible Embankment Slope Protection Work at Kishoregonj PW-35(D63-D93)

[illegible]

Work Program for Type A slope protection work of the Noapara Hao Submergible Embankment from M2950 to M3615=665M under HFMLIP(D1-D31)

[illegible]

Work Program for Type A slope protection work of the Noapara Hao Submersible Embankment from M2950 to M3615=665M under HFMLIP(D32-D62)

[illegible]

Work Program for Type A slope protection work of the Noapara Hao Submersible Embankment from M2950 to M3615=665M under HFMLIP(D63-D93)

[illegible]





Resources Allocation for Type A slope protection work of the Noapara Hao Submergible Embankment from M2950 to M3615=665M under HFMLIP(D32-D62)

[illegible]

Resources Allocation for Type A slope protection work of the Noapara Hao Submergible Embankment from M2950 to M3615=665M under HFMLIP(D63-D93)

[illegible]

Work Program for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M6900 to M6930=30M under HFMLIP(D1-D31)

[illegible]



Work Program for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M8550 to M8760=210M under HFMLIP(D1-D31)

[illegible]





Resources Allocation for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M8550 to M8760=210M under HFMLIP(D32-D62)

[illegible]



Work Program for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M8822 to M9175=353M under HFMLIP(D1-D31)

[illegible]



Resources Allocation for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M8822 to M9175=353M under HFMLIP(D1-D31)

[illegible]

Resources Allocation for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M8822 to M9175=353M under HFMLIP(D32-D62)

[illegible]

Work Program for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M12440 to M12652=212M under HFMLIP(D1-D31)

[illegible]





Resources Allocation for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M12440 to M12652=212M under HFMLIP(D32-D62)

[illegible]



Work Program for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M13925 to M13955=30M under HFMLIP(D1-D31)

TaskNo	Task_Name	Unit	Task Volume	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13	D14	D15	D16	D17	D18	D19	D20	D21	D22	D23	D24	D25	D26	D27	D28	D29	D30	D31
1	Mobilization and Site Preparation	percent	100	15	15	15	15	15	15	15																								
2	Embankment Construction	Cum	355								24	24	24	24	24	24	24	24	24	24	24	24	24	24										
3	Placing Geotextile Filter	sqm	486																						162	162	162							
4	Geo Bag Placing(125 Kg)	Nos	120																						40	40	40							
5	Close Turfing	percent	414																						138	138	138							
6	Ancillary Work for Site Completion	Percent	100																									15	15	15	15	15	15	15



Resources Allocation for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M13925 to M13955=30M under HFMLIP(D1-D31)

Code	Name	Unit	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13	D14	D15	D16	D17	D18	D19	D20	D21	D22	D23	D24	D25	D26	D27	D28	D29	D30	D31	
101	Mixture Machine	Nos																																
102	Excavator	Nos								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
103	Compaction Roller	Nos								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1										
104	Form Work	Nos																																
201	Cement	Bag																																
202	Sand 1.5 FM	cum																																
203	Stone Chips	cum																																
204	Filter Sand	cum																																
205	Geotextile Filter	sqm																							162	162	162							
206	Peagravel	cum																																
207	CC Block	Nos																																
208	Geobag	Nos																							40	40	40							
209	Turfing Sod	sqm																							138	138	138							
301	Labor	m-day	11	11	11	11	11	11	11	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	7	7	7	11	11	11	11	11	11	
401	Labor payment	BDT Thousand	4	4	4	4	4	4	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3	4	4	4	4	4	4	

Resources Allocation for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M13925 to M13955=30M under HFMLIP(D32-D62)

[illegible]

Work Program for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M17500 to M17670=170M under HFMLIP(D1-D31)

[illegible]









Work Program for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M21733 to M22090=357M under HFMLIP(D1-D31)

[illegible]









Work Program for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M25625 to M25720=95M under HFMLIP(D32-D62)

[illegible]

Resources Allocation for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M25625 to M25720=95M under HFMLIP(D1-D31)

[illegible]

Resources Allocation for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M25625 to M25720=95M under HFMLIP(D32-D62)

[illegible]





Work Program for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M33100 to M33188=88M under HFMLIP(D32-D62)

[illegible]



Resources Allocation for Type B5 slope protection work of the Dakshiner Haor Submergible Embankment from M33100 to M33188=88M under HFMLIP(D32-D62)

[illegible]

Work Program for Type B5 slope protection work of the Noapara Haor Submergible Embankment from M15600 to M16050=450M under HFMLIP(D1-D31)

[illegible]

Work Program for Type B5 slope protection work of the Noapara Haor Submergible Embankment from M15600 to M16050=450M under HFMLIP(D32-D62)

[illegible]

Resources Allocation for Type B5 slope protection work of the Noapara Haor Submergible Embankment from M15600 to M16050=450M under HFMLIP(D1-D31)

Code	Name	Unit	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13	D14	D15	D16	D17	D18	D19	D20	D21	D22	D23	D24	D25	D26	D27	D28	D29	D30	D31
101	Mixture Machine	Nos																															
102	Excavator	Nos								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
103	Compaction Roller	Nos								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
104	Form Work	Nos																															
201	Cement	Bag																															
202	Sand 1.5 FM	cum																															
203	Stone Chips	cum																															
204	Filter Sand	cum																															
205	Geotextile Filter	sqm																												429	429	429	429
206	Peagravel	cum																															
207	CC Block	Nos																															
208	Geobag	Nos																												106	106	106	106
209	Turfing Sod	sqm																												366	366	366	366
301	Labor	m-day	11	11	11	11	11	11	11	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	17	17	17	17
401	Labor payment	BDT Thousand	4	4	4	4	4	4	4	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	7	7	7	7

Resources Allocation for Type B5 slope protection work of the Noapara Haor Submergible Embankment from M15600 to M16050=450M under HFMLIP(D32-D62)

[illegible]



Work Program for Type B5 slope protection work of the Noapara Haor Submergible Embankment from M3615 to M5650=2035M under HFMLIP(D1-D31)

[illegible]





Resources Allocation for Type B5 slope protection work of the Noapara Haor Submergible Embankment from M3615 to M5650=2035M under HFMLIP(D1-D31)

[illegible]

Resources Allocation for Type B5 slope protection work of the Noapara Haor Submergible Embankment from M3615 to M5650=2035M under HFMLIP(D32-D62)

[illegible]

Resources Allocation for Type B5 slope protection work of the Noapara Haor Submergible Embankment from M3615 to M5650=2035M under HFMLIP(D63-D93)

[illegible]

Work Program for Type B5 slope protection work of the Nunnir Haor Submergible Embankment from M13350 to M13700=350M under HFMLIP(D1-D31)

[illegible]







