

Neural Communication

Biological Psychology = aspect of psychology concerned with physical ways neurons cooperate to compose mental processes

- Names:
 - Behavioral Neuroscientists
 - Neuropsychologists
 - Behavior Geneticists
 - Physiological Psychologists
 - Biopsychologists

Phrenology

- The study of the shape of skull and the making of inferences based off of that shape
 - Bumps on head indicate abilities or traits
- Developed by Franz Gall

The Neuron

Anatomy:

- Soma = body of the cell
 - Receives action potentials from dendrites
- Dendrites = branching bodies that connect to other dendrites or axon terminals
 - Receive action potentials via **neurotransmitters**
- Axon = long, thin barrel with myelin sheath that uses electrotonic potential to relay signals from soma to axon terminals
 - Covered with myelin sheath to split transmission into brief, fast electrotonic potentials and connecting action potentials to keep voltage high
- Myelin sheath = waxy layer composed of **Schwann Cells**
 - Serves to insulate stretches of the axon so that electrotonic potential can happen, speeding up transmission
- *Nodes of Ranvier* = gaps inbetween the myelin sheathing that allows an action potential to happen, keeping the voltage within the cell high enough to ensure the signal isn't lost

- Synapse
 - The area where two neurons come near to each other
 - Site of neurotransmitter release and intake

Action Potential Process

- Begin at resting potential(-70mV inside neuron)
- Stimulus opens Na⁺ channels and tons of sodium ions flow in
 - **Polarization**
- After a threshold is reached, K⁺ gates open, letting K⁺ out. Voltage drops as a result
 - **Depolarization**
- After a while, Sodium-Potassium pumps begin to create the gradient
 - **Repolarization**

Drugs that Target Neurotransmitters

- Action potential at dendrite is stimulated by neurotransmitter, typically
- Drugs can fit in those receptors
- **Antagonist**
 - The drug fits, but poorly; as a result, the *real* neurotransmitter can't fit
 - **Inhibits** the targeted neurotransmitter
- **Agonist**
 - The drug fits *really* well and simulates the neurotransmitter
 - **Excites** the neurotransmitter or increases activity

Neurotransmitters

- Dopamine
 - Used in movement, attention, and learning
 - Schizophrenia thought to be related to dopamine imbalance
 - Thought to be a surplus of dopamine
 - Parkinson's disease thought to be related to loss of dopamine-releasing neurons
 - Symptoms:
 - * Movements are difficult to control
 - * Shaking while at rest
 - * Stooping posture or rigidity

- * Unbalance
- Treatments
 - * L-dopa = agonist that immitates dopamine
 - * Fetal tissue transplants
 - * Adrenal gland transplants
 - * Electrical stimulation of thalamus = stops shaking
- Part of “reward system” or limbic system
- Serotonin
 - Regulates sleeping patterns
 - Thought to be related to depression
 - Especially low-serotonin
 - High-serotonin is thought to cause mania
 - *Prozac* excites serotonin
 - * **SSRI** = Selective Serotonin Reuptake Inhibitor
 - * Examples: Welbutrin, Zoloft, Celexa
- Acetylcholine
 - First neurotransmitter we discovered
 - Abbreviated “ACh”
 - Used in motor neurons–stimulates muscles to contract
 - Used in learning, memory, and muscle contraction
 - Nicotine is an agonist for Norepinephrine and ACh
 - Thought to be related to Alzheimer’s Disease
 - Decay of memory, reasoning, and lanugage
- Endorphins
 - Regulates pain/pleasure
 - Pain is a stimulus for release
 - Agonists
 - Morphine
 - Codeine
 - Explains “runners high”
- Norepinephrine
 - Excitatory neurotransmitter that causes “fight or flight” response
 - Also related to depression
 - Used in physical arousal, learning, and memory
- GABA
 - Inhibitory
 - Thought to be related to Huntington’s disease = death of neurons in *stratium* that make use of GABA
 - Jerky movements
 - Cognitive deterioration

- Glutamate
 - Very prevalent
 - Excitatory neurotransmitter
 - Excess glutamate and lack of GABA is associated with epilepsy

Neurons can be Excitatory or Inhibitory

- Excitatory = stimulates post-synaptic neuron to carry an action potential
- Inhibitory = Causes post-synaptic neuron to be less likely to start an action potential
 - GABA

Summary

- Stages
 - * Relieved Dolby Rescued Harry = mnemonic for remembering stages of action potential
 - + **R**elieved = **R**esting
 - + **D**olby = **D**epolarization
 - + **R**escued = **R**epolarization
 - + **H**arry = **H**yperpolarization
- Ions
 - * SIPO = mnemonic for remembering ions
 - + **S**odium **I**ons, **P**otassium **O**ut
- Agonists vs Antagonists
 - * Agonists = mimic effect of neurotransmitter
 - + Nicotine, Morphine
 - * Antagonists = block or inhibit effect of neurotransmitter

The Nervous System

- Nerves = small strands of neurons that act as highways for action potentials
 - * Serve to connect brain to peripheral sensory organs
- Nervous System = the organ system the body employs to communicate between organs
 - * Composition
 - + Nerve Cells
 - + **Peripheral Nervous System(PNS)** = nerve framework that connects brain to peripheral organs
 - + **Central Nervous System(CNS)** = the brain and spinal cord

Model of Nervous System

- Nervous system
 - * Peripheral Nervous System

- + Autonomic Nervous System
 - Controls unconscious actions of organs
 - Contains
 - * Sympathetic Nervous System = arousal
 - * Parasympathetic Nervous System = calming effect
 - + *Think of a parachute--slows you down*
- + Skeletal/Somatic Nervous System
 - Controls voluntary movement of skeletal muscle
- * Central Nervous System
 - + Brain
 - + Spinal Chord

Types of Neurons

- Sensory Neurons
 - * Serve as medium through which sensory information travels to brain
 - * Sense Organs -> Brain
 - + Uses **afferent neurons**
 - * Brain -> Sense Organs
 - + Uses **efferent neurons**
 - * Mnemonic = SAME
 - + **S**ensory **A**fferent **M**otor **E**fferent
- Interneurons = linking neurons that connect other systems together
 - * Only found in brain and spinal chord

Reflexes

- **Reflex** = a simple action undertaken via the **reflex arc**
- **Reflex Arc** = a pathway of nerves through which a reflex happens
 - * Generally goes from sensory organ -> afferent neurons -> interneurons -> spinal chord

Neural Networks

- Neural Networks = a web of inter-connected neurons that cooperate to process information
- Through experience and feedback, neural networks are modified

Lesions

- Lesions = destruction of tissue cause either naturally or by purpose
- Walter Freeman = got Nobel Prize for procedure wherein he quickly caused damage to a part

Brain Scan

- Electroencephalogram(EEG)
 - * Places 8 electrodes around the brain and records electric brain activity
- Computed Tomography Scan(CAT Scan)
 - * X-ray photographs taken from different angles
 - * A computer generates a composite image
- Positron Emission Tomography Scan(PET Scan)
 - * A radioactive form of glucose is ingested and sensors detect where glucose goes
- Magnetic Resonance Imaging Scan(MRI Scan)
 - * Large electromagnets and radio waves make water in the brain orient itself in line with the waves
 - * Can generate very high-detail images