

2017-01-30

What is a “Psychological Disorder”?

- There are *four* characteristics
 - **Atypical** = the behavior isn’t exhibited by most people
 - **Disturbing** = the behavior evokes a disturbed response from those who observe it
 - **Maladaptive** = the behavior is counter-productive to one’s welfare
 - **Unjustifiable** = the behavior cannot be reasonably pinned on a simple cause

The Medical Model

- **Medical Model** = a theory of mental illness that emphasizes finding the causes for certain illnesses
 - Treatment is often rather hit-and-miss
 - * Lots of different types of treatment
 - Psychoanalysis
 - Therapy
 - Medication
 - Electro-shock therapy
- **Philippe Pinel** = a french person that wrote about how madness was a response to severe stress rather than a demonic ailment
- **Thomas Szasz** = a person who wrote that mental illness is a *social* construct rather than a medical phenomenon
 - Is used to ignore problematic patterns of thought or behavior
- **Diagnostic and Statistical Manual of Mental Disorders(DSM-V)**
= widely considered the central authority on what qualifies as a mental illness and how it should be diagnosed

Prevalence

- About half of adults experience symptoms of a mental illness at one point in their life
- About 80% of those who experienced symptoms in the last year did not seek treatment
 - Generally, men are less likely to seek treatment because of the social stigma
- Though it is quite common, mental illness is not commonly severe enough to completely debilitate someone

- Women are more likely to experience depression and anxiety
- Men are more likely to abuse substances and experience antisocial personality disorder

Neurotic vs Psychotic

- **Neurotic** = a term that describes mental illness that causes suffering to people but doesn't impair their ability to think rationally
- **Psychotic** = a term that describes mental illness that distorts people's perceptions of reality or capacity for rational thinking

Classifying Mental Illness

- Labels make us feel like those afflicted aren't *human*
 - *e.g.* Suicide hotline will dispatch police if they believe you may harm yourself
 - * The autonomy of the depressed person is pretty much ignored
- **David Rosenhan** = ran an experiment where people admitted themselves to a psychiatric hospital and pretended to hear voices
 - All of them were falsely diagnosed with Schizophrenia

Anxiety Disorders

- **Anxiety Disorders** = a mental illness that is associated with distress, persistent feelings of anxiety or harmful behaviors that the person performs to reduce feelings of anxiety
 - People with OCD repeat certain behavioral patterns in order to cope with the feelings on anxiety

Generalized Anxiety Disorder

- **Generalized Anxiety Disorder(GAD)** = a catch-all illness that is associated with the following
 - Tense
 - Apprehensive
 - Abnormally active nervous system
 - More or less anxious about *everything*
 - Headaches
 - Stomach pains
 - Irritable

2017-01-31

Panic Disorder

- **Panic disorder** = a condition characterized by relatively short periods of extreme dread and terror
 - Is often accompanied by
 - * Chest pain
 - * Sense of choking
 - * Shortness of breath

Post-Traumatic Stress Disorder

- **Post-Traumatic Stress Disorder(PTSD)** = an anxiety disorder that is caused by a traumatic experience
 - Often associated with
 - * Flashbacks
 - * Feelings of fear
 - * Feelings of horror
 - * Feelings of helplessness
 - * Social withdrawal
 - * Insomnia

Why Do Anxiety Disorders Exist?

- **Learning perspective** = anxiety disorders are “learned” from the surroundings as one grows up
 - Explains how phobias can be passed on from parent to child without any genetic component
 - **Fear conditioning** = anxiety disorders arise from associations between harmful stimuli and harmless stimuli
 - **Stimulus generalization** = a phobia developed from conditioning can become broader than the stimuli that first caused it
 - * *e.g.* a fear of a white rat can generalize into fear of white, fluffy things
 - **Reinforcement** = an effect of strengthening the association between a harmful stimulus and a harmless one by exerting effort to avoid the causing stimulus
- **Biological perspective** = anxiety disorders can be caused by genetic or physiological factors

- **Genetic** factors can predispose people to certain phobias
 - * Perhaps natural selection is behind some of the most common phobias
 - **Physiology** = anxious symptoms actually manifest in physiological ways
 - * Increased heart rate
 - * Brain activity
 - * Stress hormones
-

2017-02-02

Somatoform Disorders

- **Somatoform disorder** = a class of psychological disorders where sensations and symptoms have no discernible cause
 - **Conversion disorder** = a rare type of somatoform disorder with very specific genuine physical symptoms
 - **Hypochondriasis** = a somatoform disorder where normal sensations are misperceived as symptoms of a disease or illness
 - **Munchausens** = kind of a mix between a somatoform disorder and a personality disorder
 - * Victims purposely inflict injuries on themselves for attention
 - * **Munchausens by Proxy** = injuries are consciously inflicted on others for the attention

Mood Disorder

- **Mood disorder** = a psychological disorder characterized by emotional extremes

Major Depressive Disorder

- **Major depressive disorder** = a mood disorder characterized by phases of depressed moods for two or more weeks that isn't caused by any particular event
 - Diagnosis requirements
 - * Persistent, durable symptoms over time
 - * Does not improve for a period of two weeks

- * **Global negativity** = a tendency to view stimuli in a negative way
- * Low self-esteem
- What does it affect?
 - * **Emotional**
 - Sadness
 - Hopelessness
 - Guilt
 - Ignoring friends and family
 - * **Behavioral**
 - Dispondent facial expression
 - Disinterest in hobbies
 - Withdrawal from social situations
 - * **Cognitive**
 - Reduced concentration
 - Inability to concentrate
 - Persistent suicidal thoughts
 - * **Physical**
 - Changes in appetite
 - Change in sleep patterns
 - Low energy

Dysthymic Disorder

- **Dysthymic disorder** = a psychological condition characterized by depressed moods that aren't extreme enough to qualify as major depressive disorder
 - Thought to be related to brain chemistry
 - * Often treated with drugs
 - Can be caused by trauma
 - Doesn't increase in magnitude dramatically with time like major depressive disorder does

Seasonal Affective Disorder

- **Seasonal affective disorder** = a psychological condition characterized by cyclical patterns of severe depression and normal mood
 - Cycles tend to align with seasons
 - * As such, it's thought to be related to sunlight exposure
 - One of the most promising therapies is **light-exposure therapy**

- Unique symptoms
 - * Increased hunger
 - * Weight gain
 - * Excess sleep
 - * Depressive moods in evening

Bipolar Disorder

- **Bipolar disorder** = a psychological disorder associated with alternating states of **mania** or **depression**
 - Used to be called **manic-depressive disorder**
 - **Mania** = an elated state characterized by hyperactivity and irrational optimism
 - **Unipolar** = a term that describes when one state dominates the other
 - Lithium carbonate is the most commonly used drug to treat bipolar
 - Rates of bipolar disorder don't differ substantially between sexes
 - Typically, the early symptoms appear at ages 15-25
-

2017-02-06

Explaining Mood Disorders

- There are two main causes for mood disorders
 - Neurotransmitter unbalance
 - * Low levels of these neurotransmitters are thought to be related
 - Dopamine
 - Norepinephrine
 - Serotonin
 - Genetics
- Certain factors can exasperbate existing mood disorders
 - Grief following the death of a loved one
 - Unemployment
 - Loss of health
 - Financial troubles

Cognitive Differences in Depressed People

- **A.T. Beck** = a researcher that studied this issue
 - He discovered that depressed people have overly negative views of
 - * Themselves
 - * Their world
 - * Their future
 - Depressed people generally perceive situations as *more* negative
- **Hopelessness theory** = a model of explaining depression that emphasizes specific patterns of behavior or cognition
 - “Learned helplessness” = a term that describes how repeated exposure to negative stimuli decrease the likelihood that a person will look for ways to help their suffering

Dissociative Disorders

- **Dissociative disorder** = a psychological disorder associated with a separation between conscious awareness and prior identity
- Symptoms typically start early
 - Often the result of abuse of trauma early on
 - Females are more prone to the disorder
- **Dissociative Identity Disorder** = a dissociative disorder wherein a person exhibits multiple distinct personalities that alternate between one another
 - The subject is still debated in psychiatry and psychology
 - Used to be caused “multiple personality disorder”
- **Dissociative amnesia** = a symptom of some dissociative disorders that involves memory loss
 - Also called “psychogenic amnesia”
 - Is often caused by trauma
 - **Global amnesia** = a complete loss of identity
- **Dissociative fugue state** = a state of consciousness characterized by global amnesia with a replaced identity
 - Also called “psychogenic fugue”
 - Is subject to much debate
 - * Are the subjects just pretending to avoid responsibility?

Schizophrenia

- **Schizophrenia** = a psychological disorder involved with many different kinds of symptoms
 - Translated as “split mind”
 - Symptoms
 - * Disorganized or delusional thinking
 - * Incorrect perceptions
 - * Mismatched emotions or actions
 - * Obstructed speech
 - **Word salad** = rapid alternation between sensible speech and nonsense
 - **Clanging** = unintentional rhyming
 - No disparity between sexes
 - * Often, symptoms appear during adolescence
-

2017-02-13

Three Types of Schizophrenic Symptoms

1. **Positive symptoms** = an element of cognition that is *added* to the experience of a schizophrenic
 - **Hallucinations** = false perceptions
 - Can help reinforce **delusions**
 - Schizophrenics very often hear *voices*
 - * Visual hallucinations are less pervasive
 - **Delusions** = false beliefs, especially of *persecution* or *grandeur*
 - **Delusions of persecution** = the belief that there are people that want to harm you
 - **Delusions of grandeur** = an overinflated ego
 - **Delusions of being controlled** = the belief that cognition itself is compromised by some external entity
2. **Negative symptoms** = an element of cognition that is *removed* from the experience of a schizophrenic
 - Poverty of speech = an inability to speak
 - Flat affect = a lack of emotional expression
3. **Disorganized symptoms** = an element of cognition that involves a perversion of an existing behavior or thought process

- **Erratic speech** = speech patterns that are irrational
 - **Word salad** = a seemingly random jumble of words that has intention but doesn't make sense
 - **Over-inclusion** = coherent thoughts that jump seamlessly from one disparate idea to another
 - * Not like **word salad**, because each individual thought is actual coherent
 - **Paralogic** = faulty logic that reaches absurd conclusions but *feels* correct to the schizophrenic
 - **Clang associations** = unintentional rhyming while speaking
- **Disorganized behavior** = behavioral patterns that are irrational
 - Inadequate emotional expression
 - * *e.g.* Laughing during a funeral
 - * Often times, emotions are actually *reversed*, so sad things evoke a happy response
 - **Catatonic behavior** = a state of complete unresponsiveness
- In addition to these classifications, there are some other terms that used to describe symptoms of schizophrenia
 - **Chronic/Process** = a term that describes a pattern where symptoms emerge slowly and increase in magnitude over time
 - * Generally, recovery from this kind of schizophrenia is unlikely
 - **Acute/Reactive** = a term that describes a pattern where symptoms emerge quickly and rise in magnitude very quickly
 - * Generally, recovery from this kind of schizophrenia is much more likely

Five Types of Schizophrenia

1. Paranoid schizophrenia

- Characterized by obsession with delusions and hallucinations, often with intense paranoia or an inflated ego

2. Disorganized schizophrenia

- Characterized by the disorganized symptoms
 - *e.g.*
 - * Word salad
 - * Flat affect

3. Catatonic schizophrenia

- Characterized by a *catatonic* state, extreme negativity, or mimicking other's actions

4. Undifferentiated schizophrenia

- Kind of a catch-all term for schizophrenia that cannot be otherwise classified

5. Residual schizophrenia

- Characterized by withdrawal following the cessation of hallucinations and delusions

The Dopamine Theory

- A lot of scientists believe that an excess of dopamine can cause schizophrenia
 - As a result, many drugs that target schizophrenia act on reducing the activity of dopamine
 - Dopamine isn't the *sole* cause; other neurotransmitters seem to be related
-

2017-02-14

Schizophrenia risk: Genetics, Environment, Biology, and Culture

- Scientists believe there is a genetic factor to developing schizophrenia
 - People with no schizophrenic siblings have a 1% chance of developing symptoms
 - People with one schizophrenic sibling have a 10% chance of developing symptoms
 - People with an identical twin that is schizophrenic have a 50% chance of developing symptoms
 - * Similarly, if *both* parents are schizophrenic, the child has a 50% chance of developing symptoms
- Scientists also believe there are some environmental factors that increase the risk of schizophrenia
 - Complications during birth
 - * *e.g.* Oxygen deprivation
 - Viral infection during pregnancy
- Scientists also believe there are biological factors that indicate a high risk of schizophrenia
 - An excess or deficit of neurotransmitter

- **Dopamine theory**
 - Abnormal brain structure
 - * Enlarged cerebral ventricles
 - * Reduced tissue surrounding the cerebral ventricles
 - Abnormal brain activity
 - * Reduced activity in frontal lobe
 - There appears to be *no* substantial difference between cultures
 - Industrialized nations have higher incidence and longer recovery times
 - * That is thought to be related to stress level
 - Developing nations tend to treat it like a physical illness
-

2017-02-22

Treatment of Psychological Disorders

Trephining

- **Trephining** = the act of deliberately creating a hole in the skull
 - Interestingly, this can be a treatment for a physical malady with the brain
 - * *e.g.*
 - Fluid buildup
 - Hematoma
- Has been used since ancient times

Therapy

- **Psychotherapy** = a method of treatment that involves an interaction between a trained therapist and a person suffering from a psychological disorder
 - So, psychotherapy is basically just any type of therapy for mental illness
 - * It is not exclusively psychoanalysis; can be cognitive, behavioral, etc
 - Is often characterized by
 - * Heavy emotional weight

- * Complete honesty and confidentiality
- **Eclectic Approach** = the tactic of applying different therapy methods depending on a person-by-person basis
 - * Like someone who uses cognitive psychology, biomedical tactics, and psychoanalysis depending on the circumstances

Psychoanalysis

- **Psychoanalysis** = a method of psychotherapy developed by Sigmund Freud that analyses how repressed urges or impulses affect emotions and behaviors
 - Has a theoretical basis in his model of personality
 - Is seldom practiced in its original form today
 - * Partially because it takes a much longer time to see results
- The essential aim is to surface unconscious motivations and desires
 - Freud believes that conflicts among the **id**, **ego**, and **superego** can cause anxiety
 - * Bringing these conflicts to the conscious awareness can permit the patient to resolve the underlying cause of their problems
- According to Freud, *anxiety* is the chief causes for psychological disorders
 - Anxiety is thought to be created when sexual or aggressive impulses are forcefully repressed
 - Guilt is when those impulses are partially but incompletely expressed
- Modern psychoanalytic techniques are often called “psychodynamic therapy” or “insight therapy”
- **Displacement** = the act of directing impulses towards a less threatening or intimidating entity
- **Projection** = the act of justifying one’s conflicts by accusing others of having the same behaviors or conflicts
 - *e.g.* If you feel anxious or guilty about a behavior, you might accuse others of the same behavior in order to make yourself feel better
 - Is often a defense mechanism
- **Resistance** = a kind off barrier that barrs the conscious mind from dealing with certain subjects
 - Thought to be an indication of repressed impulses
- **Transference** = a directing of emotional content or conflicts onto the therapist
- **Interpretation** = the collaborative association of behavioral or cognitive patterns with symbolic meaning

Humanistic Therapy

- **Humanistic Therapy** = a model of psychotherapy that emphasizes the fundamentally good nature of humans and the potential for **self-actualization**
 - **Self-actualization** = the state of fulfilling one's potential or resolving an ultimate question
 - Is often called **Client-centered therapy**
 - **Client-centered therapy** = a method developed by Carl Rogers and Abraham Maslow
 - * Characterized by
 - Active listening
 - Genuine interest
 - Empathy
 - Total acceptance
 - * Focuses on facilitating personal growth
 - This is because the therapy is more directed by the patient than the therapist
 - * The patient can stop at any time, and the patient decides what to talk about
 - The relationship is more co-equal than in other models of psychotherapy
-

2017-02-23

Gestalt Therapy

- **Gestalt therapy** = a methodology of psychotherapy that attempts to combine psychoanalysis and humanistic methods
 - Developed by Fritz Perls
 - * Thought that humanistic psychology didn't consider role of unconscious at all - Essential goal is to bring understanding to people's moment-to-moment emotions and motivations
 - * Is sometimes called the "being state"
 - * Characterized by perfect authenticity and perception of one's motivations and desires

Behavior Therapy

- **Behavior therapy** = a methodology of psychotherapy that emphasizes how mechanisms of conditioning can be used to reprogram behavior and thoughts
- **Counter-conditioning** =
 - **Operant conditioning** = the technique of reinforcing behaviors through punishments and rewards
 - **Classical conditioning** = the technique of associating a two stimuli together to change behavior
 - * *e.g.* A baby that observes a rat and hears a loud noise enough times will cry just when they see the rat
 - * **Aversive conditioning** = using classical conditioning to reach a positive result
- Essential theory is that *all* behavior is learned
 - And, as a result, behaviors can be re-learned to something better
- Contrasts with both psychoanalysis and humanistic psychotherapy in that it *doesn't* focus on the causes of negative emotions
 - For example, the *cause* of your compulsive behaviors may be an abusive parent
 - * But a behavioral therapist would simply retrain you to do a different behavior
- Phobia management techniques
 - **Exposure therapy** = a technique of behavioral therapy that emphasizes recurrent exposure to negative stimuli to desensitize
 - * **Immersion** = recreating the negative stimuli in as much sensory detail as possible
 - Also called **flooding**
 - **Systematic desensitization** = a more gradual approach with the same mechanics as **exposure therapy**
 - * The process of desensitizing yourself is approached as several steps
 - *first, look at a spider, then let it crawl on your hand, etc*
 - * Process steps
 1. Progressive relaxation
 2. Organize a heirarchy of increasingly anxiety-inducing experience
 3. Progress through each element in the heirarchy
- **Token economy** = a method of operant conditioning that rewards people with an arbitrary currency

- Used to a great extent in all kinds of institutions
 - * Schools, prisons, etc
-

2017-02-24

Cognitive Therapy

- **Cognitive therapy** = a methodology of psychotherapy that emphasizes the role thought patterns play in emotional responses
 - The essential role is to *correct* maladaptive thought patterns
 - Albert Ellis
 - **Rational-emotive therapy** = a sub-model of cognitive therapy that asserts strong emotions occur from irrational ideas
 - * Thus, pressing for justification can make the patient realize that their emotions do not make sense
 - * ABC Model
 - Activating event
 - Beliefs
 - Consequences
 - * The elimination of irrational beliefs will resolve emotional turmoil
 - Aaron Beck
 - Believed that **negative cognitive bias** can result in distorted perceptions that affect behavior and mental health
 - * **Negative cognitive bias** = the brain's propensity to fixate on negative things
 - By challenging that bias, one can prevent a downward spiral of negativity
-

2017-03-01

Cognitive Behavioral Therapy

- **Cognitive behavioral therapy** = a combination of cognitive therapy and behavioral therapy
 - Uses conditioning and correcting irrational beliefs to improve mental health

System Therapy

- **System therapy** = a method of psychotherapy that emphasizes treating many individuals as one
 - Emphasizes the role that relationships affect emotional wellbeing
- Focuses on improving communication and building positive relationships
 - *e.g.*
 - * Family therapy
 - * Alcoholism group therapy
 - * Couple therapy

Incidence of Mental Illness

- Most people do not seek treatment
 - Mostly due to the social stigma
 - Some report spontaneous remission
 - Usually caused by *something*, may be unknown to the patient
 - Meta-analyses show that psychotherapy is consistently more effective than no treatment
-

2017-03-02

Psychological Occupations

- **Clinical psychologist** = a person, typically with a Ph.D. in psychology, who focuses on research, assessment, or therapy
 - Half work in private practice, while the other half work in institutions or agencies
 - Generally takes 12 years to become one
- **Clinical/Psychiatric Social Worker** = a person, typically with a MA of Social Work, who focuses on all kinds of *social work*
 - *e.g.*
 - * Intervention services
 - * Communication facilitators
 - * Mediators

- Almost half are accredited by the National Association of Social Workers’
- **Psychiatrist** = a physician who specializes in treating psychological disorders
 - Not all are trained in psychotherapy
 - They can give prescriptions to patients, because they are M.D.’s
 - A large portion are in private practice
- **Psychopharmacology** = a person who specializes in how drugs can be used to treat psychological disorders

Biomedical Therapies

- **Antipsychotic drugs** = a class of psychoactive drugs that is used for severe psychological disorders (like schizophrenia)
 - *e.g.*
 - * Haldol
 - * Thorazine
 - * Clozapine
- **Antianxiety drugs** = a class of psychoactive drugs that is used for anxiety disorders
 - Work by essentially depressing nervous system activity
 - *e.g.*
 - * Valium
 - * Xanax
 - * Lithium
- **Antidepressant drugs** = a class of psychoactive drugs that is used for depression
 - Usually work by mimicking certain neurotransmitters
 - *e.g.*
 - * Wellbutrin
 - * Celexa
 - * Lexapro
 - * Prozac
 - * Zoloft
 - * Paxil
 - MAO Inhibitors = a class of antidepressants that elevate dopamine and serotonin by inhibiting an enzyme called MAO
 - * Has generally been replaced by SSRI’s
 - Tricyclics = a class of antidepressants with a unique chemical structure
 - * Has generally been replaced by SSRI’s

- Selective Serotonin Reuptake Inhibitor(SSRI) = a class of antidepressants that focus on keeping serotonin in the synapse for longer
- **Electroconvulsive therapy(ECT)** = a treatment that induces seizures with electric shocks
- **Psychosurgery** = a surgical procedure intended to treat a psychological disorder
 - **Lobotomy** = a procedure wherein some specific brain tissue is destroyed