



Eidgenössische Technische Hochschule Zürich  
Swiss Federal Institute of Technology Zurich



Institute of Geodesy and  
Photogrammetry

Jonathan Allemand & Sabine Rüdisühli

# Title

## Subtitle

**Interdisciplinary Project**

Institute of Geodesy and Photogrammetry  
Swiss Federal Institute of Technology (ETH) Zurich

**Supervision**

Prof. Konrad Schindler and Cornel Dora

31st of May, 2019

IGP-XX-YY-ZZ



# Abstract

The start of the painting of the Plan of Saint Gall was in 16xx and afterwards, new parts were added. Due to the lifetime and the painting the plan gets some “injuries”. To detect traces of the past, the Plan was recorded with the best measurement system nowadays, the Minidome, which allows to measure with mm-submililitre resolution and in 2.5D.

To subtract some information from the Plan, firstly, the patches recording have to be stitched together. This steps have to be done because the portable Minidome can only record patches of a size of  $x \times x$  cm and the Plan has a totally size of  $x$  m. For the extracting of research features, ideas have to build up which should work on an old, crumbled plan. These detected features will be afterwards analysed from plan experts. To prepare information for the experts, the plan was stitched together with Photoshop because all other program reached their limits with the given 1.5 TB dataset. The key point in this step was to get the transform parameters for each patch. After a lot of tries, Finally, a self-written C++ script solved the program. The second challenge, extracting research features like needle holes and scratches, can be only solved with manual detecting because the crumbled old plan destroyed all the genius, theoretical ideas for detecting. For examples, the made assumption that needle holes should be round and have some height differences are logical, but the circle matching program gave a lots of more possible circles which lays in wrinkled regions.

**Keywords:** photometric stereo, Plan of St Gall, feature detection, image stitching.



# Acknowledgement

We would like to sincerely thank Professor Schindler, because he made possible an extraordinary project that brought together our acquired technical knowledge and a cultural asset. In addition, for the simple, but still very good care. Furthermore, we sincerely thank the whole Stiftsbibliothek of St. Gall, who received us a very warm welcome and a great confidence to work with the unique plan. Very big help was the Abbey librarian Cornel x, who made all the impossible things possible, and Silvio y, who was always available for our questions and made the whole measuring process possible. Finally, we thank the Belgium team from Leuven, Vincent e and c.c, who made the recording with their brought minidome.



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Plan of St Gall . . . . .	1
1.2	Project Overview/goals . . . . .	1
1.3	Photometric Stereo . . . . .	1
<b>2</b>	<b>Photometric Stereo Survey</b>	<b>3</b>
2.1	Introduction . . . . .	3
2.2	Location . . . . .	3
2.3	Equipment . . . . .	3
2.4	Considerations . . . . .	3
2.5	Methodology . . . . .	4
2.6	Results . . . . .	4
2.7	Analysis . . . . .	4
<b>3</b>	<b>Feature Extraction</b>	<b>5</b>
<b>4</b>	<b>Plan Stitching</b>	<b>7</b>
4.1	Introduction . . . . .	7
4.2	Image Stitching . . . . .	7
4.2.1	Hugin . . . . .	7
4.2.2	Photoshop . . . . .	7
4.2.3	OpenCV . . . . .	7
4.2.4	ICE . . . . .	7
4.2.5	Results . . . . .	8
4.2.6	Discussion . . . . .	8
4.3	3D Model Reconstruction . . . . .	8
4.3.1	Normal Map to Point Cloud . . . . .	8
4.3.2	Point Cloud Registration . . . . .	8
4.3.3	Point Cloud Cleaning . . . . .	9
4.3.4	Results . . . . .	9
4.3.5	Discussion . . . . .	9
<b>5</b>	<b>Analysis</b>	<b>11</b>
<b>6</b>	<b>Conclusion</b>	<b>13</b>
<b>A</b>	<b>Example Appendix Chapter</b>	<b>15</b>





# Chapter 1

## Introduction

### 1.1 Plan of St Gall

The Plan of St Gall is one of the only remaining major architectural drawings from the period between the fall of the Western Roman empire until the 13th century (Reference wikipedia...). At nearly 1200 years of age and consisting of 5 pieces of parchment stitched together, significant care has to be taken to ensure that it is preserved into the future. For this reason, there has been expressed interest in capturing 3D information about the surface of the plan at a fine scale that may not have been readily visible by the human eye. By capturing this information digitally, it enables researchers, historians or other interested parties unrestricted access to the plan from wherever they are in the world. Furthermore, in the mission to preserve the plan, this will reduce the need for physical inspection of the plan and decrease the amount it is exposed to environmental conditions that will hasten the deterioration process of the plan.

### 1.2 Project Overview/goals

Previously, a high resolution photogrammetric stereo 3D model has been generated of the Plan of St Gall, but similarly to the Nyquist-Shannon sampling theorem for signal processing, the resolution of the 3D model has to be higher than that of the features one seeks to identify within it. The 3D model acquired, although of a high resolution, was not quite high enough to discern fine features in the parchment, such as needle holes, without having the physical parchment for comparison or a prior knowledge of the existing feature.

Because of this, it was proposed and accepted to perform an extremely high resolution photometric stereo capture of the full plan. Following the capture of the plan, the data acquired was to be combined into a full high resolution model or image mosaic.

In addition to the stitching of the plan, further exploratory analysis would be performed on the output. This includes feature detection of pinholes or scratch marks that have been expressed as of interest. Geometric and radiometric differences will also be analysed for various effects.

### 1.3 Photometric Stereo

Although photometric stereo does not natively provide a 3D model in the typical sense, but what it does capture is a set of 3D vectors representing the surface of the object projected onto an image plane. Thus the output is in the form of an image where the typical RGB colour channels representing a 3D normal vector for the area of the object that each pixel projected onto. This leads to the common reference of this being referred to as 2.5D data as the image only has 2 dimensions

but the normal maps provide a discretised approximation of the normal vectors for the objects surface within the region each pixel covered.

In addition to the 3D properties of the plan that can be obtained through the normal maps from the photometric stereo, ambient and albedo images can also be generated which can also be used to provide additional information about the surface of the objects reflectance properties which is not captured in a photogrammetric stereo model.

The resulting project of the collaboration between the Stiftsbibliothek and the group behind the Minidome from Leuven University (check names) can be described in three parts. The first part consists of the preparation and data capture of the Plan of St Gall largely performed by the staff from Leuven. The last two sections represent the individual works of the two authors regarding the specific works each author performed on the Plan of St Gall.

## Chapter 2

# Photometric Stereo Survey

### 2.1 Introduction

This section will describe the main physical processes and considerations regarding the data acquisition of the Plan of St Gall using the Minidome. This chapter will not provide an in depth explanation of photometric stereo, nor some of the finer details associated to the Minidome that as volunteered and controlled by the group from Leuven as the major part of this project was focussed on utilising the post-processed outputs from the Minidome provided by them.

### 2.2 Location

As the Stifftsbezirk St.Gallen are the custodians of the Plan and responsible for the safety and security of the Plan, the photometric stereo survey was performed within a secure room provided on the premises. This allowed for not only the secure storage of the Plan and Minidome equipment overnight, but also the oversight of their staff for the handling of the Plan throughout the data acquisition.

### 2.3 Equipment

- Minidome - 270 LEDs Whitelight - 180 Multispectral
- Camera specs?
- 1 plan
- Tripods and rail setup for holding the minidome over the plan
- Trolley
- Tables which the trolley would be rolled along
- Tape to mark positions of trolley to ensure full coverage
- Measuring "tape"/"stick" (I'm not sure what the measuring things here are called... I'm used to the metal rolling ones)
- Laptop and NES storage system for capture of all the data

### 2.4 Considerations

- Room selection

- White light / Multispectral
- Setup and movement of the plan
- overlap
- Room lighting
- Room temperature
- Moving of floor boards - During acquisition

## 2.5 Methodology

**Acquisition** - Geometric calibration

- Exposure calibration
- Acquisition
- White front
- White back
- Multispectral front
- Limitation of NUV / NIR exposure to plan - Cover

**Processing** - Camera calibration

- Exposure calibration
- Determine albedo / ambient / normal products
- Cluster processing for exposure correction

## 2.6 Results

## 2.7 Analysis

## Chapter 3

# Feature Extraction

Something Something Feature Extraction



# Chapter 4

## Plan Stitching

### 4.1 Introduction

The digital recreation of the plan consisted of two main parts. Firstly, mosaicing or stitching together the individual normal, ambient and albedo patches was one of the first priorities. This not only provides a full, visually appealing, digital representation of the plan, but it also allows those viewing it the able to visualise the finer details with respect to the whole plan than inspecting features locally within an arbitrary patch. Section 4.2 will discuss in detail the different software implemented for this as well as the considerations, pros and cons of each one for this task.

The second part was to create a proper 3D model of the Plan by an integration process of the normal maps. The approaches taken to do so are presented in section 4.3.

#### General Process

### 4.2 Image Stitching

#### 4.2.1 Hugin

- Powerful open source software
- Control nearly all aspects of the stitching workflow - Control point detection - Control point matching - Transformation parameter optimisation - Exposure compensation - Camera calibration
- Varying projection options

#### 4.2.2 Photoshop

- Easy to use - Minimal choice of parameters. Only a couple of projection choices and slight options for vignetting / geometric/exposure settings - License required - Processing time 30 min - 1 Hr

#### 4.2.3 OpenCV

- Open source (free) - Full control of parameters - Ability to obtain optimised parameters - e.g. orientation and translations of images - Slow processing time... unable to obtain a full resolution output with existing class or settings? (Need to try again).

#### 4.2.4 ICE

- Simple to use software - Free - Some parameter control - More projection options than photoshop
- Easy layout tools to achieve a better a priori of the relative image locations - Fast

#### 4.2.5 Results

- Photoshop provided some of the most visually appealing results. - Line work and visual features were nearly all continuous with minimal discontinuities compared to others - Hugin could be consistent with the remapping and projection of results - Line control points provided additional constraints to the outside of the plan to ensure they were "straight" and not so affected by projective distortions - Ice was extremely fast and easy... although issues with the layout option for the white light as the software was rigid that all row and columns must contain the same number of images - Results were visually appealing... Equal with photoshop?

#### 4.2.6 Discussion

### 4.3 3D Model Reconstruction

#### 4.3.1 Normal Map to Point Cloud

Normal maps, or gradient fields, are an approximation of an objects surface normal vector for the area covered by the pixel in the image. The normal vector doesn't provide any direct information about the height of the objects surface but it does provide the directional change in height - proportional to the width of a pixel.

By knowing these height difference across the discretised pixels, it is possible to determine a height at each pixel point via integration. A simplistic approach of picking one pixel as the reference point and then performing line integrations across the normal map is an easy to implement solution but does not have a unique solution. Further methods aim to improve the overall solution through the likes of error minimisation such as global least squares or multigrid methods.

For this project, two methods of integration were tested A global least squares method was implemented using that proposed by (reference) in code developed by (reference). The second method was through a multigrid method implemented by ESAT at Leuven. When performing the global least squares method, the multigrid implementation by ESAT was not known.

#### Global Least Squares

The global least squares method aims to be an improvement on a typical line integration by obtaining a unique solution. The implementation used by (reference) in their `grad2surf()` functions does .....

As you can see in the Figure X, the result performs OK for a single patch. The native output from this algorithm though causes the horizontal plane that the plan rested on to be set at a distinct angle. To correct this, a simple Least Squares fit to the plane was determined and the points reprojected onto an XY plane such that the height component determined from the global integration process is represented in the Z axis. An example of the final output can be seen in Figure X.

#### Multigrid Method

The multigrid methods aim .....

#### 4.3.2 Point Cloud Registration

Creation of the full plan with the individual patches requires a transformation of all their local coordinate systems into a global system. To do so a registration process was implemented to determine the corresponding transformations of the patches to their location within the global reference system and the full plan. The following process was all performed within Geomagic Control 2015.



**Manual Registration** The full resolution patches were too large to be practical for a manual registration process so a set of subsampled patches at 1/4 resolution were used to determine the individual transformations. Once these patches were scaled to the correct dimensions of the full resolution patches, a manual iterative approach registration was performed.

First a central patch of the plan was taken as the starting reference point and then the neighbouring patches that overlapped significantly were registered to it. This involved manually identifying visual features on the Plan in each of the two point clouds that would be used to determine the approximate transformation parameters of the patches.

After these were aligned to the central patch, their subsequent neighbours were registered with respect to themselves. This was continued outwards towards the Plan's edge until all patches were aligned in the global reference system. Due to the manual feature selection, the process was rather slow but effective in providing a starting approximation of the transformation parameters between the patches.

**Automatic Global Registration** With the manual registration complete, the. This global adjustment took a subsample of points from each of the patches and tried to minimise the RMS errors between neighbouring points within the overlapping regions. This global registration should provide an improvement of the patch alignments due to the minimal number of manual points used for the initial approximate registration.

### 4.3.3 Point Cloud Cleaning

### 4.3.4 Results

### 4.3.5 Discussion



## Chapter 5

# Analysis



## Chapter 6

# Conclusion

And the main conclusions to be put here.



## Appendix A

# Example Appendix Chapter

The following code is the definition of the bibliography entry of the document class IDSCreport [?].

```
% Technical Reports
@manual{IDSCreportClass,
  author = {<[first name] [last name] and [first name] [last name] and ↵
...>},
  title = {<use {XX} to preserve capitalization of acronyms or german ↵
nouns>},
  language = {<english/german/...>},
  journal = <use an abbreviation as defined in IEEEabrv.bib>,
  volume = {},
  number = {},
  pages = {},
  year = {}
}

% Journal Article %
@article{Name:YEARxx,
  author = {<[first name] [last name] and [first name] [last name] and ↵
...>},
  title = {<use {XX} to preserve capitalization of acronyms or german ↵
nouns>},
  language = {<english/german/...>},
  journal = <use an abbreviation as defined in IEEEabrv.bib>,
  volume = {},
  number = {},
  pages = {},
  year = {}
}

% Book %
@book{Name:YEARxx,
  author = {<[first name] [last name] and [first name] [last name] and ↵
...>},
  editor = {<[first name] [last name] and [first name] [last name] and ↵
...>},
  title = {<use {XX} to preserve capitalization of acronyms or german ↵
nouns>},
```

---

```

        language = {<english/german/...>},
        edition = {},
        address = {},
        publisher = {},
        year = {}
    }

% Webpage %
@webpage{Name:YEARxx,
    title = {<use {XX} to preserve capitalization of acronyms or german ↵
nouns>},
    language = {<english/german/...>},
    organization = {},
    month = {<jan/feb/mar/apr/may/jun/jul/aug/sep/oct/nov/dec>},
    year = {},
    url = {}
}

% Complete books not formally published by a publisher%
@booklet{Name:YEARxx,
    author = {<[first name] [last name] and [first name] [last name] and ↵
...>},
    title = {<use {XX} to preserve capitalization of acronyms or german ↵
nouns>},
    language = {<english/german/...>},
    howpublished = {<similar to publisher, e.g. university press>},
    year = {}
}

% Chapter of a book that has it's own title and its own author%
@incollection{Name:YEARxx,
    author = {<[first name] [last name] and [first name] [last name] and ↵
...>},
    editor = {<[first name] [last name] and [first name] [last name] and ↵
...>},
    title = {<use {XX} to preserve capitalization of acronyms or german ↵
nouns>},
    booktitle = {<use {XX} to preserve capitalization of acronyms or ↵
german nouns >},
    language = {<english/german/...>},
    address = {},
    publisher = {},
    year = {}
}

% Conference Proceedings %
@inproceedings{Name:YEARxx,
    author = {<[first name] [last name] and [first name] [last name] and ↵
...>},
    title = {<use {XX} to preserve capitalization of acronyms or german ↵
nouns>},
    booktitle = {<use {XX} to preserve capitalization of acronyms or ↵
german nouns >},
    language = {<english/german/...>},

```



```

        publisher = {},
        pages = {},
        year = {}
    }

% Software %
@electronic{Name:YEARxx,
    author = {<[first name] [last name] and [first name] [last name] and ↵
...>},
    title = {<use {XX} to preserve capitalization of acronyms or german ↵
nouns>},
    note = {<version number>},
    organization = {},
    month = <jan/feb/mar/apr/may/jun/jul/aug/sep/oct/nov/dec>,
    year = {},
    url = {}
}

```





Eidgenössische Technische Hochschule Zürich  
Swiss Federal Institute of Technology Zurich

Institute for Dynamic Systems and Control

Prof. Dr. R. D'Andrea, Prof. Dr. E. Frazzoli, Prof. Dr. C. Onder, Prof. Dr. M. Zeilinger

**Title of work:**

Title

Subtitle

**Thesis type and date:**

Interdisciplinary Project, 31st of May, 2019

**Supervision:**

Prof. Konrad Schindler and Cornel Dora

**Students:**

Name: Jonathan Allemand  
E-mail: jonal@student.ethz.ch  
Legi-Nr.: 17-937-632  
Semester: HS 2019

Name: Sabine Rüdisühli  
E-mail: sabiner@student.ethz.ch  
Legi-Nr.: 17-???-???  
Semester: HS 2019

**Statement regarding plagiarism:**

By signing this statement, we affirm that we have read and signed the Declaration of Originality, independently produced this paper, and adhered to the general practice of source citation in this subject-area.

Declaration of Originality:

<https://www.ethz.ch/content/dam/ethz/main/education/rechtliches-abschluesse/leistungskontrollen/declaration-originality.pdf>

Zurich, 28.5.2019: \_\_\_\_\_