

Contents

1	opening	2
1.1	1m	3
1.1.1	resp	3
1.1.2	rebid	4
1.1.3	1m - 1X; 2N (Wolff + 3D fit m)	5
1.1.4	after Gazzilli accepted	5
1.1.5	PH responses	5
1.1.6	comp	6
1.2	1M	7
1.2.1	rebid	7
1.2.2	after Gazzilli accepted	7
1.2.3	1M - 2N	8
1.2.4	2/1	8
1.2.5	PH responses	9
1.2.6	comp	9
1.3	1N	10
1.3.1	comp	10
1.4	2C	12
1.4.1	2C - 2D	12
1.5	2N	13
1.6	2X	14

Chapter 1

opening

1.1 1m

Again, thanks to the space preserved by dutch doubleton and transfer responses, one can see that $1C - 1DH - 1S$ and $1D - 1HS - 1N$ (since no min bal) is undefined. Therefore we are allowed to use them to show strong (16+) hands, with many higher bidding spaces left. For example, after $1D - 1S$, since $1N$ shows all strong (16+) hands, $2H$, $3C$, $3H$ are undefined. Unlike major suit openings where the opener can easily have shapely hands, minors don't (and among those does, lot of them are single-suited). Therefore, we decide to prioritize major fits – using jump rebids as mini-splinter. For normal reverses, since we have already dealt with mini-splinters, we simply leave it natural "with-Gazzilli-style": showing a shapely (6-4) hand with 14-16 concentrated HCP.

Similar to major suit Gazzilli, we are allowed to include a weak variant by rebidding $2X$ after Gazzilli accepted (i.e. responder rebids +1). In natural systems, however, we usually rebid $2m$ with any weak unbal hands. Therefore, we are left two seemingly unnecessary options: direct rebid of $2m$ and Gazzilli then $2m$. There may be several options for this: for example, identifying a 3-card fit (compare to $1m - 1M - 2M$ may be 3-card or $1C - 1DH - 1HS$ is (2)3-card); or perhaps game try (targeting $3N$) with a good (AJT or KQ) 6+ suit. In our system, we choose to do BOTH (obviously, slightly weaker than choosing one) by agreeing:

- direct rebid $2m$: 14-15, good 6+ suit
- jump rebid $3m$: 14-15, good 6+ suit
- min unbal uses the Gazzilli. If accepted, rebid $2M$ & $2m$ to show min unbal with or without 3-card fit

Note that there are a few side effects: first, this also tighten the range of the original $3m$ rebid (from 15-17 to 16-17); second, rebidding $3m$ becomes game-forcing (18+); last, strong hands cannot show 3-card fit using $2M$ (note: only after Gazzilli accepted), but we don't think it's a big deal since there are plenty of spaces left, including seemingly undefined $2N$.

1.1.1 resp

Other than transfer response, we also feature a slightly different (but not uncommon) response system. Some players simply use jump response as weak natural, and perhaps double jump as splinter. IMHO this is not very efficient because it

rarely happens (imagine the last time you hold 6+S, 4 HCP against 1m opener), therefore we have changed it a bit (see below). One noticable change (recommended by Jonky) is the "reverse Flannery" which shows 3-7 HCP and 54xx+ (usually 5-7 but can be weaker due to length or Vul), therefore 1S response followed by 2H shows 8+. This synergized quite well with minor-suit Gazzilli because we are allowed to show a constructed (8-10) 54xx+ with 1C - 1H; 1S - 2H & 1D - 1S; 1N - 2H.

```
transfer response to 1C: 1D = 4+H. 1H = 4+S. 1S = (4)5+D.
    # major first when non-GF
nat response to 1D: 1M = 4+M
1N = 6-10
2H = 3-7, 5S4H+
    2N/3M = inv. P/2S/3m = s/o. 3om = art GF.
2S = m fit inv(+) # [m = C] inv, [m = D] inv+
    1D - 2S - 2N = 17-18. 1D - 2S - 3C may be just GF. # ?
    1C - 2S - 2N = min s/o
2N = (s)bal inv
    3m = NF # 1D - 2N; 3C can be assumed fit (ex: xx63)
3N = 13-15, (4333)
double jump (1D - 3HS & 1C - 3DHS) shows a weak 7+ card with 6-6.5 winners
1C - 2C = GF. 1C - 2D = nat inv.
    1C - 2C - 2D = art min.
1D - 2C = GF.
    2D = min. 2N = 17-18.
1D - 2D = nat 6-10. 1D - 3C = nat inv
    # optional: 1D - 2D frequent 4M ?
1C - 3C = (5)6+C pre. 1D - 3D = (3)4+D pre
```

1.1.2 rebid

```
1m - 1M(-1)
2N = 17-18 bal
2m = (13)14-15, good (two of AKQ) 6+m # could be weaker with longer m
    rebid = nat F1. raise & new suit = nat GF
3m = (15)16-17, good (two of AKQ) 6+m
3M = (16)17-18 bal, 4+M # 16 is probably 5m4M22 and not opening 1N
3N = (s)solid m, to play # range from about 7-card 13 HCP to 6-card 18 HCP
reverse = concentrated 14-16, 6+m and 4+ suit, NF
jump & jump reverse = inv+, spl
double jump = void spl (4m = 6+m, 4+fit)
1C - 1D - 1H = 11-17, 4+S. 1D - 1H - 1S = 11-17, 4+S. # 18+ uses Gazzilli
    4SF ?
1D - 1M - 2C = 11-15, 4+C.
1C - 1DH - 1S = min unbal or 16+. 1D - 1HS - 1N = min unbal or 16+.
```

```

+1 = 8+ # then 2m/2M = min unbal wo/w 3M. others = 16+, GF
2H = 8-10 # because 1m - 2H = 3-7
all other = min nat # jump = weak but shapely
    then new suit = GF
1C - 1DH - 1N = 11-13 bal
    modified 2-way

```

```

1C - 1SN & 1D - 1N
1C - 1S - 1N = 11-13 bal, no 3D unless (4333)
    2m = s/o. 2M = 4+M GF. 2N/3C = inv. others = GF
    # because 1C - 2D = inv
2m = min nat # 1D - 1N - 2C may be 3-card
2M = nat 16+
    2N = min NF
2N = 17-18 bal
rebid/raise 3m = inv
1D - 1N - 3C = GF
double jump = ?

```

1.1.3 1m - 1X; 2N (Wolff + 3D fit m)

```

1m - 1M(-1); 2N -
3C → 3D
    P/3M = s/o. 3oM = 4oM, GF.
3D = fit in opener's minor
3M = 5+M, slam interest
[M = S] 3H = 55+M, MST+
[M = H] 3S = 5H4S, GF
3N/4M = s/o # 1m - 1S(-1); 2N - 4H = 55M s/o

# other scheme: 3DH transfer and 3S = fit in opener's m
# 4m; 3C then 3N; and 3C then 4m ?

```

1.1.4 after Gazzilli accepted

```

1m - 1M(-1); 1SN - +1;
2m = 11-15 unbal, 2-M. as if natural 1m - 2m (excluding our 1m - 2m)
    [M = S] 2H = 11+, F1. # then new suit = GF. 2N/rebid = NF.
    2M = s/o. 3m/3M = inv. new suit = GF except above.
2M = 11-15, 3M.
other = nat GF # note: do we want to distinguish 19+ ? 2N = ?

```

1.1.5 PH responses

```
1m - 2C = inv. 1C - 2S = nat.  
2-way on except 2D = F1
```

1.1.6 comp

```
1m - (X)  
    XX = 11+ near-bal, FP on. others = system on.  
1m - (1D)  
    X = same as 1C - 1D. 1S = 8+, unsuitable for 1N. 2D+ = ?  
    subseq system off. cue = F1.  
1m - (1M)  
    ?  
    subseq system off. cue = F1.
```

1.2 1M

```

1H - 1S = 4+S, F1
1N = SF
2C = 2+C, FG
2D = (4)5+D, FG
2M = 7-10 values
jump suit = nat inv NF
2N = 4+ fit, inv+. bal unless min inv (11-12 values).
3M = pre. # NV: wild. V: 4+ fit unbal.
1S - 3N = 11-14, some spl. 1H - 3S = 11-14, some spl.
    +1 = ask
4X = 11-14, void spl # 1H - 3N = spl S

# possible / better to make 1S - 3H = ambiguous spl and 1M - 3N = (4333) ?

```

1.2.1 rebid

```

1M - 1SN
1N = min nat
    modified 2-way
2C = Gazzilli. 11-15, 2+C; or 16+ # can be weaker if want GF opposite 8+
    2D = 8+
    other = min # jump = shapely min
        raise/2N/3M = inv, new suit = GF
2X (X < M) = 11-15, 4+X
    impossible Spade
2M = 11-15, 6+M
1H - 1N - 2S = concentrated 14-16, 6H4S+
1H - 1N - 3S = concentrated 14-16, 6H5S+
1H - 1S - 2S = 11-15, 4+S
1H - 1S - 3S = concentrated 14-16, 6H4S+
2N = concentrated 14-16, some 6-4
    3C = ask # then 3M = 6M4C
    3X = NF
3X (X < M) = concentrated 14-16, 5-5
    ?
3M = 6+ good M, 5.5 Losers # may be 16+
    new suit = cue

```

1.2.2 after Gazzilli accepted

```

1M - 1SN; 2C - 2D
2M = 11-15, 2+C

```

```

impossible Spade
2N = 16-18 [M = S] or 16+ [M = H], any 5-5 (or 6-6, which can jump or rebid
4X)
3C = relay
[M = S] 3DH = nat. 3S = 5+C
[M = H] 3D = 16-18, 5+D. 3H = 16-18, 5+C. 3S = 19+, 5+C. 3N = 19+,
5+D
3X = 4+X # 1H - 1N; 2C - 3S = 6H5S
3M = 6+M, GF
3N = 16-18, bal, without 3oM unless after 1H - 1N (which may also be 45xx)
2oM = 19+, catchall; or some kind of bal hand (rebids 3N)
+1 = relay
all except 3N = same but 19+
[1S - 1N ...] 3N = 16-18, 3H, bal
[1H - 1S ...] 3N = 16-18, 3S, bal
[1S - 1N ...] 3N = 19+, 45xx
anti-relay shows a good 6+ suit, either slam interest or CoG

```

1.2.3 1M - 2N

```

# open extra = 15+ or good controls
# resp min = originally non-GF. non-serious = GF min.
3C = 11-14 unbal or 11-12 bal
3D = ask, resp same as below. 3M = min NF. 4M = s/o. other = nat suit
MST+.
3D = extra w/o shortness
4M = min w/o shortness. 3M = min w/ shortness. # then +1 = ask
3N = non-serious. other = cue.
3HSN = extra. spl # 3oM = spl oM. 3M/3N = spl C/D.
4X = extra. 5+X. usually promise all controls.
4M = 13-14 bal.

```

1.2.4 2/1

```

1M - 2X
2Y < M = 4+Y any range
2M = min
2N = 15+, catchall
3M = 2M, may not have extra. suit = MST+
any 3X (may be jump) = (15)16+ values, 5-5 or 4+m.
1S - 2H - 3H = 3+H not promising extra. raise 2D can be 3-card.
3M = s-solid, < 5.5 Loser (at least 1M - 1N - 3M)
4m = ?

```



```

1M - 2X; 2M -
2S = nat 4+S
2N = default # bal or with stop
    3M = 6+M. suit / raise = (3)4+ cards. 3Y > X = ?
non-reverse 3Y = nat 5-5, MST+
reverse 3Y = ask or show stop (default); or 6-5 (promise rebid)
    # show stop if there are two reverses, otherwise ask
rebid 3X = 6+X, MST+
3M = MST+, then non-serious applies
    # optional: 2N then 3M/4M shows bal, 3M shows 5+X
3N = quant
jump = 3+M, spl
4M = s/o

```

```

1M - 2X; 2Y -
2M = 3+M, any
    2N = default
        jump = spl. suit = extra and nat. 4M = min.
        3M = MST+, then non-serious applies.
    suit = extra and nat
fourth-suit = ask stop (default); or 6-5 (promise rebid)
2N = default. 3N = quant.
rebid 3X / raise 3Y = nat extra.
4M = min, concentrated in X and M. 3M = similar but stronger.

```

1.2.5 PH responses

```

1M - 2C = 9-11, 3+ fit
    2D = reinv. 2M = s/o. 2N+ same as 1M - 2M but slammish.
    [M = S] 2H = inv+, nat
1M - 2N = originally 1M - 3M+1
    3C = ask shortness
jump = inv, fit-showing # concentrated, 9+ cards in M + X
2/1 becomes nat inv NF

```

1.2.6 comp

?

1.3 1N

```

1N -
2C = ask 4M, may be 5S inv or Garbage
    1N - 2C; 3H/3S/4C/4D = 5S/5H/6H/6S
    1N - 2C; 2M - 3oM = ST # higher = spl
    1N - 2C; 2M - 3m = 5m, 4oM, ST
        3oM = fit. 3M = nat 5M. om = fit m only. 4m = double fit.
    1N - 2C; 2D - P/2H = Garbage
2D/2H/4D/4H = transfer 2H/2S/3C/3D/4H/4S # transfer minor promises 6+m
    super accept after 2DH: 3M = 5+M, suit = Ax/Kx, 2N = others
        then 3M-1 = re-transfer
    ... 2M - 3m = 4+m GF
        3M = fit. 3D/oM = fit m only. 4m = double fit.
    ... 2S - 2N = bal CoG or ST
    ... 2S - 3H = 55+M, inv NF
    ... 2S - 4X = spl
    ... 2H - 2S = 5H4S, inv NF
    ... 2H - 3S = ST. higher = spl
2S = transfer 3C
    2N = accept 6+C inv. 3C = decline.
        P/3C = s/o. suit = GF nat 4+.
        ... 2N - 3N = s/o. ... 3C - 3N = CoG or mild ST
2N = nat inv
3C = transfer 3D. s/o or GF
3D = nat inv NF
3M = GF, spl M, 54+m
    oM = good oM. 3N = s/o. 4m = preference.
3N = s/o
4C = 55+M GF
    4M = min.
    4D = max.
        4H = s/o, pick one. 4N = 2RKC. 4S = ?
4S+ ?
5m = s/o

```

1.3.1 comp

```

1N - (X = pen) -
XX = inv+, FP on
P = forcing, default transfer to XX.
    suit = nat
    XX = forced
        P = s/o. suit = 44+ X and higher, 2C may be scramble.
        # if interfered, resp's X = t/o
2X = nat s/o

```

```
2N = mms  
jump = nat semi-pre
```

1.4 2C

```

2D = 0-1 CT
2H = 2 CT; 2S = AK; 3C = 4+ CT, forcing to 4N
    then nat. bal usually still 2N. will deny bidding NF bids if too strong
.
  # ex: 2C - 2S; 2N - 3C; 4m/4N = nat, slam forcing
  # 2C - 2S; 2N - 3C; 3N/4N - 4C/5C = ask 4M, 4DH/5DH = transfer
2N = KKK
    then same as 2N opening
3DHS = 1-loser suit, no outside CT. 3N = same for C.
?   # mb ask short

```

1.4.1 2C - 2D

```

2C - 2D;
# note that 21-24 bal can contain 5M
2H = nat or 21-22 bal
    2S = relay
        2N = 21-22 bal. 3N = 25-27 bal
        bid = nat
2S = nat unbal or 25+
    3C = weak or waiting
2N = 23-24 bal. 3N = 25-27 bal ...
    ... 3N - 4C = ask 4M. 4DH = transfer
3C = nat unbal
    3D = weak or waiting

```

1.5 2N

```

3C = ask 5M. may be s/o in 3N.
  3D = some 4M
    3H = 4+S. 3S = 4+H. 3N = s/o. 4C+ = ? # maybe 4S5m
    # ... 3D - 3H; 3N - 4H = s/o, 4X = fit H cue.
  3M = 5+M
    oM = fit M MST+, m = nat ST
  3N = no 4M
3DH = transfer # 2N - 3D; 3H - 3S = nat
4+ fit must super-accept. 4M = 5M. suit = Ax/Kx. 3N = others # similar
to 1N
... 3H - 3S = 5H4S
after transfer, new suit at 4-level = nat ST, then
  [... 3H - 4C] 4D = RKC(C). 4S = RKC(H)
  [... 3H - 4D] 4S = RKC(D). 4N = RKC(H)
  [... 3S - 4C] 4D = RKC(C). 4N = RKC(S)
  [... 3S - 4D] 4H = RKC(D). 4N = RKC(S)
  [... 3S - 4H] 4N = RKC(H). 5C = RKC(S)
3N = 5S4H NF
4CD = transfer 4HS
  +1 = max

# scheme 1
3S = transfer 3N. minor ST.
  3N = forced
    4m = (5)6+m, ORKC(m) # here min = 2-m
    4H/S = 54+m, longer C/D. 4N = 55+m

# scheme 2
3S = minor Stay
4H/S = 6+C/D ST

```

1.6 2X