Contents

1	conventions			2
	1.1	competetive conventions		
		1.1.1	forcing pass	2
		1.1.2	unusual vs unusual	2
		1.1.3	support, negative, responsive, Lightner, maximum X/XX	2
	1.2	non-co	ontested conventions	2
		1.2.1	modified 2-way	2
		1.2.2	PLOB (4SF1)	3
	1.3	other	conventions	3
		1.3.1	Leb	3
		1.3.2	2M game try	3
		1.3.3	non-serious 3N	3
		1.3.4	RKC, ORKC, EKRC, 2RKC	3
		1.3.5	5N	3
		1.3.6	5M	3

Chapter 1

conventions

1.1 competetive conventions

1.1.1 forcing pass

```
FP on if GF
FP if a non-rejected inv(+) forcing bid is interfered below the forcing level
after 2C opening
low level natural XX FP on until 2N
(2X/3X/4X) - P - (5X) - FP on if not PH
(2X/3X/4X) - bid/X - (5X) - FP on
# however, not necessarily FP on after a pen X or converted pen X
```

1.1.2 unusual vs unusual

1.1.3 support, negative, responsive, Lightner, maximum X/XX

1.2 non-contested conventions

1.2.1 modified 2-way

```
3X = nat ST.
# OFF if interfered, except after 1C - (1D) - X/1H = system on
# PH ON except 2D/3X = nat inv
```

1.2.2 PLOB (4SF1)

1.3 other conventions

1.3.1 Leb

1.3.2 2M game try

```
sure fit in 2S -
2N = ask
    3X = feature in X # at least KJ/QJT. for 1D opener this is spl
    3S = min w/o feature. 4S = max w/o feature. # 3N = CoG or non-
    serious ?
    4X = spl

3X = HSGT/ST in X # request void/x/xx/Qx/A(+)/K(+)

3S = 6+S inv
3N = CoG
4C+ = spl

# for 2H: 2S = ask, and exchange the meaning of 2N and S
```

1.3.3 non-serious 3N

1.3.4 RKC, ORKC, EKRC, 2RKC

1.3.5 5N

- RKC if fit
- choice of slam
- GSF

1.3.6 5M

raise to 5M

- ask control if opp. bids one suit
- general inv