



## Week 2 Post-Lab

### BIOE 320 Systems Physiology Laboratory



**Figure 11-10.** Relation of load to velocity of contraction in a skeletal muscle 8 centimeters long.



**Figure 11-14.** Duration of isometric contractions of different types of mammalian muscles, showing also a latent period between the action potential and muscle contraction.

Figure 1: Taken from Guyton, *Textbook of Medical Physiology* 1986.

1. The figure above shows the isometric contractions of three types of skeletal muscles: an ocular muscle, the gastrocnemius muscle, and the soleus muscle. Note that the duration of the isometric contraction ranges from 20 ms to 200 ms. Why does the duration of the contraction of these muscles vary? Relate the function of the muscle to the contraction duration.
2. The efficiency of an engine or motor is calculated as the percentage of energy that is converted to work relative to the total energy input to the system. Many engines operate with an efficiency of 60-80%. In researching muscle, you discover that skeletal and cardiac muscles operate with an efficiency of only 20-20%.
  - (a) What is the source of energy for muscles in the body?
  - (b) Where does the rest of the energy go? How is the remainder (75-80%) of the energy expended? Include a discussion of the role of ATP in energy transformation and storage.
  - (c) Skeptical of the low efficiency of skeletal muscle, you decide to design some laboratory experiments to measure work and total energy. Describe how you would set up this experiment. What variable(s) would you measure/vary/hold constant? You may design the experiment to use a muscle isolated from the body, a muscle or a group of muscles *in situ*, or the whole body.