## Appendix B: Sensitivity Analysis

		Sensitivity Analysis (N= 425)		
	M. Dec. A. I. I.	Beta	SE (OZO) GE	Exp (beta)
Main Effect Analyses <sup>1</sup>			(95% CI)	
Control Variables <sup>2</sup>	Number of drinking days	09	.09 [28, .09]	.91
	Number of drinks per day	10	.07 [23, .03]	.90
	Race (White=1; Otherwise=0)	.06	.08 [10, .22]	1.06
	Gender (Female=1; Otherwise=0)	.04	.08 [11, .19]	1.04
	Number of days (since entering the study)			
Causal Effects	Prompt type (Self-Interest =1; Prosocial =0)	.15	.07 [.006, .29]	1.16
	Prompt type * Number of Days	008	.003 [01,002]	.99

†p<0.10; \*p<0.05; \*\*p<0.01; \*\*\*p<0.001

95% Confidence Intervals are provided in the square brackets— [lower bound, upper bound].

- 1. Hypotheses pre-specified (see open science protocol in Carpenter et al., 2021).
- 2. Although estimates pertaining to the control variables are provided for completeness, we caution readers against interpreting them since correct specification of this part of the model is not required to yield consistent estimates of the causal effect of the randomized engagement strategies (see Boruvka et al., 2016).