

Notation

Tile identifiers

This library uses mpsz notation, where m = Manzu (Character suit), p = Pinzu (Circle suit), s = Souzu (Bamboo suit) and z = Honor tiles and others. Here is every available tile:

1m	2m	3m	4m	5m	6m	7m	8m	9m

1p	2p	3p	4p	5p	6p	7p	8p	9p


1s	2s	3s	4s	5s	6s	7s	8s	9s

1z	2z	3z	4z	5z	6z	7z	0z

Concatenation of tiles

For ease of typing, for inputs that accept more than 1 tile, if multiple tiles have the same suit, the suit indicator can be placed at the end of the sequence. For example, instead of inputting 1s1s1s2s3s4s5s6s7s8s9s9s9s, we can instead input 1112345678999s.


```
#hand("1112345678999s")
#hand("123p778s11m789p33z")
```



Shorthand for hidden tiles

Often, you may want to show a large sequence of hidden tiles, e.g. opponent's hands or irrelevant discard pools for example problems. In this case, simply specify the number of hidden tiles as an integer:

```
#hand(13)
#river(13)
```



Tile spacer

you can use - to draw a space 1/4 the width of a tile, for example to show the most recently drawn tile, or a called group (e.g. closed kan):

```
#hand( "45089m3488p2467s-8p" )
```

```
#hand( "1236688p-0770z" )
```




Tile Modifiers

To rotate a tile, simply add ' to the end of the number. Here are some examples:

```
#river("1s6p7m67s8p253' z")
```

```
#hand("5567m34p6788s-0p-77'7z")
```

```
#hand( "1123456789p-1'111z")
```



For added/extended kans, use " to rotate and stack the previous 2 tiles:

```
#hand("11178p35566z-505\"5p")
```



riichinator


- board()
- hand()
- honba-stick()
- riichi-stick()
- river()
- tile()

board

Renders a board state.

All 4-player arguments are in a counterclockwise direction starting from yourself (or “hero” point of view)

```
#board(  
  hands: ("1112345678999s-6z",  
    "1112223334446z", "222333444666s6z",  
    "19m19p19s1234567z"),  
  hero-wind: "E",  
  discards: ("1m3'p", 2, 2, 2),  
  dora-indicators: "1m0000z",  
  scores: (24000, 25000, 25000, 25000),  
  current-round: "East 1",  
  pot: (riichi: 0, honba: 0),  
  riichied-players: (true, false, false,  
false)  
)
```




Parameters

```
board(  
  hands: str int array ,  
  hero-wind: "E" "S" "W" "N" ,  
  discards: array ,  
  current-round: str ,  
  dora-indicators: str ,  
  riichied-players: array ,  
  scores: array ,  
  pot: obj ,  
  use-cjk-wind: boolean ,  
  wind-font: font  
) -> content
```

hands `str` or `int` or `array`

The hands to show on the board. If only a string or integer is provided it is treated as your hand. Otherwise it expects an array of length 4

```
#board(  
  hands: "34567m34567p666s"  
)  
#board(  
  hands: ("34567m34567p666s",  
    "123p12788s33z-132'p", 13, 13)  
)
```




Default: (13, 13, 13, 13)

hero-wind "E" or "S" or "W" or "N"

The seat wind of the hero

```
#board(  
  hero-wind: "N"  
)
```




Default: "E"

discards array

The discard pools of the players

```
#board(  
  discards: ("1s1366z8m14p5s1m",  
    "4z9m1s9m8s612p39s8p9s",  
    "1z9214p7z9m46z8m7's",  
    "4z12s7z9p1z4's2p")  
)
```




Default: ("", "", "", "")

current-round `str`

The current round of the game, e.g. East 1, South 4. Can be any text in general, e.g. “East Round”

```
#board(  
  current-round: "East 1"  
)
```




Default: `none`

dora-indicators `str`

Display the dead wall dora indicators. Functionally just a wrapper for `hand()`

```
#board(  
  dora-indicators: "7z0000z"  
)
```




Default: `none`

riichied-players array

Display riichi sticks (if any)

```
#board(  
  riichied-players: (true, false, false,  
    true)  
)
```




Default: (false, false, false, false)

scores array

Display scores of each player

```
#board(  
  scores: (100000, 1000, 0, -1000)  
)
```




Default: none

pot obj

Display the “pot”, i.e. extra points you will gain on a win. Comprises leftover riichi sticks and honba sticks

```
#board(  
  pot: (riichi: 6, honba: 7)  
)
```




Default: **none**

use-cjk-wind boolean

Whether or not to use 東南西北 instead of ESNW for the seat wind indicators

```
#board(  
  use-cjk-wind: true  
)
```



Default: **false**

wind-font font

The font to use for the seat wind indicators

Default: "Arial"

hand

Renders a mahjong hand, or rather any series of tiles as an inline element

```
#hand("5567m34p678s-0p-77'7z")\  
#hand("19m19p19s1234567z")\  
#hand(13)
```



Parameters

```
hand(  
  hand: str int,  
  tile-height: length,  
  tile-fill: color,  
  tile-cover-fill: color,  
  tile-stroke: stroke  
) -> content
```

hand str or int

the input to be parsed and processed as the hand

tile-height length

height of the tile, INLINE_TILE_HEIGHT = 2em by default

Default: INLINE-TILE-HEIGHT

tile-fill color

background color of the tile, TILE-BG = rgb("f5f0eb") by default

Default: TILE-BG

tile-cover-fill color

background color of the face-down tile, TILE-COVER = rgb("C7AB90") by default

Default: TILE-COVER

tile-stroke stroke

stroke of the tile border, TILE-STROKE = 0.5pt + rgb("#efdecd") by default

Default: TILE-STROKE

honba-stick

Renders a honba stick

```
#honba-stick(10em, 1em)
```



Parameters

```
honba-stick(  
  width: length,  
  height: length  
) -> content
```

width length

width of the honba stick

height length

height of the honba stick

riichi-stick

Renders a riichi stick

```
#riichi-stick(10em, 1em)
```



Parameters

```
riichi-stick(  
  width: length,  
  height: length  
) -> content
```

width length

width of the riichi stick

height `length`

height of the riichi stick

river

Renders a discard pool

```
#river("9s1lp73z81m9p7's")
#river("0z5m00'z")
#river(4)
```



Parameters

```
river(
  river: str int,
  tile-height: length
) -> content
```

river `str` or `int`

the input to parsed and processed as the discard pool

tile-height `length`

height of the tile, `INLINE_TILE_HEIGHT` = 2em by default

Default: `INLINE-TILE-HEIGHT`

tile

Renders a single tile as an inline element

The dragon tiles are `#tile("5z")`,
`#tile("6z")`, and `#tile("7z")`

The dragon tiles are , , and 

Parameters

```
tile(  
  tile-name: string,  
  tile-height: length,  
  tile-fill: color,  
  tile-cover-fill: color,  
  tile-stroke: stroke,  
  rotation: angle  
) -> content
```

tile-name string

name of the tile in mpsz notation

tile-height length

height of the tile, `INLINE_TILE_HEIGHT` = 2em by default

Default: `INLINE-TILE-HEIGHT`

tile-fill color

background color of the tile, `TILE-BG` = `rgb("f5f0eb")` by default

Default: `TILE-BG`

tile-cover-fill color

background color of the face-down tile, `TILE-COVER` = `rgb("C7AB90")` by default

Default: `TILE-COVER`

tile-stroke stroke

stroke of the tile border, `TILE-STROKE` = `0.5pt + rgb("#efdecd")` by default

Default: `TILE-STROKE`

rotation angle

angle to rotate the tile by

Default: `0deg`

(width: `0pt`, height: `0pt`)