

Case studies for the paper “Evrostos: The rLTL Verifier”.

These are the instructions to replicate the case studies for the paper “Evrostos: The rLTL Verifier”.

You will use Evrostos: The rLTL Verifier. Instructions on how to install Evrostos are in the README.md file.

1. Section 2: Motivational Example:

The files needed for this simulation are:

- input_mot_example.txt
- mot_example_aac.smv

Run the following on the terminal from inside the Evrostos-1.0 directory:

```
./evrostos -I
```

The terminal looks as follows:

```
Enter the rLTL specification input file name (.txt):
```

You enter:

```
./examples/input_mot_example.txt
```

```
Enter the model file name (.smv):
```

You enter:

```
./examples/mot_example.smv
```

```
Enter file name (.txt) for the report:
```

You enter:

```
mot_exampleReport.txt
```

Now the result of the rLTL model checking is in the report file.

2. Section 5: Telephone System Model (rLTL):

The files needed for this simulation are:

- inputPhone_rLTL.txt
- telephone.smv

Run the following on the terminal from inside the Evrostos-1.0 directory:

```
./evrostos -I
```

The terminal looks as follows:

```
Enter the rLTL specification input file name (.txt):
```

You enter:

```
./examples/inputPhone_rLTL.txt
```

```
Enter the model file name (.smv):
```

You enter:

```
./examples/telephone.smv
```

```
Enter file name (.txt) for the report:
```

You enter:

```
telephone_rLTL_Report.txt
```

Now the result of the rLTL model checking is in the report file.

3. Section 5: Automated Aircraft Control System Model (Original) (rLTL):

The files needed for this simulation are:

- inputAAC_rLTL.txt
- aac_original.smv

Run the following on the terminal from inside the Evrostos-1.0 directory:

```
./evrostos -I
```

The terminal looks as follows:

```
Enter the rLTL specification input file name (.txt):
```

You enter:

```
./examples/inputAAC_rLTL.txt
```

```
Enter the model file name (.smv):
```

You enter:

```
./examples/aac_original.smv
```

```
Enter file name (.txt) for the report:
```

You enter:

```
aac_original_rLTL_Report.txt
```

Now the result of the rLTL model checking is in the report file.

4. Section 5: Automated Aircraft Control System Model (Abstract) (rLTL):

The files needed for this simulation are:

- inputAAC_rLTL.txt
- aac_abstract.smv

Run the following on the terminal from inside the Evrostos-1.0 directory:

```
./evrostos -I
```

The terminal looks as follows:

```
Enter the rLTL specification input file name (.txt):
```

You enter:

```
./examples/inputAAC_rLTL.txt
```

```
Enter the model file name (.smv):
```

You enter:

```
./examples/aac_abstract.smv
```

```
Enter file name (.txt) for the report:
```

You enter:

```
aac_abstract_rLTL_Report.txt
```

Now the result of the rLTL model checking is in the report file.

5. References:

- A. Cimatti, E. Clarke, E. Giunchiglia, F. Giunchiglia, M. Pistore, M. Roveri, R. Sebastiani, and A. Tacchella.
"NuSMV 2: An OpenSource Tool for Symbolic Model Checking".
In Proc. CAV'02, LNCS. Springer Verlag, 2002.
- Telephone System Model:
Malte Plath and Mark Ryan. 2001. Feature integration using a feature construct.
Science of Computer Programming 41, 1 (2001), 53 – 84.
- Automated Air Traffic Control System Model:
Yang Zhao and Kristin Yvonne Rozier. 2014. Formal Specification and
Verification of a Coordination Protocol for an Automated Air Traffic Control System. Sci.
Comput. Program. 96, P3 (Dec. 2014), 337–353.