Ring analysis

Lorenzo Trubian

8/12/2021

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

summary(mat)

##	node	numproc	exec.time	init.time
##	Min. :1.00	Min. : 1.00	Min. :2.930e-07	Min. :1.254e-07
##	1st Qu.:1.75	1st Qu.:12.00	1st Qu.:1.872e-05	1st Qu.:1.407e-07
##	Median :2.50	Median :24.00	Median :7.002e-05	Median :1.549e-07
##	Mean :2.50	Mean :31.25	Mean :2.490e-04	Mean :1.591e-07
##	3rd Qu.:3.25	3rd Qu.:45.25	3rd Qu.:1.809e-04	3rd Qu.:1.716e-07
##	Max. :4.00	Max. :96.00	Max. :7.662e-03	Max. :2.251e-07

Including Plots

You can also embed plots, for example:



Note that the \mbox{echo} = FALSE parameter was added to the code chunk to prevent printing of the R code that generated the plot.