Databases Autumn 2025 Hand-In Exercise 1

October 3, 2025

Aiysha Frutiger Jannick Seper Luis Tritschler


Total Points

Task	Points

This template showcases various useful latex commands and setups. Remove this for your actual hand-in.

Task 1

If a tasks asks for an ER diagram, one could use \usetikzlibrary{er,positioning,arrows.meta} in the preamble and some code to produce such ER diagrams:



However, it is not required to use TikZ for ERs. One can also use external services such as https://www.diagrams.net/ to create PDF documents of ERs. These can then be inserted into the hand-in using

\includepdf[pages=1,pagecommand={\pagestyle{fancy}}]{filename}

to include the PDF document filename. It is important to use the pagestyle fancy, so that the header is also on the included page. Furthermore, please ensure that your PDF version (or image) of the ER diagram is **readable**.

Task 2

Relational algebra is a treat with LATEX, as can be seen in Equation (1):

$$\pi$$
 [Attribute1, Attribute2] (σ [Attribute = Something] (Entity1) \bowtie Entity2) (1)

Other useful symbols related to Relational Algebra are union (\cup) , intersection (\cap) , logical and \wedge and 'not equals' (\neq) .

Also, in regards of Relational Algebra, have a look at:

```
\begin{array}{ll} \text{Entity1} & & (\underline{PKE1}) \\ \text{Entity2} & & (\underline{PKE2}, \underline{Attribute}) \\ \text{relation} & & (\underline{PKE1}, \, \underline{PKE2}) \end{array}
```

Task 3

At one point in time, you might want to include SQL snippets to a solution. One way to do so would be by having an SQL file close by and use \lstinputlisting – provided by the listings package.

```
-- Source: https://www.w3schools.com/sql/sql_create_table.asp

CREATE TABLE Persons (
PersonID int,
LastName varchar(255),
FirstName varchar(255),
Address varchar(255),
City varchar(255)

**Source: https://www.w3schools.com/sql/sql_select.asp

SELECT * FROM Persons;
```


Task 4


It is also possible to

a) have SQL in LATEX:

```
SELECT DISTINCT DESCR
FROM Products P, Orders O
WHERE O. PId = . PId
AND CIty = :c AND Weight > :w
AND Amount > :a
```

b) Operator Trees using TikZ:





Task 5

If you need more information regarding LATEX, visit one of the following places:

- https://en.wikibooks.org/wiki/LaTeX
- https://www.overleaf.com/learn

We recommend using Overleaf to collaboratively edit \LaTeX documents.