BPL_TEST2_Batch script with PyFMI

The key library PyFMI is installed.

After the installation a small application BPL_TEST2_Batch is loaded and run. You can continue with this example if you like.

```
!lsb_release -a # Actual VM Ubuntu version used by Google
```

No LSB modules are available. Distributor ID: Ubuntu Ubuntu 22.04.3 LTS Description: Release: 22.04 Codename: jammy

%env PYTHONPATH=

Show hidden output

env: PYTHONPATH=

```
!wget $$ \underline{$https://repo.anaconda.com/miniconda/Miniconda3-py310\_23.1.0-1-Linux-x86\_64.sh} $$ \underline{$https://repo.anaconda.com/miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Miniconda/Minico
!chmod +x Miniconda3-py310_23.1.0-1-Linux-x86_64.sh
!bash ./Miniconda3-py310_23.1.0-1-Linux-x86_64.sh -b -f -p /usr/local
import sys
sys.path.append('/usr/local/lib/python3.10/site-packages/')
 Show hidden output
!conda update -n base -c defaults conda --yes
 Show hidden output
!conda --version
!python --version
                         conda 23.11.0
                        Python 3.10.13
!conda install -c conda-forge pyfmi --yes # Install the key package
```

BPL_TEST2_Batch setup

Now specific installation and the run simulations. Start with connecting to Github. Then upload the two files:

```
• FMU - BPL_TEST2_Batch_linux_om_me.fmu
```

• Setup-file - BPL_TEST2_Batch_explore.me.py

```
%%bash
git clone https://github.com/janpeter19/BPL_TEST2_Batch
    Cloning into 'BPL_TEST2_Batch'...
%cd BPL_TEST2_Batch
    /content/BPL_TEST2_Batch
run -i BPL_TEST2_Batch_explore.py
    Linux - run FMU pre-comiled OpenModelica 1.21.0
    Model for bioreactor has been setup. Key commands:
                   - change of parameters and initial values
     - par()
     - init()
                   - change initial values only
                   - simulate and plot
     - simu()
     - newplot()

    make a new plot

                   - show plot from previous simulation
     - show()
                   - display parameters and initial values from the last simulation
     - describe() - describe culture, broth, parameters, variables with values/units
    Note that both disp() and describe() takes values from the last simulation
```

and the command process_diagram() brings up the main configuration

Brief information about a command by help(), eg help(simu)
Key system information is listed with the command system_info()

```
%matplotlib inline
plt.rcParams['figure.figsize'] = [25/2.54, 20/2.54]
import warnings
warnings.filterwarnings("ignore")
```


BPL_TEST2_Batch - demo

describe('culture'); print(); #describe('liquidphase')

Pump schedule parameter


Simplified text book model – only substrate S and cell concentration \boldsymbol{X}

Simulation with default values of the process
newplot(plotType='TimeSeries')
simu()




```
# Simulation were initial value of biomass VX_0 is varied
newplot(plotType='TimeSeries')
for value in [1.0, 0.7, 1.3]: init(VX_0=value); simu(5)
```

Restore default value of VX_0 init(VX_0=1.0)




Simulation were initial value of substrate VS_0 is varied
newplot(plotType='TimeSeries')
for value in [10, 7, 13]: init(VS_0=value); simu(5)

Restore default value of VS_0 init(VS_0=10)



```
# Simulation where metabolism is changed after 3 hours
newplot(plotType='TimeSeries')
simu(5)
simu(3)
par(Y=0.4, qSmax=1.0/(0.4/0.5)); simu(2, 'cont')
# Restore default value of Y and qSmax
par(Y=0.5, qSmax=1.0)
```



```
disp('culture')
    Y: 0.4
    qSmax : 1.25
    Ks : 0.1
describe('mu')
    Cell specific growth rate variable : 0.0 [ 1/h ]
describe('parts')
    ['bioreactor', 'bioreactor.culture']
describe('MSL')
    MSL: 3.2.3 - used components: none
system_info()
    System information
     -OS: Linux
     -Python: 3.10.12
     -Scipy: not installed in the notebook
     -PyFMI: 2.11.0
     -FMU by: OpenModelica Compiler OpenModelica 1.21.0
     -FMI: 2.0
     -Type: FMUModelME2
     -Name: BPL_TEST2.Batch
     -Generated: 2023-04-19T18:37:26Z
     -MSL: 3.2.3
```

-Description: Bioprocess Library version 2.1.1 -Interaction: FMU-explore version 0.9.8