
BPL_TEST2_Batch - demo

```
In [1]: run -i BPL_TEST2_Batch_fmpy_explore.py
        Windows - run FMU pre-compiled JModelica 2.14
        Model for bioreactor has been setup. Key commands:
                        - change of parameters and initial values
         - par()
                        - change initial values only
         - init()
         - simu()
                        - simulate and plot
                        - make a new plot
          - newplot()
                        - show plot from previous simulation
          - show()
          - disp()
                    - display parameters and initial values from the last simulation
          - describe() - describe culture, broth, parameters, variables with values/uni
        Note that both disp() and describe() takes values from the last simulation
        Brief information about a command by help(), eg help(simu)
        Key system information is listed with the command system info()
        %matplotlib inline
In [2]:
        plt.rcParams['figure.figsize'] = [25/2.54, 20/2.54]
        # Simulation with default values of the process
In [3]:
        newplot(plotType='TimeSeries')
        simu()
                                             Batch cultivation
           10
            8
         X and S [g/L]
            6
            4
            2
           0.5
           0.4
        0.3
m 0.2
           0.1
           0.0
```

Time [h]


```
In [4]: # Simulation were initial value of biomass VX_0 is varied
    newplot(plotType='TimeSeries')
    for value in [1.0, 0.7, 1.3]: init(VX_0=value); simu(5)

# Restore default value of VX_0
    init(VX_0=1.0)
```



```
In [5]: # Simulation were initial value of substrate VS_0 is varied
newplot(plotType='TimeSeries')
for value in [10, 7, 13]: init(VS_0=value); simu(5)


# Restore default value of VS_0
init(VS_0=10)
```



```
In [6]: # Simulation where metabolism is changed after 3 hours
newplot(plotType='TimeSeries')
simu(5)

simu(3)
par(Y=0.4, qSmax=1.0/(0.4/0.5)); simu(2, 'cont')

# Restore default value of Y and qSmax
par(Y=0.5, qSmax=1.0)
```



```
In [7]: disp('culture')
    Y : 0.4
    qSmax : 1.25
    Ks : 0.1

In [8]: describe('mu')
    Cell specific growth rate variable : 0.0 [ 1/h ]

In [9]: describe('parts')
    ['bioreactor', 'bioreactor.culture', 'liquidphase', 'MSL']

In [10]: describe('MSL')
    MSL: none

In [11]: system_info()
```

System information

-OS: Windows
-Python: 3.9.16

-Scipy: not installed in the notebook

-FMPy: 0.3.15

-FMU by: JModelica.org

-FMI: 2.0 -Type: CS

-Name: BPL_TEST2.Batch

-Generated: 2023-03-30T09:07:34

-MSL: 3.2.2 build 3

-Description: Bioprocess Library version 2.1.1 -Interaction: FMU-explore for FMPy version 0.9.7

In []: