## → BPL\_TEST2\_Batch script with FMPy ver 0.3.15

The key library FMPy ver 0.3.15 is installed.

After the installation a small application BPL\_TEST2\_Batch is loaded and run. You can continue with this example if you like.

```
!lsb release -a # Actual VM Ubuntu version used by Google
    No LSB modules are available.
    Distributor ID: Ubuntu
    Description: Ubuntu 20.04.5 LTS
    Release:
                    20.04
    Codename:
                    focal
%env PYTHONPATH=
    env: PYTHONPATH=
!wget https://repo.anaconda.com/miniconda/Miniconda3-py38_22.11.1-1-Linux-x86_64.sh
!chmod +x Miniconda3-py38_22.11.1-1-Linux-x86_64.sh
!bash ./Miniconda3-py38_22.11.1-1-Linux-x86_64.sh -b -f -p /usr/local
import sys
sys.path.append('/usr/local/lib/python3.8/site-packages/')
    --2023-03-23 18:45:37-- https://repo.anaconda.com/miniconda/Miniconda3-py38_22.11.1-1-Linux-x86_64.sh
    Resolving repo.anaconda.com (repo.anaconda.com)... 104.16.131.3, 104.16.130.3, 2606:4700::6810:8303, ...
    Connecting to repo.anaconda.com (repo.anaconda.com) | 104.16.131.3 | :443... connected.
    HTTP request sent, awaiting response... 200 OK
    Length: 64630241 (62M) [application/x-sh]
    Saving to: 'Miniconda3-py38_22.11.1-1-Linux-x86_64.sh'
    Miniconda3-py38 22. 100%[===========] 61.64M 76.8MB/s
    2023-03-23 18:45:38 (76.8 MB/s) - 'Miniconda3-py38 22.11.1-1-Linux-x86 64.sh' saved [64630241/64630241]
    PREFIX=/usr/local
    Unpacking payload ...
    Installing base environment...
    Downloading and Extracting Packages
    Downloading and Extracting Packages
    Preparing transaction: done
    Executing transaction: done
    installation finished.
!conda update -n base -c defaults conda --yes
```

```
Preparing transaction: done
Verifying transaction: done
Executing transaction: done
```

!conda --version !python --version

> conda 23.1.0 Python 3.8.15

!conda install -c conda-forge fmpy --yes # Install the key package

```
... (more hidden) ...
!conda install matplotlib --yes
    matplotlib-base-3.7. | 6.7 MB | : 100% 1.0/1 [00:00<00:00, 1.28it/s]
```

```
Preparing transaction: done
    Verifying transaction: done
    Executing transaction: done
#!conda install scipy --yes
#!conda install xlrd --yes
#!conda install openpyxl --yes
```

## → BPL\_TEST2\_Batch setup


Now specific installation and the run simulations. Start with connecting to Github. Then upload the two files:

- FMU BPL\_TEST2\_Batch\_linux\_om\_me.fmu
- Setup-file BPL\_TEST2\_Batch\_fmpy\_explore.py

```
%%hash
git clone https://github.com/janpeter19/BPL TEST2 Batch
    Cloning into 'BPL_TEST2_Batch'...
%cd BPL_TEST2_Batch
    /content/BPL_TEST2_Batch
run -i BPL_TEST2_Batch_fmpy_explore.py
    Linux - run FMU pre-compiled OpenModelica 1.21.x
    Model for bioreactor has been setup. Key commands:
                    change of parameters and initial valueschange initial values only
     - par()
- init()
     - simu()
                    - simulate and plot
     - newplot()
                   - make a new plot
                    - show plot from previous simulation
     - show()
                    - display parameters and initial values from the last simulation
     - disp()
     - describe() - describe culture, broth, parameters, variables with values/units
    Note that both disp() and describe() takes values from the last simulation
    Brief information about a command by help(), eg help(simu)
    Key system information is listed with the command system_info()
%matplotlib inline
plt.rcParams['figure.figsize'] = [25/2.54, 20/2.54]
import warnings
warnings.filterwarnings("ignore")
```

## BPL\_TEST2\_Batch - demo


```
describe('culture'); print(); #describe('liquidphase')
    Simplified text book model - only substrate S and cell concentration X
# Simulation with default values of the process
newplot(plotType='TimeSeries')
simu()
```



# Pump schedule parameter


```
\# Simulation were initial value of biomass VX_0 is varied
newplot(plotType='TimeSeries')
for value in [1.0, 0.7, 1.3]: init(VX_0=value); simu(5)
```

# Restore default value of VX\_0 init(VX\_0=1.0)



```
\# Simulation were initial value of substrate VS_0 is varied
newplot(plotType='TimeSeries')
for value in [10, 7, 13]: init(VS_0=value); simu(5)
```

# Restore default value of VS\_0 init(VS\_0=10)



```
\# Simulation where metabolism is changed after 3 hours
newplot(plotType='TimeSeries')
simu(5)
simu(3)
par(Y=0.4, qSmax=1.0/(0.4/0.5)); simu(2, 'cont')
# Restore default value of Y and qSmax
par(Y=0.5, qSmax=1.0)
```

```
Batch cultivation
        10
      X and S [g/L]
        6
        4
        2
        0
       0.5
       0.4
     [4] 0.3
配 0.2
       0.1
disp('culture')
     Y: 0.4
    qSmax : 1.25
    Ks : 0.1
\# Growth rate variable at the end of the cultivation
describe('mu')
    Cell specific growth rate variable : 0.0 [ 1/h ]
describe('parts')
     ['bioreactor', 'bioreactor.culture']
describe('MSL')
    MSL: 3.2.3 - used components: none
system_info()
     System information
      -OS: Linux
      -Python: 3.9.16
      -Scipy: not installed in the notebook
      -FMPy: 0.3.15
      -FMU by: OpenModelica Compiler OpenModelica 1.21.0~dev-185-g9d983b8
      -FMI: 2.0
      -Type: ME
      -Name: BPL_TEST2.Batch
      -Generated: 2023-01-19T09:34:26Z
      -MSL: 3.2.3
      -Description: Bioprocess Library version 2.1.1-beta
      -Interaction: FMU-explore for FMPy version 0.9.7c
```