BPL_TEST2_Chemostat script with PyFMI

The key library PyFMI is installed.

After the installation a small application BPL_TEST2_Chemostat is loaded and run. You can continue with this example if you like.

```
!lsb_release -a # Actual VM Ubuntu version used by Google
            No LSB modules are available.
            Distributor ID: Ubuntu
            Description:
                                                      Ubuntu 22.04.3 LTS
                                                       22.04
            Release:
            Codename:
                                                       jammy
%env PYTH0NPATH=
            env: PYTHONPATH=
!python --version
            Python 3.10.12
!wget https://repo.anaconda.com/miniconda/Miniconda3-py310_23.1.0-1-Linux-x86_64.sh
!chmod +x Miniconda3-py310_23.1.0-1-Linux-x86_64.sh
!bash ./Miniconda3-py310_23.1.0-1-Linux-x86_64.sh -b -f -p /usr/local
import sys
sys.path.append('/usr/local/lib/python3.10/site-packages/')
            --2024-03-05\ 19:59:47-- \ \underline{\text{https://repo.anaconda.com/miniconda/Miniconda3-py310}\ 23.1.0-1-\underline{\text{Linux-x86}\ 64.sh}} \\ \text{Resolving repo.anaconda.com (repo.anaconda.com)} \dots\ 104.16.131.3,\ 104.16.130.3,\ 2606:4700::6810:8303,\ \dots \\ \text{Connecting to repo.anaconda.com}\ (\text{repo.anaconda.com})\ |\ 104.16.131.3\ |\ 1443.\dots\ \text{connected.} \\ \\ \text{Connecting to repo.anaconda.com}\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 104.16.131.3\ |\ 1
            HTTP request sent, awaiting response... 200 {\rm OK}
            Length: 74403966 (71M) [application/x-sh]
            Saving to: 'Miniconda3-py310_23.1.0-1-Linux-x86_64.sh'
            Miniconda3-py310_23 100%[============] 70.96M
                                                                                                                                                                   133MB/s
                                                                                                                                                                                                   in 0.5s
            2024-03-05 19:59:48 (133 MB/s) - 'Miniconda3-py310_23.1.0-1-Linux-x86_64.sh' saved [74403966/74403966]
            PREFIX=/usr/local
            Unpacking payload ...
            Installing base environment...
            Downloading and Extracting Packages
            Downloading and Extracting Packages
            Preparing transaction: done
            Executing transaction: done
            installation finished.
!conda update -n base -c defaults conda --yes
```

Preparing transaction: done Verifying transaction: done Executing transaction: done

!conda --version
!python --version

conda 24.1.2 Python 3.10.13

 $!conda \ install \ -c \ conda-forge \ pyfmi \ --yes \ \# \ Install \ the \ key \ package$

```
Preparing transaction: done
Verifying transaction: done
Executing transaction: done
```

Now specific installation run a simulation and notebook for that

Start with connecting to Github. Then upload the two files:

```
• FMU - BPL_TEST2_Chemostat_linux_om_me.fmu
```


```
• Setup-file - BPL_TEST2_Chemostat_explore.py
# Filter out DepracationWarnings for 'np.float as alias' is needed – wish I could make filter more narrow
import warnings
warnings.filterwarnings("ignore")
%%bash
git clone https://github.com/janpeter19/BPL_TEST2_Chemostat
    Cloning into 'BPL_TEST2_Chemostat'...
%cd BPL_TEST2_Chemostat
    /content/BPL_TEST2_Chemostat
run -i BPL_TEST2_Chemostat_explore.py
    Linux - run FMU pre-comiled OpenModelica 1.21.0
    Model for bioreactor has been setup. Key commands:
     - par()
                   - change of parameters and initial values
     - init()
                   - change initial values only
     - simu()
                    - simulate and plot
     - newplot()
                   - make a new plot

    show plot from previous simulation

     - show()
                   - display parameters and initial values from the last simulation
     - disp()
     - describe() - describe culture, broth, parameters, variables with values/units
    Note that both disp() and describe() takes values from the last simulation
    and the command process_diagram() brings up the main configuration
    Brief information about a command by help(), eg help(simu)
    Key system information is listed with the command system_info()
%matplotlib inline
plt.rcParams['figure.figsize'] = [25/2.54, 20/2.54]
process_diagram()
```

```
describe('culture')
```

Simplified text book model - only substrate S and cell concentration X



The maximal biomass productivity FX_max [g/h] marked red in the diagram above

```
# can be calculated for CSTR from the FMU and is
cstrProdMax(model)
    5.625
describe('cstrProdMax')
    Calculate from the model maximal chemostat productivity FX_max : 5.625 [ g/h ]
describe('parts')
    ['bioreactor', 'bioreactor.culture', 'D', 'dosagescheme', 'feedtank', 'harvesttank']
system_info()
    System information
      -OS: Linux
     -Python: 3.10.12
     -Scipy: not installed in the notebook
     -PyFMI: 2.11.0
     -FMU by: OpenModelica Compiler OpenModelica 1.21.0
     -FMI: 2.0
     -Type: FMUModelME2
     -Name: BPL_TEST2.Chemostat
     -Generated: 2024-03-05T09:09:17Z
     -MSL: 3.2.3
     -Description: Bioprocess Library version 2.1.2 prel
     -Interaction: FMU-explore version 0.9.9
                                                     + Code
                                                                + Text
```