

✓ BPL_TEST2_Chemostat script with PyFMI

The key library PyFMI is installed.

After the installation a small application BPL_TEST2_Chemostat is loaded and run. You can continue with this example if you like.

```
!lsb_release -a # Actual VM Ubuntu version used by Google
```

```
➤ No LSB modules are available.
Distributor ID: Ubuntu
Description:    Ubuntu 22.04.3 LTS
Release:        22.04
Codename:       jammy
```

```
%env PYTHONPATH=
```

```
➤ env: PYTHONPATH=
```

```
!python --version
```

```
➤ Python 3.10.12
```

```
!wget https://repo.anaconda.com/miniconda/Miniconda3-py310_23.1.0-1-Linux-x86_64.sh
```

```
!chmod +x Miniconda3-py310_23.1.0-1-Linux-x86_64.sh
```

```
!bash ./Miniconda3-py310_23.1.0-1-Linux-x86_64.sh -b -f -p /usr/local
```

```
import sys
```

```
sys.path.append('/usr/local/lib/python3.10/site-packages/')
```

```
➤ --2024-05-15 11:50:38-- https://repo.anaconda.com/miniconda/Miniconda3-py310_23.1.0-1-Linux-x86_64.sh
Resolving repo.anaconda.com (repo.anaconda.com)... 104.16.191.158, 104.16.32.241, 2606:4700::6810:bf9e, ...
Connecting to repo.anaconda.com (repo.anaconda.com)|104.16.191.158|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 74403966 (71M) [application/x-sh]
Saving to: 'Miniconda3-py310_23.1.0-1-Linux-x86_64.sh'
```

```
Miniconda3-py310_23 100%[=====>] 70.96M 223MB/s in 0.3s
```

```
2024-05-15 11:50:38 (223 MB/s) - 'Miniconda3-py310_23.1.0-1-Linux-x86_64.sh' saved [74403966/74403966]
```

```
PREFIX=/usr/local
Unpacking payload ...
```

```
Installing base environment...
```

```
Downloading and Extracting Packages
```

```
Downloading and Extracting Packages
```

```
Preparing transaction: done
Executing transaction: done
installation finished.
```

```
!conda update -n base -c defaults conda --yes
```

```
➤
```

```
Preparing transaction: done  
Verifying transaction: done  
Executing transaction: done
```

```
!conda --version  
!python --version
```

```
🔄 conda 23.1.0  
Python 3.10.14
```

```
!conda install -c conda-forge pyfmi --yes # Install the key package
```

```
🔄
```

```

Preparing transaction: done
Verifying transaction: done
Executing transaction: done

```

✓ Now specific installation run a simulation and notebook for that

Start with connecting to Github. Then upload the two files:

- FMU - BPL_TEST2_Chemostat_linux_om_me.fmu
- Setup-file - BPL_TEST2_Chemostat_explore.py

```

# Filter out DeprecationWarnings for 'np.float as alias' is needed – wish I could make filter more narrow
import warnings
warnings.filterwarnings("ignore")

```

```

%%bash
git clone https://github.com/janpeter19/BPL_TEST2_Chemostat

```

🔄 Cloning into 'BPL_TEST2_Chemostat'...

```

%cd BPL_TEST2_Chemostat

```

🔄 /content/BPL_TEST2_Chemostat

```

run -i BPL_TEST2_Chemostat_explore.py

```

🔄 Linux – run FMU pre-compiled OpenModelica 1.21.0

```

Model for bioreactor has been setup. Key commands:
- par()      - change of parameters and initial values
- init()     - change initial values only
- simu()     - simulate and plot
- newplot()  - make a new plot
- show()     - show plot from previous simulation
- disp()     - display parameters and initial values from the last simulation
- describe() - describe culture, broth, parameters, variables with values/units

```

Note that both disp() and describe() takes values from the last simulation and the command process_diagram() brings up the main configuration

Brief information about a command by help(), eg help(simu)
Key system information is listed with the command system_info()

```

%matplotlib inline
plt.rcParams['figure.figsize'] = [25/2.54, 20/2.54]


```

```

process_diagram()

```


↗ No processDiagram.png file in the FMU, but try the file on disk.



```
describe('culture')
```

↗ Simplified text book model – only substrate S and cell concentration X

```
newplot()
par(Y=0.50, qSmax=0.75, Ks=0.1)           # Culture parameters
init(V_start=1.0, VX_start=1.0, VS_start=20) # Bioreactor startup
par(S_in=30, t0=0, F0=0, t1=10, F1=0.2)    # Substrate feeding
simu(60)
```



```
# The maximal biomass productivity FX_max [g/h] marked red in the diagram above
# can be calculated for CSTR from the FMU and is
cstrProdMax(model)
```

↗ 5.625

```
describe('cstrProdMax')
```

↗ Calculate from the model maximal chemostat productivity FX_max : 5.625 [g/h]

```
describe('parts')
```

```
describe(parts, /
```

```
↕ ['bioreactor', 'bioreactor.culture', 'D', 'dosagescheme', 'feedtank', 'harvesttank']
```

```
system_info()
```

```
↕
```

```
System information
```

```
-OS: Linux
```

```
-Python: 3.10.12
```

```
-Scipy: not installed in the notebook
```

```
-PyFMI: 2.13.0
```

```
-FMU by: OpenModelica Compiler OpenModelica 1.21.0
```

```
-FMI: 2.0
```

```
-Type: FMUModelME2
```

```
-Name: BPL_TEST2.Chemostat
```

```
-Generated: 2024-03-05T09:09:17Z
```

```
-MSL: 3.2.3
```

```
-Description: Bioprocess Library version 2.2.0
```

```
-Interaction: FMU-explore version 1.0.0
```