BPL_TEST2_Batch script with FMPy

The key library FMPy is installed.

After the installation a small application BPL_YEAST_COB_Batch is loaded and run. You can continue with this example if you like.

```
!lsb_release -a # Actual VM Ubuntu version used by Google
```

No LSB modules are available. Distributor ID: Ubuntu

Description: Ubuntu 22.04.3 LTS

Release: 22.04 Codename: jammy

%env PYTHONPATH=

env: PYTHONPATH=

```
!wget https://repo.anaconda.com/miniconda/Miniconda3-py312_24.3.0-0-Linux-x86_64.sh !chmod +x Miniconda3-py312_24.3.0-0-Linux-x86_64.sh !bash ./Miniconda3-py312_24.3.0-0-Linux-x86_64.sh -b -f -p /usr/local import sys
```

--2024-05-17 08:10:56-- https://repo.anaconda.com/miniconda/Miniconda3-py312 24.3.0-0-Linux-x86 64.sh Resolving repo.anaconda.com (repo.anaconda.com)... 104.16.32.241, 104.16.191.158, 2606:4700::6810:bf9e, ... Connecting to repo.anaconda.com (repo.anaconda.com)|104.16.32.241|:443... connected. HTTP request sent, awaiting response... 200 0K Length: 143351488 (137M) [application/octet-stream]

Saving to: 'Miniconda3-py312_24.3.0-0-Linux-x86_64.sh'

sys.path.append('/usr/local/lib/python3.12/site-packages/')

Miniconda3-py312_24 100%[===========] 136.71M 154MB/s in 0.9s

2024-05-17 08:10:57 (154 MB/s) - 'Miniconda3-py312_24.3.0-0-Linux-x86_64.sh' saved [143351488/143351488]

PREFIX=/usr/local Unpacking payload ...

Installing base environment...

Preparing transaction: ...working... done Executing transaction: ...working... done installation finished.

!conda update -n base -c defaults conda --yes

Channels:
 - defaults
 Platform: linux-64
 Collecting package metadata (repodata.json): done
 Solving environment: done

Package Plan

environment location: /usr/local

added / updated specs:
 - conda

The following packages will be downloaded:

package	build		
conda-24.5.0 frozendict-2.4.2 openssl-3.0.13	py312h06a4308_0 py312h06a4308_0 h7f8727e_1	1.2 36 5.2	KB
	Total:	6.5	MR

The following NEW packages will be INSTALLED:

frozendict pkgs/main/linux-64::frozendict-2.4.2-py312h06a4308_0

The following packages will be UPDATED:

onda 24.3.0-py312h06a4308_0 --> 24.5.0-py312h06a4308_0

openssl

```
Downloading and Extracting Packages:
openssl-3.0.13 | 5.2 MB
                                    | :
                                             0% 0/1 [00:00<?, ?it/s]
conda-24.5.0
                        j 1.2 MB
                                           0% 0/1 [00:00<?, ?it/s]
                                      |: 0% 0.002997347135570501/1 [00:00<00:38, 38.75s/it]
|: 1% 0.01293349794914382/1 [00:00<00:11, 11.51s/it]
openssl-3.0.13
                        | 5.2 MB
conda-24.5.0
                        | 1.2 MB
frozendict-2.4.2
                       | 36 KB
                                      | : 44% 0.43853215920344746/1 [00:00<00:00, 2.77it/s]
                                     | : 100% 1.0/1 [00:00<00:00, 2.77it/s]
| : 100% 1.0/1 [00:00<00:00, 1.94it/s]
                      | 36 KB
frozendict-2.4.2
conda-24.5.0
                        1.2 MB
```

Preparing transaction: done Verifying transaction: done Executing transaction: done

!conda --version !python --version

conda 24.5.0 Python 3.12.2

!conda install -c conda-forge fmpy --yes # Install the key package

₹

```
Preparing transaction: done
    Verifying transaction: done
    Executing transaction: done
#!conda install matplotlib --yes
#!conda install scipy --yes
#!conda install xlrd --yes
#!conda install openpyxl --yes
# For some reason conda installation does not work for optlang
!pip install optlang

→ Collecting optlang

      Downloading optlang-1.8.1-py2.py3-none-any.whl.metadata (8.3 kB)
    Requirement already satisfied: six>=1.9 in /usr/local/lib/python3.12/site-packages (from optlang) (1.16.0)
    Collecting swiglpk>=5.0.8 (from optlang)
      Downloading \ swiglpk-5.0.10-cp312-cp312-manylinux\_2\_17\_x86\_64.manylinux2014\_x86\_64.whl.metadata \ (5.5 kB)
    Collecting sympy>=1.12.0 (from optlang)
      Downloading sympy-1.12-py3-none-any.whl.metadata (12 kB)
    Collecting mpmath>=0.19 (from sympy>=1.12.0->optlang)
      Downloading mpmath-1.3.0-py3-none-any.whl.metadata (8.6 kB)
    Downloading optlang-1.8.1-py2.py3-none-any.whl (142 kB)
                                                 142.0/142.0 kB 10.6 MB/s eta 0:00:00
    Downloading \ swiglpk-5.0.10-cp312-cp312-manylinux\_2\_17\_x86\_64.manylinux\_2014\_x86\_64.whl \ (2.3\ MB)
                                                 2.3/2.3 MB 52.6 MB/s eta 0:00:00
    Downloading sympy-1.12-py3-none-any.whl (5.7 MB)
                                                 5.7/5.7 MB 64.7 MB/s eta 0:00:00
    Downloading mpmath-1.3.0-py3-none-any.whl (536 kB)
                                                 536.2/536.2 kB 31.4 MB/s eta 0:00:00
    Installing collected packages: swiglpk, mpmath, sympy, optlang
    Successfully installed mpmath-1.3.0 optlang-1.8.1 swiglpk-5.0.10 sympy-1.12
    WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system
```

BPL_YEAST_COB_Batch setup

Now specific installation and the run simulations. Start with connecting to Github. Then upload the two files:

- FMU BPL_YEAST_COB_Batch_linux_om_me.fmu
- Setup-file BPL_YEAST_COB_Batch_fmpy_explore.py

```
%%bash
git clone https://github.com/janpeter19/BPL_YEAST_COB_Batch
→ Cloning into 'BPL_YEAST_COB_Batch'...
%cd BPL_YEAST_COB_Batch
/content/BPL_YEAST_COB_Batch
run -i BPL_YEAST_COB_Batch_fmpy_explore.py
Fruinux - run FMU pre-comiled OpenModelica 1.21.0
    Model for bioreactor has been setup. Kev commands:
     - par()

    change of parameters and initial values

     - init()
                   - change initial values only
                    - simulate and plot
     - simu()
     - newplot()

    make a new plot

    show plot from previous simulation

     - show()
     - disp()
                    \mbox{-}\mbox{display parameters} and initial values from the last simulation
     - describe() - describe culture, broth, parameters, variables with values/units
    Note that both disp() and describe() takes values from the last simulation
    and the command process_diagram() brings up the main configuration
    Brief information about a command by help(), eg help(simu)
    Key system information is listed with the command system_info()
```


```
%matplotlib inline
plt.rcParams['figure.figsize'] = [25/2.54, 20/2.54]
import warnings
warnings.filterwarnings("ignore")
```

BPL_YEAST_COB_Batch - demo

from optlang import Model, Variable, Constraint, Objective

process_diagram()

No processDiagram.png file in the FMU, but try the file on disk.



describe('culture'); print(); #describe('liquidphase')

Pump schedule parameter

Saccharomyces cerevisae - default parameters for strain H1022


```
# Define culture constraint-based model
def culture(G, E):
    \mbox{\#}\mbox{ LP} calculation of the optimal qGr, qEr based on G and E values
    # - parameters
    q02max = 6.9e-3; kog = 2.3; koe = 1.6; YGr = 3.5; YEr = 1.32;
    alpha = 0.01; beta = 1.0
    # - transfer data from dynamic reactor model to static LP model
    qGr_opt = Variable('qGr_opt', lb=0)
    qEr_opt = Variable('qEr_opt', lb=0)
    # - LP model constraint and objective
    mu_max = Objective(YGr*qGr_opt + YEr*qEr_opt, direction='max')
    q02lim = Constraint(kog*qGr_opt + koe*qEr_opt, ub=q02max)
    qGlim = Constraint(qGr_opt, ub=alpha*max(0,G))
    qElim = Constraint(qEr_opt, ub=beta*max(0,E))
    # - put together the LP model
    yeast_model = Model(name='Yeast bottleneck model')
    yeast_model.objective = mu_max
    yeast_model.add(q02lim)
    yeast_model.add(qGlim)
    yeast_model.add(qElim)
    # - do LP optimization
```

yeast_model.optimize()

return (yeast_model.objective.value, yeast_model.variables.qGr_opt.primal, yeast_model.variables.qEr_opt.primal,

```
# Initialization
V start=1.0
init(V_start=V_start, VX_start=V_start*2.0, VG_start=V_start*10, VE_start=V_start*3.0)
```

```
# Loop of simulations
t_final = 8.0
t_samp = 0.0333
n_samp = t_final/t_samp + 1
# Simulate n sample steps
newplot(title='Batch cultivation', plotType='TimeSeries2')
ax1.set\_xlim([0, t\_final]); ax2.set\_xlim([0, t\_final]); ax3.set\_xlim([0, t\_final])
simu(t_samp, options=opts_fast)
for i in range(int(n_samp)):
    (\texttt{mum\_opt}, \ \mathsf{qGr\_opt}, \ \mathsf{qEr\_opt}, \ \mathsf{q02\_opt}) = \texttt{culture}(\texttt{sim\_res}['\texttt{bioreactor.c[2]'}][-1], \ \texttt{sim\_res}['\texttt{bioreactor.c[3]'}][-1])
    par(mum=mum_opt, qGr=qGr_opt, qEr=qEr_opt, q02=q02_opt)
    simu(t_samp, 'cont', options=opts_fast)
```



```
system_info()
```

```
→
    System information
     -OS: Linux
     -Python: 3.10.12
     -Scipy: not installed in the notebook
     -FMPy: 0.3.20
     -FMU by: OpenModelica Compiler OpenModelica 1.21.0
     -FMI: 2.0
     -Type: ME
     -Name: BPL_YEAST_COB.Batch
     -Generated: 2024-03-07T12:25:17Z
     -MSL: 3.2.3
     -Description: Bioprocess Library version 2.2.0
     -Interaction: FMU-explore for FMPy version 1.0.0
!conda list optlang
   # packages in environment at /usr/local:
    # Name
                               Version
                                                         Build Channel
    optlang
                               1.8.1
                                                        pypi_0
                                                                  pypi
```