# reusable-extensible-python-functions-financial-data-analysis

October 8, 2025

## 1 Reusable And Extensible Python Functions For Financial Data Analysis

## 1.1 Python Imports

```
[1]: # Standard Library
     import datetime
     import io
     import os
     import random
     import sys
     import warnings
     from datetime import datetime, timedelta
     from pathlib import Path
     # Data Handling
     import numpy as np
     import pandas as pd
     # Data Visualization
     import matplotlib.dates as mdates
     import matplotlib.pyplot as plt
     import matplotlib.ticker as mtick
     import seaborn as sns
     from matplotlib.ticker import FormatStrFormatter, FuncFormatter, MultipleLocator
     # Data Sources
     import yfinance as yf
     # Statistical Analysis
     import statsmodels.api as sm
     # Machine Learning
     from sklearn.decomposition import PCA
     from sklearn.preprocessing import StandardScaler
```

```
# Suppress warnings
warnings.filterwarnings("ignore")
```

#### 1.2 Add Directories To Path

```
[2]: # Add the source subdirectory to the system path to allow import config from
     ⇔settings.py
     current_directory = Path(os.getcwd())
     website_base_directory = current_directory.parent.parent.parent
     src_directory = website_base_directory / "src"
     sys.path.append(str(src_directory)) if str(src_directory) not in sys.path else_
      ⊸None
     # Import settings.py
     from settings import config
     # Add configured directories from config to path
     SOURCE_DIR = config("SOURCE_DIR")
     sys.path.append(str(Path(SOURCE_DIR))) if str(Path(SOURCE_DIR)) not in sys.path_
      ⇔else None
     # Add other configured directories
     BASE_DIR = config("BASE_DIR")
     CONTENT_DIR = config("CONTENT_DIR")
     POSTS DIR = config("POSTS DIR")
     PAGES_DIR = config("PAGES_DIR")
     PUBLIC_DIR = config("PUBLIC_DIR")
     SOURCE_DIR = config("SOURCE_DIR")
     DATA_DIR = config("DATA_DIR")
     DATA_MANUAL_DIR = config("DATA_MANUAL_DIR")
     # Print system path
     for i, path in enumerate(sys.path):
         print(f"{i}: {path}")
```

```
0: /usr/lib/python313.zip
1: /usr/lib/python3.13
2: /usr/lib/python3.13/lib-dynload
3:
4: /home/jared/python-virtual-envs/general_313/lib/python3.13/site-packages
5: /home/jared/Cloud_Storage/Dropbox/Websites/jaredszajkowski.github.io/src
```

## 1.3 Track Index Dependencies

```
[3]: # Create file to track markdown dependencies
dep_file = Path("index_dep.txt")
dep_file.write_text("")
```

[3]: 0

### 1.4 Python Functions

```
[4]: from export_track_md_deps import export_track_md_deps
```

```
[5]: from bb_clean_data import bb_clean_data

code = Path(SOURCE_DIR / "bb_clean_data.py").read_text()

md_code_block = f"```python\n{code}\n```"

# Copy this <!-- INSERT_bb_clean_data_HERE --> to index_temp.md

export_track_md_deps(dep_file=dep_file, md_filename="bb_clean_data.md",___

content=md_code_block)
```

Exported and tracked: bb\_clean\_data.md

Exported and tracked: build\_index.md

Exported and tracked: calc\_vix\_trade\_pnl.md

Exported and tracked: coinbase\_fetch\_available\_products.md

```
[9]: from coinbase_fetch_full_history import coinbase_fetch_full_history code = Path(SOURCE_DIR / "coinbase_fetch_full_history.py").read_text()
md_code_block = f"``python\n{code}\n``"

# Copy this <!-- INSERT_coinbase_fetch_full_history_HERE --> to index_temp.md
export_track_md_deps(dep_file=dep_file,__

--- md_filename="coinbase_fetch_full_history.md", content=md_code_block)
```

Exported and tracked: coinbase\_fetch\_full\_history.md

Exported and tracked: coinbase\_fetch\_historical\_candles.md

Exported and tracked: coinbase\_pull\_data.md

Exported and tracked: df\_info.md

Exported and tracked: df\_info\_markdown.md

```
[14]: from export_track_md_deps import export_track_md_deps
code = Path(SOURCE_DIR / "export_track_md_deps.py").read_text()
md_code_block = f"```python\n{code}\n```"

# Copy this <!-- INSERT_export_track_md_deps_HERE --> to index_temp.md
export_track_md_deps(dep_file=dep_file, md_filename="export_track_md_deps.md",__
content=md_code_block)
```

Exported and tracked: export\_track\_md\_deps.md

```
[15]: from load_api_keys import load_api_keys
code = Path(SOURCE_DIR / "load_api_keys.py").read_text()
```

Exported and tracked: load\_api\_keys.md

Exported and tracked: load\_data.md

Exported and tracked: pandas\_set\_decimal\_places.md

Exported and tracked: plot\_price.md

```
[19]: from plot_stats import plot_stats
code = Path(SOURCE_DIR / "plot_stats.py").read_text()
md_code_block = f"```python\n{code}\n```"

# Copy this <!-- INSERT_plot_stats_HERE --> to index_temp.md
export_track_md_deps(dep_file=dep_file, md_filename="plot_stats.md",___
content=md_code_block)
```

Exported and tracked: plot\_stats.md

```
[20]: from plot_vix_with_trades import plot_vix_with_trades
code = Path(SOURCE_DIR / "plot_vix_with_trades.py").read_text()
md_code_block = f"```python\n{code}\n```"

# Copy this <!-- INSERT_plot_vix_with_trades_HERE --> to index_temp.md
export_track_md_deps(dep_file=dep_file, md_filename="plot_vix_with_trades.md",__
content=md_code_block)
```

Exported and tracked: plot\_vix\_with\_trades.md

```
[21]: from polygon_fetch_full_history import polygon_fetch_full_history code = Path(SOURCE_DIR / "polygon_fetch_full_history.py").read_text() md_code_block = f"```python\n{code}\n```" # Copy this <!-- INSERT_polygon_fetch_full_history_HERE --> to index_temp.md export_track_md_deps(dep_file=dep_file, md_filename="polygon_fetch_full_history.

-md", content=md_code_block)
```

Exported and tracked: polygon\_fetch\_full\_history.md

Exported and tracked: polygon\_pull\_data.md

```
[23]: from strategy_harry_brown_perm_port import strategy_harry_brown_perm_port code = Path(SOURCE_DIR / "strategy_harry_brown_perm_port.py").read_text() md_code_block = f"```python\n{code}\n```" # Copy this <!-- INSERT_strategy_harry_brown_perm_port_HERE --> to index_temp.md export_track_md_deps(dep_file=dep_file,__ omd_filename="strategy_harry_brown_perm_port.md", content=md_code_block)
```

Exported and tracked: strategy\_harry\_brown\_perm\_port.md

```
[24]: from summary_stats import summary_stats

code = Path(SOURCE_DIR / "summary_stats.py").read_text()

md_code_block = f"``python\n{code}\n``"

# Copy this <!-- INSERT_summary_stats_HERE --> to index_temp.md

export_track_md_deps(dep_file=dep_file, md_filename="summary_stats.md",___

content=md_code_block)
```

Exported and tracked: summary\_stats.md

```
[25]: from yf_pull_data import yf_pull_data
code = Path(SOURCE_DIR / "yf_pull_data.py").read_text()
md_code_block = f"```python\n{code}\n```"
# Copy this <!-- INSERT_yf_pull_data_HERE --> to index_temp.md
export_track_md_deps(dep_file=dep_file, md_filename="yf_pull_data.md",___
content=md_code_block)
```

Exported and tracked: yf\_pull\_data.md