Stuart Test H0 rejected (freq) on each edge mean p value of each pair 0.86 **-**S8 S8 1 S7 **-**0.86 57 1 H0 S6-**S**6 0.86 O retain 1 X reject H0 rejected (freq) S5 -0.86 **S**5 sedneuce p-value 0.75 1.00 0.50 0.75 S4 **-**0.86 S4 0.25 0.50 0.00 0.83 0.25 S3 -0.00 0.57 **S**3 1 S2 -0.71 ·S2 0.83 S1 -0.71 S1 distribution of test statistics (S1; S2) (S1; S4) (S1; S5) (S1; S3) (S1; S6) (S1; S7) 0.075 -0.050 -0.025 -0.000 -(S1; S8) (S2; S3) (S2; S4) (S2; S5) (S2; S6) (S2; S7) 0.075 -0.050 -0.025 -0.000 -(S2; S8) (S3; S4) (S3; S5) (S3; S6) (S3; S7) (S3; S8) 0.075 - 0.050 - 0.025 -0.000 -(S4; S5) (S4; S6) (S4; S7) (S4; S8) (S5; S6) (S5; S7) 0.075 -0.050 -0.025 -0.000 -400 200 600 200 400 600 (S5; S8) (S6; S7) (S6; S8) (S7; S8) 0.075 -0.050 -0.025 -0.000 -Ö 200 400 600 200 400 600 200 400 600 200 400 600 Stuart_ts