Bowker Test H0 rejected (freq) on each edge mean p value of each pair 0.14 S8 S8 **-**0.33 0.71 \$7 S7 **-**0.31 S6-H0 0.43 **S**6 O retain 0.25 × reject H0 rejected (freq) 0 0 S5 **-**0.29 **S**5 sedneuce p-value 0.75 1.00 0.50 0.75 S4 **-**0.14 **S**4 0.25 0.50 0.00 0.33 0.25 S3 -0.00 **S**3 [0.43]0.31 S2 -0.29 ·S2 0.25 S1 **-**0.43 S1 distribution of test statistics (S1; S2) (S1; S3) (S1; S4) (S1; S5) (S1; S6) (S1; S7) 0.10 -0.05 -0.00 (S1; S8) (S2; S3) (S2; S4) (S2; S5) (S2; S6) (S2; S7) 0.10 -0.05 -0.00 (S2; S8) (S3; S4) (S3; S5) (S3; S6) (S3; S7) (S3; S8) density 0.05 0.00 (S4; S5) (S4; S6) (S4; S7) (S4; S8) (S5; S6) (S5; S7) 0.10 -0.05 0.00 50 100 50 100 0 (S5; S8) (S6; S7) (S6; S8) (S7; S8) 0.10 -0.05 0.00 50 50 50 50 100 100 100 100 Bowker_ts