The dndicons package

A set of high quality icons made with TikZ for use in material for tabletop role-playing games

Jasper Habicht*

Version 1.1.2, released on 16 November 2023

1 Introduction

The dndicons package provides set of high quality icons made with TikZ for use in material for tabletop role-playing games. The icons are meant to be used in the body text.

Since the icons are tikzpicture environments, they are not meant to be nested inside other tikzpicture. However, because the package defines the icons as TikZ shapes, it is possible to use the icons in tikzpicture environments directly. Apart from that, as of version 1.1.0, the package provides a way to define custom commands to typeset the icons as boxed material which is safe in an tikzpicture context.

2 Loading the package

The dndicons package is loaded by calling \usepackage{dndicons} in the preamble of the document. The package loads the tikz package.

3 Usage

The package provides a set of commands that can be used together with a set of different shapes.

3.1 Global style and default color

All icons share the TikZ style dnd icon that has no option per default, but can be used to style all icons at once. For example, if the setting $\tikzset\{dnd\ icon/.append\ style=\{draw=red\}\}\$ is placed at the beginning of the document, all icons will be drawn in red. Per default, the icons are drawn in the color of the surrounding text.

^{*}E-mail: mail@jasperhabicht.de

Because the package defines the icons as TikZ shapes, every command can actually be used together with every shape. However, the combinations of shapes and commands as described in the following are preferable.

3.2 Icon \die

\die The command \die [$\langle style \rangle$] { $\langle shape \rangle$ } [$\langle options \rangle$] { $\langle integer \rangle$ } is meant to print an icon to depict a die with a different count of sides. There exist two special icons for a two-sided die (which would be equivalent to a coin) and for a hundred-sided die (which typically comes in the shape of a sphere).

The command takes two mandatory commands, the first of which describes the shape (see previous subsection) and the second can take an integer that is placed in front of the shape. Thus, \die{eightside}{2} results in 2 (meaning 2 eight-sided dice are rolled).

The command also takes two optional arguments, the second of which can take arbitrary TikZ options to style the icon. The options affect the shape, not the integer when it is printed before the icon. As an example, $die{eightside}[blue, thick]{2}$ results in $2 \diamondsuit$.

The first optional argument can take the value normal or large, normal being the default value. With the value large, the icon is drawn larger and the additional integer is printed inside of the shape instead of before it. As an example, \die[large]{eightside}{2} results in \(\frac{2}{2} \).

Command	Icon	Shape
$\die[\langle style \rangle] \{\langle shape \rangle\} [\langle options \rangle] \{\langle integer \rangle\}$		
	\circ	twoside
	\triangle	fourside
		sixside
	\Diamond	eightside
	\Diamond	tenside
		twelveside
	\bigotimes	twentyside
	\bigcirc	hundredside
	<u>+</u>	fudge

3.3 Icons \ability and \saving

\ability The command \ability[$\langle style \rangle$]{ $\langle shape \rangle$ }[$\langle options \rangle$] is meant to print an icon to depict on of different abilities of a character. The abilities are represented by animal-like shapes. The relevant shape is to be given in the mandatory argument of the command. The second optional argument can take arbitrary TikZ options to style the icon.

The first optional argument can take the value positive or negative, positive being the default value. With the value negative, the icon is drawn negative inside a circle. As an example, \ability[negative]{charisma} results in .

\saving The command \saving [\langle style \rangle] {\langle shape \rangle} [\langle options \rangle] prints the shapes available to the \ability icon inside a small shield. It can take the same values for the mandatory argument as the \ability command. The optional argument can take arbitrary TikZ options to style the icon.

The first optional argument can take the value normal or empty, normal being the default value. With the value empty, the icon inside the shield is not printed. In this case, the mandatory argument can be left empty. As an example, \saving[empty]{} results in \(\subseteq \).

Command	Icon	Shape
$\ability[\langle style \rangle] \{\langle shape \rangle\} [\langle options \rangle]$		
	T	strength
	F	dexterity
	()	dexterity alt
)jj	constitution
	₩	intelligence
	(P)	wisdom
	S	charisma
		luck
	¥	armor
	*	proficiency
$\space{1mm} \space{1mm} \spa$		
		strength
	(2)	dexterity
		dexterity alt
		constitution
	F	intelligence
	(i)	wisdom
		charisma
		luck
	*	armor
	*	proficiency

3.4 Icon \spell

\spell The command \spell{ $\langle shape \rangle$ }[$\langle options \rangle$] is meant to print icons to depict the effect of a spell or how it is to be effected. The optional argument can take arbitrary TikZ options to style the icon.

Command	Icon	Shape
$\spell{\langle shape \rangle} [\langle options \rangle]$		
	-	linear
	\triangleleft	conic
	•	quadratic
		cubic
	\odot	spheric

Command	Icon	Shape
	\odot	cylindric
	Ω	verbal
	\$	somatic
	\Diamond	material
	\oplus	focus

3.5Icon \spellschool

\spellschool The command \spellschool[$\langle style \rangle$] { $\langle shape \rangle$ }[$\langle options \rangle$] is meant to print icons to represent the school a spell belongs to. The second optional argument can take arbitrary TikZ options to style the icon.

> The first optional argument can take the value negative or positive, negative being the default value. With the value positive, the icon is drawn negative inside a circle. As an example, \spellschool[positive]{evocation} results in .

Command	Icon	Shape
$\label{eq:spellschool} $$ \spellschool[\langle style \rangle] {\langle shape \rangle} [\langle options \rangle] $$$		
	¥	abjuration
	\forall	conjuration
	8	divination
	₦	enchantment
	#	evocation
	82	illusion
	v	necromancy
	T	transmutation

Icons \damage, \attack, and \condition 3.6

\damage The command \\damage{ $\langle shape \rangle$ } [$\langle options \rangle$] is meant to print icons to depict the damage of an attack. The icon is printed inside a circle. The optional argument can take arbitrary TikZ options to style the icon.

\attack The command \attack $\{\langle shape \rangle\}$ [$\langle options \rangle$] is meant to print icons to depict the kind of an attack. The optional argument can take arbitrary TikZ options to style the icon.

\condition The command \condition $\{\langle shape \rangle\}$ [$\langle options \rangle$] is meant to print icons to depict the kind of a condition of a character. The optional argument can take arbitrary TikZ options to style the icon.

Command	Icon	Shape
$\del{def} \del{def} $$ \del{def} \del{def} $$ \del{def} \del{def} $$ \del{def} $$$	_	
	(4)	acid
	\otimes	bludgeoning

Command	Icon	Shape
	*	cold
	* 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	fire
	*	force
	4	lightning
	$^{\oplus}$	necrotic
		piercing
	<u>@</u>	poison
	6	psychic
	©	radiant
		slashing
	(2)	thunder
	\odot	healing
$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $		
	*	melee
	\Rightarrow	ranged
	Qş	magic
	B	singlehanded
		doublehanded
$\condition{\langle shape \rangle}[\langle options \rangle]$		
	\tilde{\	buff
	ø	blinded
	8	charmed
	Ŋ	deafened
	8	exhausted
	8	frightened
	卽	grappled
	•	incapacitated
	\circ	invisible
	**	paralyzed
	(5)	petrified
		poisoned
	⊃**	prone
	<u>M</u>	restrained
	**	stunned
	ک	unconscious
	Î	hearing
	(a)	seeing

3.7 Direct use of shapes

Because the icons are defined as TikZ shapes, they can directly applied to TikZ nodes. However, the shapes don't have a shape border and no anchors. Therefore, if nodes with these shapes are connected using edges, the **center** anchor will be used to connect the nodes. If nodes with these shapes are being positioned, only the **center** anchor is available. Text content of these nodes is simply printed on top of the center of the node. Compare the following example.



```
\begin{tikzpicture}
    \node[eightside, blue, thick]
        at (0,0) (A) {A};
    \node[charisma] at (2,0) (B) {B};
    \draw[red] (A) -- (B);
\end{tikzpicture}
```

3.8 Boxing of icons

Because the icons cannot simply be used inside tikzpicture environments, the package provides a workaround to place icons inside of boxes for later use. Icons that are boxed this way can safely used inside tikzpicture environments.

tions] { $\langle box \ name \rangle$ } can be used to create a box that contains the icon that would be created using one of the regular commands this package provides. For example, \provideprotecteddndicon{die}[large]{eightside}[blue, thick]{mybox} would store the icon of the eight-sided die with the relevant style and TikZ options into a newly created boy named mybox. Note that no integer can be added to the \die command.

\useprotecteddndicon Using the command \useprotecteddndicon $\{\langle box\ name \rangle\}$, the previously defined box can be used to place the relevant icon. With the above definition having been made, \useprotecteddndicon{mybox} would result in