

Mash

Generated by Doxygen 1.9.1



---

<b>1 Class Index</b>	<b>1</b>
1.1 Class List . . . . .	1
<b>2 Class Documentation</b>	<b>3</b>
2.1 alias Struct Reference . . . . .	3
2.2 cmd_array Struct Reference . . . . .	3
2.3 command Struct Reference . . . . .	4
2.4 file_info Struct Reference . . . . .	4
2.5 parse_info Struct Reference . . . . .	5
2.6 sub_info Struct Reference . . . . .	5
<b>Index</b>	<b>7</b>



# Chapter 1

## Class Index

### 1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">alias</a>	3
<a href="#">cmd_array</a>	3
<a href="#">command</a>	4
<a href="#">file_info</a>	4
<a href="#">parse_info</a>	5
<a href="#">sub_info</a>	5



## Chapter 2

# Class Documentation

### 2.1 alias Struct Reference

#### Public Attributes


- char **command** [ALIAS\_MAX\_COMMAND]
- char **reference** [ALIAS\_MAX\_REFERENCE]

The documentation for this struct was generated from the following file:

- include/builtin/alias.h

### 2.2 cmd\_array Struct Reference

Collaboration diagram for cmd\_array:



## Public Attributes


- struct [command](#) \* **commands** [MAX\_COMMANDS\_PER\_LINE]
- int **n\_cmd**
- int **status**

The documentation for this struct was generated from the following file:

- include/mash.h

## 2.3 command Struct Reference

Collaboration diagram for command:



## Public Attributes

- char **argv** [MAX\_ARGUMENTS][MAX\_ARGUMENT\_SIZE]
- int **argc**
- char \* **current\_arg**
- pid\_t **pid**
- int **prev\_status\_needed\_to\_exec**
- int **do\_wait**
- int **input**
- int **output**
- int **fd\_pipe\_input** [2]
- int **fd\_pipe\_output** [2]
- struct [command](#) \* **pipe\_next**
- char \* **output\_buffer**

The documentation for this struct was generated from the following file:

- include/builtin/command.h

## 2.4 file\_info Struct Reference

## Public Attributes

- int **mode**
- char \* **ptr**
- char **buffer** [MAX\_ARGUMENT\_SIZE]

The documentation for this struct was generated from the following file:

- include/mash.h



## 2.5 parse\_info Struct Reference

### Public Attributes

- int **has\_arg\_started**
- int **do\_not\_expect\_new\_cmd**
- char \* **copy**

The documentation for this struct was generated from the following file:

- include/mash.h

## 2.6 sub\_info Struct Reference

### Public Attributes

- char \* **ptr**
- char **buffer** [MAX\_ENV\_SIZE]

The documentation for this struct was generated from the following file:

- include/mash.h



# Index

`alias`, [3](#)

`cmd_array`, [3](#)

`command`, [4](#)

`file_info`, [4](#)

`parse_info`, [5](#)

`sub_info`, [5](#)