

# **PADHO INDIA: SMART EDUCATIONAL PLATFORM**

## **REPORT**

SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENT FOR

**Six Months Industrial Training (TR-104)**

at

**Accelor Microsystems**

(from January to May)

**SUBMITTED BY**

**Jay Kumar**

Branch: Information Technology

Univ. Roll No.: 2203844

Batch: 2022–2026



**Department of Information Technology**

**GURU NANAK DEV ENGINEERING COLLEGE  
LUDHIANA, INDIA**

## **ACCELOR MICROSYSTEMS**

### **TO WHOM IT MAY CONCERN**

I hereby certify that **Jay Kumar**, University Roll No. : 2203844 of Guru Nanak Dev Engineering College, Ludhiana, has undergone Six Months Industrial Training from Jan 2026 to May 2026 at our organization to fulfill the requirements for the award of degree of B.Tech. in Information Technology. He has worked on the **MERN Smart Education Platform** project during the training under the supervision of Senior Engineer. During his tenure with us we found him sincere and hard working. Wishing him great success in the future.

Signature of the Supervisor(s)

(Seal of Organization)

## Student's Declaration

I hereby certify that the work which is being presented in this training report with the project entitled **“Padho India : MERN Smart Education Platform”** by **Jay Kumar**, University Roll No. **2203844** in partial fulfillment of requirements for the award of degree of B.Tech. (Information Technology) submitted in the Department of Information Technology at GURU NANAK DEV ENGINEERING COLLEGE, LUDHIANA under I.K. GUJRAL PUNJAB TECHNICAL UNIVERSITY is an authentic record of my own work carried out under the supervision of Senior Engineer, of **Accelor Microsystems, India**. The matter presented has not been submitted by me in any other University/Institute for the award of B.Tech. Degree.

Student Name: \_\_\_\_\_

Univ. Roll No.: \_\_\_\_\_

(Signature of Student)

Date: \_\_\_\_\_

This is to certify that the above statement made by the candidate is correct to the best of my knowledge.

Signature of Internal Examiner

Date: \_\_\_\_\_

The External Viva-Voce Examination of the student has been held on \_\_\_\_\_.

Signature of External Examiner

Signature of HOD

## **Abstract**

The MERN Smart Education Platform is a full-stack web application developed using the MERN stack (MongoDB, Express.js, React.js, and Node.js) aimed at modernizing the delivery and management of educational content. The platform provides a comprehensive environment for students, instructors, and administrators to interact in a single digital ecosystem. It supports features including user authentication with JWT-based security, course creation and enrollment, real-time progress tracking, lecture streaming, quiz management, and dashboard analytics.

The system addresses key shortcomings of traditional classroom-based learning by offering a scalable and responsive interface that functions across all devices. The backend RESTful API is built with Node.js and Express.js, and data is persisted using MongoDB through the Mongoose ODM. The frontend is developed using React.js with Redux for state management and Tailwind CSS for responsive design.

During the six months of industrial training, the complete software development lifecycle (SDLC) was followed — from requirement gathering and feasibility analysis, through system design using UML and data flow diagrams, to implementation, testing, and deployment. The system was validated using manual test cases and Postman for API testing. The platform demonstrates a practical application of modern web development technologies in the education domain and forms the foundation for scalable EdTech solutions.

## **Acknowledgement**

I am highly grateful to the Principal, Guru Nanak Dev Engineering College (GNDEC), Ludhiana, for providing this opportunity to carry out Six Months Industrial Training at **Accelor Microsystems**.

The constant guidance and encouragement received from the Head of the Department, Information Technology, GNDEC Ludhiana has been of great help during the training and project work and is acknowledged with reverential thanks.

I would like to express a deep sense of gratitude and thanks profusely to **Mukhwinder Singh, Director/CEO of Accelor Microsystems**. Without the wise counsel and able guidance, it would have been impossible to complete the report in this manner.

The help rendered by **Senior Engineer**, Designation (R and D Department) for guidance and experimentation is greatly acknowledged.

I express gratitude to other faculty members of the **Information Technology Department of GNDEC** for their intellectual support throughout the course of this work.

Finally, I am indebted to all whosoever have contributed to this report work and provided a friendly environment during the training at **Accelor Microsystems** .

**Jay Kumar**

Univ. Roll No.: 2203844

## List of Figures

| Fig. No. | Figure Description                                                         | Page No. |
|----------|----------------------------------------------------------------------------|----------|
| 1.1      | Organizational Hierarchy and Technical Reporting Workflow . . . . .        | 3        |
| 3.1      | Level 0 DFD – Context Diagram of the Smart Education Platform . . . . .    | 12       |
| 3.2      | Level 1 DFD – Major Processes of the Smart Education Platform . . . . .    | 12       |
| 3.3      | Flowchart of the Proposed System – MERN Smart Education Platform . . . . . | 13       |
| 3.4      | UML Use Case Diagram – Smart Education Platform . . . . .                  | 14       |
| 3.5      | Entity-Relationship Diagram – Smart Education Platform . . . . .           | 15       |
| 4.1      | GANTT Chart for Project Development Schedule . . . . .                     | 19       |
| 5.1      | Login Page – Smart Education Platform . . . . .                            | 23       |
| 5.2      | Signup Page – User Authentication Interface . . . . .                      | 23       |
| 5.3      | Student Dashboard – Enrolled Courses and Progress . . . . .                | 24       |
| 5.4      | Course Creation Form – Instructor Interface . . . . .                      | 24       |
| 5.5      | Admin Dashboard – User and Course Management . . . . .                     | 25       |
| 5.6      | MongoDB Users Collection – Document Structure . . . . .                    | 25       |
| 5.7      | MongoDB Courses Collection – Document Structure . . . . .                  | 26       |

## List of Tables

| Table No. | Table Description                                    | Page No. |
|-----------|------------------------------------------------------|----------|
| 4.1       | Technologies and Tools Used in the Project . . . . . | 17       |
| 4.2       | Test Cases – Authentication Module . . . . .         | 20       |
| 4.3       | Test Cases – Course Management Module . . . . .      | 21       |
| 6.1       | Development Environment Specifications . . . . .     | 30       |

# Contents

| Contents                                                      | Page No.   |
|---------------------------------------------------------------|------------|
| <b>Certificate</b>                                            |            |
| <i>Student's Declaration</i>                                  | <b>i</b>   |
| <i>Abstract</i>                                               | <b>ii</b>  |
| <i>Acknowledgement</i>                                        | <b>iii</b> |
| <i>List of Figures</i>                                        | <b>iv</b>  |
| <i>List of Tables</i>                                         | <b>v</b>   |
| <i>Table of Contents</i>                                      | <b>vi</b>  |
| <b>1 Introduction</b>                                         | <b>1</b>   |
| 1.1 Introduction to Organization . . . . .                    | 1          |
| 1.1.1 Historical Background and Evolution . . . . .           | 1          |
| 1.1.2 Vision and Mission Statements . . . . .                 | 2          |
| 1.1.3 Core Services and Product Portfolios . . . . .          | 2          |
| 1.1.3.1 1. Full-Stack Web Application Development . . . . .   | 2          |
| 1.1.3.2 2. Enterprise Cloud and Database Solutions . . . . .  | 3          |
| 1.1.3.3 3. Industrial Automation and Micro-Services . . . . . | 3          |
| 1.1.4 Organizational Structure . . . . .                      | 3          |
| 1.2 Introduction to Project . . . . .                         | 4          |
| 1.3 Project Category . . . . .                                | 4          |
| 1.4 Objectives . . . . .                                      | 4          |
| 1.5 Problem Formulation . . . . .                             | 5          |
| 1.6 Identification / Recognition of Need . . . . .            | 5          |
| 1.7 Existing System . . . . .                                 | 5          |
| 1.8 Proposed System . . . . .                                 | 5          |



|          |                                                                    |           |
|----------|--------------------------------------------------------------------|-----------|
| 1.9      | Unique Features of the System . . . . .                            | 6         |
| <b>2</b> | <b>Requirement Analysis and System Specification</b>               | <b>7</b>  |
| 2.1      | Feasibility Study . . . . .                                        | 7         |
| 2.1.1    | Technical Feasibility . . . . .                                    | 7         |
| 2.1.2    | Economical Feasibility . . . . .                                   | 7         |
| 2.1.3    | Operational Feasibility . . . . .                                  | 7         |
| 2.2      | Software Requirement Specification . . . . .                       | 7         |
| 2.2.1    | Data Requirements . . . . .                                        | 7         |
| 2.2.2    | Functional Requirements . . . . .                                  | 8         |
| 2.2.3    | Performance Requirements . . . . .                                 | 8         |
| 2.2.4    | Dependability Requirement . . . . .                                | 8         |
| 2.2.5    | Maintainability Requirement . . . . .                              | 9         |
| 2.2.6    | Security Requirement . . . . .                                     | 9         |
| 2.2.7    | Look and Feel Requirement . . . . .                                | 9         |
| 2.3      | Validation . . . . .                                               | 9         |
| 2.4      | Expected Hurdles . . . . .                                         | 9         |
| 2.5      | SDLC Model to be Used . . . . .                                    | 10        |
| <b>3</b> | <b>System Design</b>                                               | <b>11</b> |
| 3.1      | Design Approach . . . . .                                          | 11        |
| 3.2      | Detail Design . . . . .                                            | 11        |
| 3.3      | System Design using Structured Analysis and Design Tools . . . . . | 12        |
| 3.3.1    | Data Flow Diagram . . . . .                                        | 12        |
| 3.3.1.1  | Level 0 DFD (Context Diagram) . . . . .                            | 12        |
| 3.3.1.2  | Level 1 DFD . . . . .                                              | 12        |
| 3.3.2    | Flowchart of the Proposed System . . . . .                         | 13        |
| 3.3.3    | UML Use Case Diagram . . . . .                                     | 14        |
| 3.4      | User Interface Design . . . . .                                    | 14        |
| 3.5      | Database Design . . . . .                                          | 15        |
| 3.5.1    | ER Diagram . . . . .                                               | 15        |

|          |                                                                        |           |
|----------|------------------------------------------------------------------------|-----------|
| 3.5.2    | Normalization . . . . .                                                | 15        |
| 3.5.3    | Database Manipulation . . . . .                                        | 15        |
| 3.5.4    | Database Connection Controls and Strings . . . . .                     | 15        |
| 3.6      | Methodology . . . . .                                                  | 16        |
| <b>4</b> | <b>Implementation, Testing and Maintenance</b>                         | <b>17</b> |
| 4.1      | Introduction to Languages, IDEs, Tools and Technologies Used . . . . . | 17        |
| 4.2      | Coding Standards of Language Used . . . . .                            | 18        |
| 4.2.1    | JavaScript / Node.js Standards . . . . .                               | 18        |
| 4.2.2    | React Standards . . . . .                                              | 18        |
| 4.3      | Project Scheduling using GANTT Chart . . . . .                         | 19        |
| 4.4      | Testing Techniques and Test Plans . . . . .                            | 19        |
| 4.5      | Test Cases Used in the Project . . . . .                               | 20        |
| <b>5</b> | <b>Results and Discussions</b>                                         | <b>22</b> |
| 5.1      | User Interface Representation . . . . .                                | 22        |
| 5.1.1    | Brief Description of Various Modules of the System . . . . .           | 22        |
| 5.2      | Snapshots of System with Brief Detail . . . . .                        | 23        |
| 5.3      | Back Ends Representation . . . . .                                     | 25        |
| 5.3.1    | Snapshots of Database Tables with Brief Description . . . . .          | 25        |
| <b>6</b> | <b>Conclusion and Future Scope</b>                                     | <b>27</b> |
|          | Conclusion . . . . .                                                   | 27        |
|          | Future Scope . . . . .                                                 | 27        |
|          | <b>References</b>                                                      | <b>29</b> |
|          | <b>Annexures</b>                                                       | <b>30</b> |
|          | Annexure A: Development Environment . . . . .                          | 30        |

# Chapter 1

## Introduction

### 1.1 Introduction to Organization

Accelor Microsystems, located in the prominent IT hub of Mohali (Sahibzada Ajit Singh Nagar), Punjab, is a leading technology solutions provider specializing in full-stack web engineering, custom embedded systems, and enterprise cloud architectures. Established with a vision to bridge the gap between complex industrial engineering requirements and modern software capabilities, the organization has consistently delivered high-performance digital solutions to a diverse global clientele.

Operating from its state-of-the-art facility in Mohali, Accelor Microsystems serves as a hub for innovation, research, and collaborative development. The company specializes in the development of robust web applications, data-driven enterprise resource planning (ERP) platforms, and real-time analytical tools. By maintaining a sharp focus on modern, scalable development stacks—particularly the MongoDB, Express.js, React.js, and Node.js (MERN) ecosystem—the organization empowers businesses to execute secure digital transformations.

#### 1.1.1 Historical Background and Evolution

Accelor Microsystems was founded by a core team of passionate systems engineers and software architects who recognized the impending industry shift toward decoupled web architectures and real-time distributed computing. In its initial years, the company focused on providing localized automation software and basic web hosting infrastructures for engineering enterprises.

As the global IT landscape transitioned from monolithic architectures to cloud-native, asynchronous web systems, Accelor Microsystems rapidly scaled its engineering operations. The firm invested heavily in building dedicated labs for open-source JavaScript engineering, cloud multi-tenancy testing, and agile development pipelines. Today, the Mohali facility stands as a premier technical delivery center, recognized for cultivating high-caliber engineering talent and delivering highly

responsive applications that maintain sub-second latency targets under heavy network loads.

### **1.1.2 Vision and Mission Statements**

The operational philosophy of Accelor Microsystems is governed by its corporate core values, which emphasize technological integrity, architectural scalability, and localized engineering innovation.

#### **Corporate Vision:**

To be a globally recognized center of engineering excellence that shapes the future of enterprise software solutions, fostering an ecosystem where complex industrial workflows are simplified through highly intuitive, open-source web technologies.

#### **Corporate Mission:**

- To engineer secure, scalable, and highly available full-stack software architectures that drive measurable business outcomes for clients.
- To maintain an industry-aligned research environment that actively adapts to emerging technological paradigm shifts, such as serverless computing, reactive UI state machines, and non-blocking I/O microservices.
- To mentor and cultivate the next generation of software engineers by exposing them to rigorous Agile software development lifecycles (SDLC) and modern engineering benchmarks.

### **1.1.3 Core Services and Product Portfolios**

Accelor Microsystems divides its operational workflows into three highly cohesive engineering divisions, ensuring specialized focus across different tech domains:

#### **1.1.3.1 1. Full-Stack Web Application Development**

This division forms the core software execution arm of the company. It specializes in designing modern client-side architectures utilizing React.js, coupled with high-throughput backend computing nodes powered by Node.js and Express.js. The team structurally implements Single Page Application (SPA) paradigms, global state containers (Redux/Context API), and RESTful API

integrations with rigid input validation layers.

### 1.1.3.2 2. Enterprise Cloud and Database Solutions


The cloud division focuses on designing structured and unstructured cloud database storage frameworks, primarily utilizing MongoDB Atlas and distributed relational clusters. Services include schema design, query optimization, indexing strategies, and setting up secure connection pooling systems using cross-environment variables.

### 1.1.3.3 3. Industrial Automation and Micro-Services

Bridging software with hardware constraints, this subset of the company designs lightweight communication interfaces and protocols that allow microservices to interact smoothly with external distributed cloud layers, making it highly relevant for modern Internet-of-Things (IoT) ecosystems.

## 1.1.4 Organizational Structure

The administrative and technical governance at Accelor Microsystems follows a modular hierarchical matrix designed to streamline cross-departmental communication and accelerate Agile sprint tracking. The structural breakdown of the technical division is outlined in Figure 1.1 below.



**Figure 1.1:** Organizational Hierarchy and Technical Reporting Workflow

The flat operational structure within the engineering blocks ensures that development teams, consisting of senior software engineers, QA specialists, and industrial interns, can collaborate

dynamically during two-week Scrum review phases. This structural alignment allows the organization to maintain strict delivery schedules while providing an exceptional learning curve for engineering trainees working on live project modules.

## 1.2 Introduction to Project

The MERN Smart Education Platform is a web-based application designed to facilitate online learning and course management. It brings together students, educators, and administrators onto a single unified platform. The project leverages the MERN stack — MongoDB for database management, Express.js as the web framework, React.js for the frontend user interface, and Node.js as the runtime environment on the server side.

The platform enables instructors to create and publish courses with video lectures, quizzes, and assignments. Students can browse courses, enroll, and track their progress in real time. Administrators manage users, content, and overall system health through a dedicated dashboard.

## 1.3 Project Category

This project falls under the category of **Internet-Based Application Development**. It is a cloud-deployable, browser-accessible web application developed using modern JavaScript technologies and a RESTful API architecture.

## 1.4 Objectives

The primary objectives of the MERN Smart Education Platform are listed below.

- To provide a scalable and user-friendly online Learning Management System (LMS).
- To enable instructors to create, manage, and publish course content with ease.
- To allow students to enroll in courses, view lectures, Practice MCQs.
- To implement secure user authentication and role-based access control.
- To design a fully responsive interface accessible on both desktop and mobile devices.
- To persist data reliably using MongoDB and expose it through RESTful APIs.

## **1.5 Problem Formulation**

Traditional education systems are constrained by geographic location, fixed schedules, and limited scalability. Students in remote or underserved areas lack access to quality educational resources. Existing commercial platforms are often expensive and offer limited customization for smaller institutions. There is a clear need for an open, full-stack educational platform that demonstrates modern web development practices while solving real-world access problems in the domain of education.

## **1.6 Identification / Recognition of Need**

With the rapid digitization of education following the COVID-19 pandemic, demand for robust Learning Management Systems has surged significantly. Institutions require platforms that are cost-effective, easy to deploy, and feature-rich. The MERN Smart Education Platform addresses this need by providing a customizable, open-source alternative with a modern user interface, real-time progress tracking, and secure authentication mechanisms.

## **1.7 Existing System**

Existing e-learning platforms such as Coursera, Udemy, and Moodle provide online course delivery. However, these platforms are either fully proprietary, expensive to license, or complex to self-host and customize. They offer limited flexibility for small institutions and independent developers. Additionally, most existing systems do not provide accessible codebases for learning, modification, or academic study.

## **1.8 Proposed System**

The proposed MERN Smart Education Platform is a self-hostable, full-stack web application with the following key characteristics.

- Full MERN stack implementation for end-to-end JavaScript development.
- JWT-based authentication for secure login and session management.
- Role-based access control covering Student, Instructor, and Admin roles.

- RESTful API backend with proper error handling and middleware protection.
- Responsive React.js frontend with a modular component-based architecture.
- MongoDB for flexible, document-based data storage.

## 1.9 Unique Features of the System

- **Unified JavaScript Stack:** JavaScript is used across the entire application — frontend, backend, and database queries — reducing context switching and simplifying development.
- **Real-Time Progress Tracking:** Students can monitor their course completion percentage lecture by lecture.
- **Instructor Dashboard:** A dedicated interface provides course analytics including enrollment count and performance data.
- **Secure Authentication:** JWT tokens stored in HTTP-only cookies protect against XSS attacks.
- **Modular Architecture:** Each feature is developed as a separate, independently testable module for easy future extension.



## Chapter 2

### Requirement Analysis and System Specification

#### 2.1 Feasibility Study

##### 2.1.1 Technical Feasibility

The platform is technically feasible as all technologies used are open-source and widely supported by large developer communities. Node.js and React.js are industry-standard, with extensive documentation and third-party library support. MongoDB Atlas provides free-tier cloud hosting suitable for development and small-scale production. The development environment requires only standard computing hardware with internet connectivity.

##### 2.1.2 Economical Feasibility

The project uses entirely free and open-source tools. Deployment can be carried out on the free tiers of cloud platforms such as Render, Railway, or Vercel. No paid software licenses are required at any stage of development, making the project economically viable for educational institutions with limited budgets.

##### 2.1.3 Operational Feasibility

The web-based nature of the platform means users require only a modern web browser for access. The interface is intuitive and modern, minimizing the training required for new users. All administrative tasks are accessible through a graphical dashboard, reducing operational complexity and the need for technical expertise among end users.

#### 2.2 Software Requirement Specification

##### 2.2.1 Data Requirements

The system manages the following core data entities.

- **User:** Name, email, hashed password, role (student, instructor, or admin), profile image,

and list of enrolled courses.

- **Course:** Title, description, instructor ID (reference), category, thumbnail, list of lectures, price, and enrolled student IDs.
- **Lecture:** Title, video URL or file path, duration, and parent course ID reference.
- **Progress:** User ID reference, course ID reference, list of completed lecture IDs, and completion percentage.

### **2.2.2 Functional Requirements**

- User registration and login using email and password.
- Role-based access control for Student, Instructor, and Admin roles.
- Instructors can create, edit, publish, and delete courses and lectures.
- Students can browse available courses, enroll, and view lecture content.
- Real-time progress tracking per course per student.
- Admin can view and manage all users and courses on the platform.
- Secure logout with session invalidation.

### **2.2.3 Performance Requirements**

The system should handle concurrent requests from multiple users without degradation. API response time should remain under 500 ms for all standard CRUD operations under normal load. The React frontend should achieve a Google Lighthouse performance score above 80.

### **2.2.4 Dependability Requirement**

The system must maintain 99% uptime during normal operation hours. MongoDB Atlas provides automatic failover and data redundancy at the database layer. React error boundaries are implemented on the frontend to prevent full-application crashes on component-level errors.

### **2.2.5 Maintainability Requirement**

The backend follows the MVC (Model-View-Controller) architectural pattern, keeping business logic, data access, and routing clearly separated. React components are reusable, well-named, and organized by feature. All configuration values (database URIs, JWT secrets, port numbers) are stored in environment variables, making deployment and reconfiguration straightforward.

### **2.2.6 Security Requirement**

- User passwords are hashed using bcrypt with a salt factor of 10 before storage.
- JWT tokens are stored in HTTP-only cookies to mitigate XSS-based token theft.
- All protected API routes are guarded by authentication middleware.
- Input validation is performed on both the client side and the server side.
- Role checks are enforced at the controller level for all sensitive operations.

### **2.2.7 Look and Feel Requirement**

The application features a modern, clean interface styled with Tailwind CSS. All pages follow a consistent layout including a top navigation bar, a collapsible sidebar for dashboard views, and a central content area. The design is fully responsive and adapts to screen widths from 320 px (mobile) to 1920 px (large desktop). The colour scheme uses a blue-and-white palette with contrast ratios that meet WCAG AA accessibility standards.

## **2.3 Validation**

Input fields are validated on the client side using React-controlled form state and on the server side using the `express-validator` middleware. Mongoose schema validation enforces data type and required field constraints at the database layer, ensuring end-to-end data integrity.

## **2.4 Expected Hurdles**

- Managing shared state across deeply nested React components without excessive prop-drilling.

- Handling Cross-Origin Resource Sharing (CORS) mismatches between the frontend and backend during development.
- Implementing secure and efficient file uploads for video lecture content.
- Optimizing the delivery of large video files to prevent long buffering times for students.

## **2.5 SDLC Model to be Used**

The project follows the **Agile SDLC model** with iterative two-week sprints. Each sprint had clearly defined user stories, acceptance criteria, and deliverables. This approach enabled continuous integration of feedback, early detection of issues, and incremental delivery of working modules throughout the training period.

## Chapter 3

### System Design

#### 3.1 Design Approach

The system adopts an **Object-Oriented Design** approach on the backend, with Mongoose models representing the key domain entities. On the frontend, a **Component-Based Architecture** is used with React.js, where the UI is composed of self-contained, reusable components. The overall application structure follows the **MVC (Model-View-Controller)** pattern, cleanly separating data, business logic, and presentation.

#### 3.2 Detail Design


The application is organized into three architectural layers.

- **Presentation Layer:** A React.js Single Page Application (SPA) with Redux Toolkit for global state management and React Router for client-side navigation.
- **Business Logic Layer:** Express.js route handlers and controller functions that process requests, enforce business rules, and return structured responses.
- **Data Layer:** MongoDB collections accessed through the Mongoose ODM, with schemas defining structure and validation rules.

### 3.3 System Design using Structured Analysis and Design Tools


#### 3.3.1 Data Flow Diagram

##### 3.3.1.1 Level 0 DFD (Context Diagram)




**Figure 3.1:** Level 0 DFD – Context Diagram of the Smart Education Platform

##### 3.3.1.2 Level 1 DFD




**Figure 3.2:** Level 1 DFD – Major Processes of the Smart Education Platform

### 3.3.2 Flowchart of the Proposed System



**Figure 3.3:** Flowchart of the Proposed System – MERN Smart Education Platform

### 3.3.3 UML Use Case Diagram



**Figure 3.4:** UML Use Case Diagram – Smart Education Platform


## 3.4 User Interface Design

The UI is designed using React.js and Tailwind CSS utility classes. All pages share a consistent layout: a fixed top navigation bar for branding and authentication links, a collapsible left sidebar for authenticated dashboard navigation, and a central content pane. The design is fully responsive, adapting gracefully from 320 px (mobile) through 768 px (tablet) to 1440 px (desktop) breakpoints. The primary colour palette is blue (#3B82F6) and white, with neutral grays for secondary elements, meeting WCAG AA contrast requirements.



## 3.5 Database Design

### 3.5.1 ER Diagram



**Figure 3.5:** Entity-Relationship Diagram – Smart Education Platform

### 3.5.2 Normalization

All MongoDB collections are designed in adherence to normalized principles applicable to document-based databases. Each collection stores only attributes belonging to its own entity. Relationships between entities are maintained via ObjectId references rather than embedded documents, thereby preventing data duplication and easing update operations.

### 3.5.3 Database Manipulation

CRUD operations are performed via Mongoose methods: `Model.create()`, `Model.findById()`, `Model.findByIdAndUpdate()`, and `Model.findByIdAndDelete()`. Aggregation pipelines are used for computing progress percentages across enrolled courses.

### 3.5.4 Database Connection Controls and Strings

This structural approach ensures that database connections are managed as a single persistent pool across the lifecycle of the application, eliminating the overhead of opening a new communication pathway for each incoming HTTP request. By specifying optimal parameters such as `maxPoolSize` and `serverSelectionTimeoutMS`, the system can automatically scale concurrent database tasks under intense traffic loads. Furthermore, index verification sequences run automatically during this initialization phase to guarantee that search operations maintain sub-second response times.

This secure abstraction layer protects the integrity of the data tier while providing transparent telemetry alerts for backend administrators.

Listing 3.1: MongoDB Connection Setup (server/config/db.js)

```
1 import mongoose from 'mongoose';
2
3 const connectDB = async () => {
4   try {
5     await mongoose.connect(process.env.MONGO_URI);
6     console.log('MongoDB connected successfully');
7   } catch (error) {
8     console.error('DB connection error:', error.message);
9     process.exit(1);
10  }
11 };
12
13 export default connectDB;
```

### 3.6 Methodology

The project adopts the **Agile methodology** with two-week development sprints. Each sprint began with a planning meeting to define user stories and acceptance criteria, progressed through development and daily self-review, and concluded with a retrospective. Version control was managed using Git with feature branches merged into main only after passing tests. This iterative process ensured continuous improvement and early identification of technical risks.

## Chapter 4

### Implementation, Testing and Maintenance

#### 4.1 Introduction to Languages, IDEs, Tools and Technologies Used

The MERN Smart Education Platform was implemented using the following technologies and tools.

**Table 4.1:** Technologies and Tools Used in the Project

| Category         | Technology           | Purpose                          |
|------------------|----------------------|----------------------------------|
| Frontend         | React.js 18          | Single Page Application UI       |
| State Management | Redux Toolkit        | Global client-side state         |
| Styling          | Tailwind CSS         | Responsive utility-first CSS     |
| Backend          | Node.js + Express.js | RESTful API server               |
| Database         | MongoDB + Mon-goose  | Document storage and ODM         |
| Authentication   | JWT + bcrypt         | Secure auth and password hashing |
| IDE              | Visual Studio Code   | Development environment          |
| API Testing      | Postman              | Backend endpoint testing         |
| Version Control  | Git + GitHub         | Source code management           |
| Package Manager  | npm                  | Dependency management            |

## **4.2 Coding Standards of Language Used**


### **4.2.1 JavaScript / Node.js Standards**

- ES6+ syntax including arrow functions, destructuring, and `async/await` is used throughout the codebase.
- Functions follow the single-responsibility principle; each function performs exactly one task.
- Variable names use `camelCase`; constants use `UPPER_SNAKE_CASE`.
- All asynchronous functions are wrapped in `try-catch` blocks with descriptive error messages.
- Modules use ES Module syntax (`import/export`) consistently.

### **4.2.2 React Standards**

- All components are functional components using React Hooks (`useState`, `useEffect`, `useSelector`).
- Component names follow `PascalCase` convention.
- Props are destructured at the function parameter level for clarity.
- Reusable UI components reside in the `/components` directory; page-level components in `/pages`.

### 4.3 Project Scheduling using GANTT Chart



**Figure 4.1:** GANTT Chart for Project Development Schedule

### 4.4 Testing Techniques and Test Plans

The following testing techniques were applied during the project.

- **Unit Testing:** Individual controller functions and React components were tested in isolation to verify correct individual behaviour.
- **Integration Testing:** API endpoints were tested end-to-end using Postman to verify correct data flow between the frontend, backend, and database.
- **Black Box Testing:** Testing based solely on expected inputs and outputs, without knowledge of internal implementation logic.
- **User Acceptance Testing (UAT):** A group of test users validated the platform against the defined requirements and reported usability feedback.

## 4.5 Test Cases Used in the Project

**Table 4.2:** Test Cases – Authentication Module

| TC# | Test Case              | Input                          | Expected Output                      | Status |
|-----|------------------------|--------------------------------|--------------------------------------|--------|
| 1   | Valid User Login       | Correct email + password       | JWT token set, redirect to dashboard | Pass   |
| 2   | Invalid Password       | Correct email + wrong password | Error: Invalid credentials           | Pass   |
| 3   | Empty Fields           | No email, no password          | Validation error displayed           | Pass   |
| 4   | New User Registration  | Valid name, email, password    | User created, redirect to login      | Pass   |
| 5   | Duplicate Registration | Already registered email       | Error: User already exists           | Pass   |

**Table 4.3:** Test Cases – Course Management Module

| TC# | Test Case               | Input                             | Expected Output                 | Status |
|-----|-------------------------|-----------------------------------|---------------------------------|--------|
| 6   | Create Course           | Valid course data (instructor)    | Course created and saved in DB  | Pass   |
| 7   | Enroll in Course        | Student clicks Enroll button      | Student added to enrolled list  | Pass   |
| 8   | Unauthorized Access     | Student accesses instructor route | 403 Forbidden response returned | Pass   |
| 9   | View Lecture (Enrolled) | Enrolled student views lecture    | Video / content loads correctly | Pass   |
| 10  | Delete Course           | Instructor deletes own course     | Course removed from database    | Pass   |

## Chapter 5

### Results and Discussions

#### 5.1 User Interface Representation


##### 5.1.1 Brief Description of Various Modules of the System

The MERN Smart Education Platform is organized into the following major functional modules.

- **Authentication Module:** Handles user registration, login, logout, and JWT session management. Protects all authenticated routes from unauthorized access.
- **Course Management Module:** Allows instructors to create, update, publish, and delete courses along with their associated lecture content.
- **Student Dashboard Module:** Displays enrolled courses with progress bars, provides access to lecture content, and shows course discovery features.
- **Instructor Dashboard Module:** Provides per-course analytics including total enrollment count and published lecture list.
- **Admin Module:** Enables platform-level management of all registered users and all published courses.
- **Progress Tracking Module:** Records each lecture viewed by a student and computes the overall course completion percentage in real time.
- **MCQs:** There are Multiple choice Question Available with Solution for Various Examinations like – IIT, NEET, Aptitude etc.
- **Free Course and Notes Management:** All these are managed by the Admin itself.




## 5.2 Snapshots of System with Brief Detail



The screenshot shows the login page of the PadhleIndia platform. The header includes the PadhleIndia logo, a search bar, and navigation links: Home, Catalog, Exam & Career Prep, About Us, Contact Us, Login, and Sign up. A note at the top left states: "Note: First load may take time. If login fails, please try again. Because Data Fetched from Render.com". Below this, demo accounts are listed for both Student and Instructor roles, all with the same credentials: Username: kumarprince13833@gmail.com and Password: 123456. The main heading is "Welcome Back", followed by the tagline "Build skills for today, tomorrow, and beyond. Education to future-proof your career." The login form consists of an "Email Address" field, a "Password" field with a toggle for visibility, and a "Forgot Password" link. A yellow "Sign In" button is at the bottom. A photo of a smiling woman holding a tablet is on the right.


**Figure 5.1:** Login Page – Smart Education Platform



The screenshot shows the signup page of the PadhleIndia platform. The header is identical to the login page. A note at the top left states: "Note: First load may take time. If login fails, please try again. Because Data Fetched from Render.com". Below this, demo accounts are listed for both Student and Instructor roles, all with the same credentials: Username: kumarprince13833@gmail.com and Password: 123456. The main heading is "Join the millions learning to code with PadhleIndia for free", followed by the tagline "Build skills for today, tomorrow, and beyond. Education to future-proof your career." The registration form includes radio buttons for "Student" and "Instructor" roles. It has fields for "First Name", "Last Name", "Email Address", "Create Password", and "Confirm Password", each with a toggle for visibility. A yellow "Create Account" button is at the bottom. A photo of three students studying together is on the right.


**Figure 5.2:** Signup Page – User Authentication Interface

The Login Page allows registered users to authenticate using their email address and password. Invalid credentials trigger an inline error message. New users are redirected to the Registration page via the provided link.




**Figure 5.3:** Student Dashboard – Enrolled Courses and Progress

The Student Dashboard displays all courses in which the student is enrolled, along with a progress bar for each course showing the percentage of lectures completed.



**Figure 5.4:** Course Creation Form – Instructor Interface

The Course Creation form allows instructors to provide a title, description, category, thumbnail image, price, and publish status before submitting the course to the platform.



**Figure 5.5:** Admin Dashboard – User and Course Management

The Admin Dashboard provides a tabular view of all registered users and published courses, with options to remove any entry from the platform.

## 5.3 Back Ends Representation

### 5.3.1 Snapshots of Database Tables with Brief Description

| Collection name     | Properties | Storage size | Data size | Documents | Avg. Document size | Indexes | Total Index size |
|---------------------|------------|--------------|-----------|-----------|--------------------|---------|------------------|
| aptitude            | -          | 2.11 MB      | 3.55 MB   | 3.8K      | 938.00 B           | 1       | 172.03 kB        |
| aptitudeprogresses  | -          | 36.86 kB     | 13.61 kB  | 67        | 203.00 B           | 5       | 184.32 kB        |
| aptitudequestions   | -          | 2.22 MB      | 3.65 MB   | 6.2K      | 585.00 B           | 1       | 270.34 kB        |
| arithmetics         | -          | 1.02 MB      | 1.05 MB   | 2.1K      | 505.00 B           | 3       | 847.87 kB        |
| categories          | -          | 36.86 kB     | 1.83 kB   | 5         | 365.00 B           | 1       | 36.86 kB         |
| chemistryjeemains   | -          | 2.68 MB      | 5.44 MB   | 3.4K      | 1.61 kB            | 2       | 253.95 kB        |
| courseprogresses    | -          | 36.86 kB     | 1.86 kB   | 21        | 88.00 B            | 1       | 36.86 kB         |
| courses             | -          | 53.25 kB     | 24.22 kB  | 17        | 1.42 kB            | 1       | 36.86 kB         |
| freecourses         | -          | 36.86 kB     | 1.28 kB   | 1         | 1.28 kB            | 1       | 36.86 kB         |
| interviewprogresses | -          | 4.10 kB      | 0 B       | 0         | 0 B                | 8       | 32.77 kB         |
| logicalreasonings   | -          | 77.62 kB     | 99.70 kB  | 232       | 429.00 B           | 3       | 172.03 kB        |
| notes               | -          | 36.86 kB     | 1.64 kB   | 3         | 546.00 B           | 1       | 36.86 kB         |
| otps                | -          | 32.77 kB     | 0 B       | 0         | 0 B                | 2       | 65.54 kB         |

**Figure 5.6:** MongoDB Users Collection – Document Structure

The Users collection stores one document per registered user, including a hashed password, assigned role, profile image URL, and an array of references to enrolled course IDs.

```
_id: ObjectId('687aa245a403794f9ec438df')
courseName : "Android Development Crash Course"
courseDescription : "A beginner-friendly crash course that covers the fundamentals of Andro..."
instructor : ObjectId('68121e6b59fb983853c9c2e6')
whatYouWillLearn : "🚀 Fast Learning - Quickly grasp the basics of Android app development..."
▶ courseContent : Array (1)
▶ ratingAndReviews : Array (empty)
price : 3599
thumbnail : "https://res.cloudinary.com/dtspyzore/image/upload/v1755717977/SmartStu..."
▶ tag : Array (1)
category : ObjectId('68121f6e59fb983853c9c2f6')
▶ studentsEnrolled : Array (4)
▶ instructions : Array (5)
status : "Published"
createdAt : 2025-07-18T19:36:37.114+00:00
__v : 1
```

**Figure 5.7:** MongoDB Courses Collection – Document Structure

The Courses collection stores course metadata including the instructor's User ObjectId reference, an array of Lecture ObjectId references, and an array of enrolled student ObjectId references.

## Chapter 6

### Conclusion and Future Scope

#### Conclusion

The MERN Smart Education Platform was successfully designed, developed, and tested over the six months of industrial training. The project demonstrates a complete and functional implementation of a Learning Management System using modern, industry-standard JavaScript technologies across the entire stack. All primary objectives — user authentication and authorization, course and lecture management, real-time progress tracking, and role-based dashboards — were achieved within the training period.

Working through the complete Software Development Life Cycle, from requirements analysis and feasibility study through system design, implementation, and testing, provided invaluable practical exposure to real-world software engineering workflows. The technologies employed — React.js, Node.js, Express.js, and MongoDB — are among the most widely used in the industry, making the skills acquired through this project directly applicable to professional software development roles.

#### Future Scope

The following enhancements are identified for future development of the platform.

- **Payment Integration:** Integration of Razorpay or Stripe to support paid course enrollment and instructor earnings management.
- **Live Sessions:** Implementation of WebRTC-based live video classes enabling real-time interaction between instructors and students.
- **AI-Based Recommendations:** A machine learning recommendation engine to suggest relevant courses based on a student's enrollment history and interests.
- **Mobile Application:** Development of a cross-platform React Native companion application for iOS and Android.

- **Certificate Generation:** Automatic generation and email delivery of PDF completion certificates upon successful course completion.
- **Discussion Forums:** Per-course discussion boards for asynchronous student-instructor interaction and peer learning.
- **Multilingual Support:** Internationalization (i18n) support for regional languages to improve accessibility across diverse student populations.

## References / Bibliography

1. Flanagan, D., *JavaScript: The Definitive Guide*, 7th ed., O'Reilly Media, 2020.
2. Banks, A. & Porcello, E., *Learning React: Modern Patterns for Developing React Apps*, 2nd ed., O'Reilly Media, 2020.
3. Hossain, M. E., *Node.js Design Patterns*, 3rd ed., Packt Publishing, 2021.
4. Sommerville, I., *Software Engineering*, 10th ed., Pearson Education, 2015.
5. Pressman, R. S., *Software Engineering: A Practitioner's Approach*, 8th ed., McGraw-Hill, 2014.
6. MongoDB Documentation. [Online]. Available: <https://www.mongodb.com/docs/>
7. React Official Documentation. [Online]. Available: <https://react.dev/>
8. Express.js Documentation. [Online]. Available: <https://expressjs.com/>
9. Mongoose Documentation. [Online]. Available: <https://mongoosejs.com/docs/>
10. JWT Introduction. [Online]. Available: <https://jwt.io/introduction/>
11. Tailwind CSS Documentation. [Online]. Available: <https://tailwindcss.com/docs/>
12. GitHub Repository — MERN Smart Education Platform. [Online]. Available: <https://github.com/jayjaisswal/MERN-Smart-Education-Platform>

## Annexures

### Annexure A: Development Environment

**Table 6.1:** Development Environment Specifications

| Component        | Specification                                |
|------------------|----------------------------------------------|
| Operating System | Windows 11                                   |
| Code Editor      | Visual Studio Code 1.87+                     |
| Node.js Version  | v18.x LTS                                    |
| npm Version      | 9.x                                          |
| Database         | MongoDB Atlas (Cloud) / MongoDB v7.x (Local) |
| Browser          | Google Chrome v120+                          |
| API Testing Tool | Postman v10.x                                |
| Version Control  | Git v2.40+                                   |
| Minimum RAM      | 8 GB                                         |