Problem Set 1

Intro to R

Jim Bisbee

Due Date: 2024-07-04

Getting Set Up

Open RStudio and create a new RMarkDown file (.Rmd) by going to File -> New File -> R Markdown.... Accept defaults and save this file as [LAST NAME]_ps1.Rmd to your code folder.

Copy and paste the contents of this .Rmd file into your [LAST NAME]_ps1.Rmd file. Then change the author: [Your Name] to your name.

We will be using the sc_debt.Rds file from the course github page (https://github.com/jbisbee1/ISP Data Science 2024/blob/main/data/sc debt.Rds).

All of the following questions should be answered in this .Rmd file. There are code chunks with incomplete code that need to be filled in.

This problem set is worth 10 total points, plus two extra credit points. The point values for each question are indicated in brackets below. To receive full credit, you must have the correct code. In addition, some questions ask you to provide a written response in addition to the code.

You are free to rely on whatever resources you need to complete this problem set, including lecture notes, lecture presentations, Google, your classmates...you name it. However, the final submission must be complete by you. There are no group assignments. To submit, email the knitted output to Eun Ji Kim (kej990804@snu.ac.kr (mailto:kej990804@snu.ac.kr)) **as a PDF** by the start of class on Thursday, July 4th. If you need help converting to a PDF, see this tutorial

(https://github.com/jbisbee1/ISP Data Science 2024/blob/main/Psets/ISP pset 0 HELPER.pdf).

Good luck!

CODY THE IIIN TO CHAIGE I YOU USED HELE.	ink to ChatGPT you used here:	
--	-------------------------------	--

Question 0 [0 points]

Require tidyverse and load the sc_debt . Rds data by assigning it to an object named df.

require(tidyverse) # Load tidyverse
Loading required package: tidyverse

```
## — Attaching core tidyverse packages —
                                                                - tidyverse 2.0.0 —
## √ dplyr 1.1.4 √ readr
                                      2.1.5
## √ forcats 1.0.0 √ stringr 1.5.1
                       √ tibble
## √ ggplot2 3.5.1
                                      3.2.1
## ✓ lubridate 1.9.3 ✓ tidyr
                                      1.3.1
## √ purrr
               1.0.2
## — Conflicts —
                                                         — tidyverse_conflicts() —
## X dplyr::filter() masks stats::filter()
## X dplyr::lag() masks stats::lag()
### i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to becom
```

```
df <- read_rds("https://github.com/jbisbee1/ISP_Data_Science_2024/raw/main/data/sc_debt.Rds") #
Load the dataset directly from github</pre>
```

Question 1 [1 point]

Which school has the lowest admission rate (adm rate) and which state is it in (stabbr)?

```
df %>%
  arrange(adm_rate) %>% # Arrange by the admission rate
  select(instnm,adm_rate,stabbr) # Select the school name, the admission rate, and the state
```

```
## # A tibble: 2,546 \times 3
##
      instnm
                                                  adm_rate stabbr
## <chr>
                                                     <dbl> <chr>
## 1 Saint Elizabeth College of Nursing
                                                           NY
## 2 Yeshivat Hechal Shemuel
## 3 Hampshire College
                                                    0.0197 MA
## 4 Curtis Institute of Music
                                                    0.0393 PA
## 5 Stanford University
                                                    0.0434 CA
## 6 Harvard University
                                                    0.0464 MA
## 7 Pacific Oaks College
                                                    0.0511 CA
## 8 Columbia University in the City of New York
                                                    0.0545 NY
## 9 Princeton University
                                                    0.0578 NJ
## 10 Yale University
                                                    0.0608 CT
## # i 2,536 more rows
```

There are two schools: Saint Elizabeth College of Nursing and Yeshivat Hechal Shemuel. Both have admissions rates of 0, meaning they don't accept anyone and both are located in NY.

Question 2 [1 point]

Which are the top 10 schools by average SAT score (sat_avg)?

```
df %>%
  arrange(-sat_avg) %>% # arrange by SAT scores in descending order
  select(instnm,sat_avg) %>% # Select the school name and SAT score
  print(n = 12) # Print the first 12 rows (hint: there is a tie)
```

```
## # A tibble: 2,546 × 2
##
      instnm
                                              sat_avg
      <chr>>
##
                                                <int>
   1 California Institute of Technology
##
                                                 1557
   2 Massachusetts Institute of Technology
##
                                                 1547
   3 University of Chicago
                                                 1528
## 4 Harvey Mudd College
                                                 1526
## 5 Duke University
                                                 1522
## 6 Franklin W Olin College of Engineering
                                                 1522
## 7 Washington University in St Louis
                                                 1520
## 8 Rice University
                                                 1520
## 9 Yale University
                                                 1517
## 10 Harvard University
                                                 1517
## 11 Princeton University
                                                 1517
## 12 Vanderbilt University
                                                 1515
## # i 2,534 more rows
```

Here are the top 10 schools by average SAT score.

Question 3 [1 point]

Create a new variable called adm_rate_pct which is the admissions rate multiplied by 100 to convert from a 0-to-1 decimal to a 0-to-100 percentage point.

```
df <- df %>% # Use the object assignment operator to overwrite the df object
mutate(adm_rate_pct = adm_rate*100) # Create the new variable adm_rate_pct
```

Question 4 [1 point]

Calculate the average SAT score and median earnings of recent graduates by state.

```
## # A tibble: 51 × 3
      stabbr sat_avg earn_avg
##
##
      <chr>>
                <dbl>
                         <dbl>
    1 AK
               1121
                        33300
##
    2 AL
               1123.
                        28082.
##
   3 AR
               1141.
                        30452.
##
##
   4 AZ
                1147.
                        27613.
   5 CA
               1183.
                        33017.
##
   6 CO
               1132.
                        33955.
##
   7 CT
                1194.
                        35994.
##
   8 DC
               1262
                        41325
## 9 DE
                1043
                        32443.
## 10 FL
               1142.
                        30318.
## # i 41 more rows
```

Question 5 [1 points]

Research Question: Do students who graduate from smaller schools (i.e., schools with smaller student bodies) make more money in their future careers? Before looking at the data, write out what you think the answer is, and explain why you think so.

Write a few sentences here.

Question 6 [2 points]

Based on this research question, what is the outcome / dependent / Y variable and what is the explanatory / independent / X variable? Create the scatterplot of the data based on this answer, along with a line of best fit. Is your answer to the research question supported?

```
## geom_smooth() using method = gam' and formula = y \sim s(x, bs = cs')'
```

```
## Error in `geom_smooth()`:
## ! Problem while computing stat.
## i Error occurred in the 2nd layer.
## Caused by error in `compute_layer()`:
## ! `stat_smooth()` requires the following missing aesthetics: x and y.
```

Write a few sentences here.

Question 7 [2 points]

Does this relationship change by whether the school is a research university? Using the filter() function, create two versions of the plot, one for research universities and the other for non-research universities.

```
## geom_smooth() using method = gam' and formula = y \sim s(x, bs = cs)'
```

```
## Error in `geom_smooth()`:
## ! Problem while computing stat.
## i Error occurred in the 2nd layer.
## Caused by error in `compute_layer()`:
## ! `stat_smooth()` requires the following missing aesthetics: x and y.
```

```
## geom_smooth() using method = gam' and formula = y \sim s(x, bs = cs)'
```

```
## Error in `geom_smooth()`:
## ! Problem while computing stat.
## i Error occurred in the 2nd layer.
## Caused by error in `compute_layer()`:
## ! `stat_smooth()` requires the following missing aesthetics: x and y.
```

Question 8 [1 point]

Instead of creating two separate plots, color the points by whether the school is a research university. To do this, you first need to modify the research_u variable to be categorical (it is currently stored as numeric). To do this, use the mutate command with ifelse() to create a new variable called research_u_cat which is either "Research" if research u is equal to 1, and "Non-Research" otherwise.

```
df <- df %>%
  mutate(research_u_cat = ifelse()) # Create a labeled version of the research_u variable
```

```
## Error in `mutate()`:
## i In argument: `research_u_cat = ifelse()`.
## Caused by error in `ifelse()`:
## ! argument "test" is missing, with no default
```

```
## geom_smooth() using method = 'gam' and formula = 'y ~ s(x, bs = "cs")'
```

```
## Error in `geom_smooth()`:
## ! Problem while computing stat.
## i Error occurred in the 2nd layer.
## Caused by error in `compute_layer()`:
## ! `stat_smooth()` requires the following missing aesthetics: x and y.
```

Extra Credit [2 points]

Write a short paragraph discussing your findings. What do you think is going on in these data?

Write a few sentences here