Name	Parameter	Statistic	Quantity Measured
Mean	μ	$ar{Y}$ or $ar{y}$	Center or Location
Proportion			Relative Frequency
Standard Deviation	σ	$S ext{ or } s$	Variation or Spread Variation or Spread
Variance	σ^2	S^2 or s^2	Variation or Spread
$\int_{0.04}^\infty f(y) dy = 0.176$			
$P(A) = \int_{0.03}^{0.04} f(y) dy = 0.223$			
$P(B) = \int^{0.045} f(y) dy = 0.161$			

$$P(A\cap B) = \int_{0.035}^{0.04} f(y) dy = 0.095$$

$$P(A \cup B) = \int_{0.03}^{0.045} f(y) dy = 0.289$$

$$P(A \cup B) = \int_{0.04}^{\infty} f(y) dy + \int_{0.02}^{0.03} f(y) dy = 0.5$$

$$\int_{0}^{0.04} f(y) dy = 1 - \int_{0.04}^{\infty} f(y) dy = 0.824$$

$$ar{Y} = rac{1}{n} \sum_{i=1}^n Y_i$$

M = Middle Value

$$egin{aligned} y_1 &= 25, y_2 = 28, y_3 = 41, y_4 = 34, y_5 = 21, y_6 = 24, y_7 = 25 \ ar{y} &= rac{1}{7}(25 + 28 + 41 + 34 + 21 + 24 + 25) = 28.29 \ years \ &= 21, 24, 25, 25, 28, 34, 41 \end{aligned}$$

$$21, 24, 25, 25, 27, 28, 34, 41\\$$

$$\sigma^2 \qquad \qquad \sigma \qquad S^2 = rac{\sum_{i=1}^n (Y_i - ar{Y})^2}{n-1} \qquad S = \sqrt{S^2}$$

$$ar{y}=28.29\ years$$

$$S^2 = \frac{(25 - 28.29)^2 + (28 - 28.29)^2 + ... + (25 - 28.29)^2}{7 - 1} = 47.90 \text{ years}^2$$

 $S = \sqrt{S^2} = 6.92 \text{ years}$

$$\begin{split} \bar{p} &= \frac{\# \text{ in Category}}{\text{Total } \#} = \frac{Y_1 + Y_2 + \ldots + Y_{500}}{500} \\ \hat{p} &= \frac{\# \text{ in Category}}{\text{Total } \#} = \frac{y_1 + y_2 + \ldots + y_{500}}{500} = 0.860 \\ \hat{p} &= 0.860 \\ \frac{\hat{p}(1 - \hat{p})}{n} \sqrt{\frac{\hat{p}(1 - \hat{p})}{n}} \\ p \text{ or } \pi \\ \frac{p(1 - p)}{n} \sqrt{\frac{p(1 - p)}{n}} \\ y_1 &= 0, y_2 = 1, y_3 = 1, y_4 = 1, y_5 = 1, y_6 = 0, y_7 = 1 \\ \hat{p} &= \frac{0 + 1 + 1 + 1 + 1 + 0 + 1}{7} = \frac{5}{7} \\ SD(\hat{p}) &= \sqrt{\frac{5/7(1 - 5/7)}{7}} = 0.171 \\ 0 &\leq P(A) \leq 1 \\ \Omega &P(\Omega) &= 1 &P(A) = 0.5 \\ P(A \text{ or } B) &= P(A \cup B) = P(A) + P(B) \\ P(A \cup B) &= P(A) + P(B) - P(A \cap B) &P(A \cap B) = P(A \text{ and } B) = 0 \\ A^c &= \bar{A} \\ 1 &= P(\Omega) = P(A \cup A^c) = P(A) + P(A^c) \implies P(A^c) = 1 - P(A) \\ \hat{p} &= \frac{Y}{20} \\ MOE &= 2 * s/\sqrt{n} \\ \text{Estimate of mean is } 28.29 \text{ years } (\pm 5.23 \text{ years}) \end{split}$$

$$n\hat{p} \geq 10, n(1-\hat{p}) \geq 10$$
 $\hat{p} \pm z^* \sqrt{rac{\hat{p}(1-\hat{p})}{n}}$ $p(x) = P(X=x) = egin{cases} rac{12^x e^{-12}}{x!} & x=0,1,2,... \ 0 & ext{otherwise} \end{cases}$ $X \sim Poi(12)$

$$P(X < 8) = P(X \le 7) = \sum_{x=0}^{7} \frac{12^{x}e^{-12}}{x!} = 0.0895$$

$$P(a < Y < b) = \int_{a}^{b} f(y)dy$$

$$f(y) = \begin{cases} 12e^{-12y} & y > 0\\ 0 & \text{otherwise} \end{cases}$$

$$Y \sim Exp(12)$$

$$P(Y > 0.25) = \int_{0.25}^{\infty} 12e^{-12y}dy = 0.0497$$

$$F(y) = P(Y \le y)$$

$$P(Y > 0.25) = 1 - P(Y \le 0.25) = 1 - F(0.25)$$

$$Mean : \mu = \int_{14}^{\infty} yf(y)dy = 26.5$$

$$Median : 0.5 = \int_{14}^{median} f(y)dy \implies Median = 26.08$$

$$P(\hat{p} \le 0.5) \approx 0.01$$

$$P(Y = 0.25) = \int_{0.25}^{0.25} 12e^{-12y}dy = 0$$

$$MOE = 1.96 * \sqrt{\hat{p}(1 - \hat{p})/n}$$

$$Vaccine ex: 0.860 \pm 0.030 = (0.830, 0.890)$$

$$P(A) = \int_{975}^{1000} f(y)dy$$

$$1 - \int_{60}^{1000} f(y)dy$$

$$p(y) = \begin{cases} \frac{e^{-55y}}{y!} & y = 0, 1, 2, ...\\ 0 & Otherwise \end{cases}$$

$$f(x) = \begin{cases} \frac{3}{8}x^{2} & 0 < x < 2\\ 0 & Otherwise \end{cases}$$

$$\int_{a}^{b} f(x)dx$$

$$\int_{a}^{b} F(x)dx$$