SWAT

Generated by Doxygen 1.8.13

Contents

Chapter 1

SWAT

An updated SWAT 2012 revision 670 code

Objectives

- Standard indentation and translation to Fortran 90 by using `findent`. See the translate-fortran90.pl perl script file (:heavy_check_mark:)
- Exhaustive use of the "implicit none" directive to detect bad variable usage (:heavy_check_mark:)
- Generate a GNU `Make` makefile and compile with GNU `GFortran`. See the gernerate-makefile.pl perl script file (:heavy_check_mark:)
- Remove non-used variables and format labels (:heavy_check_mark:)
- Detect and solve all uninitialized variables (:heavy_check_mark: :construction:, some proposed solutions could be incorrect)
- Remove unneeded variable initializations (:heavy_check_mark:) as:

```
j=0 !  this line is not necessary
j=ihru
```

- Remove redundant code (:heavy_check_mark:)
- Exhaustive use of the "parameter" directive on constants (:heavy_check_mark:)
- Generate a detailed list of issues detected in the original code (:heavy_check_mark:, see at the end of this README)
- Remove obsolete commented code (:x:)
- Update variable descriptions in comments (:construction:, a lot of work)
- Standardize comments by using Doxygen style in order to generate documentation. See at latex/refman.pdf (:construction:, a lot of work)

Required tools

- GFortran (to compile the source code)
- Make (to build the executable file)
- Perl (optional: to execute the perl scripts to update the makefile or to translate original files to Fortran 90)
- Findent (optional: to translate original files to Fortran 90 with a standard indentation)
- Doxygen (optional: to generate a reference programming manual from source code)
- TeX Live or MiKTeX (optional: to generate a reference programming manual from source code)
- On Microsoft Windows systems you have to install MSYS2 and the required utilities (GFortran and Make). You can follow detailed instructions in install-unix

Instructions to generate Fortran 90 style code from original code

In order to generate Fortran 90 style code with standard indentation from original code you have to type on a UNIX type terminal (you need Perl and Findent):

```
$ perl translate-fortran90.pl
```

Instructions to generate an initial GNU make Makefile

Type on the UNIX type terminal, when translated the original code to Fortran 90 style (you need Perl):

```
$ perl generate-makefile.pl
```

Instructions to generate an executable to test

Type on the UNIX type terminal (you need GFortran and Make)

- In UNIX type operative systems:

  ```
  $ make
  ```

- In a MSYS2 terminal in Microsoft Windows:

  ```
  $ EXE=".exe" LDFLAGS="-static" make
  ```

- Cross-compiling a 32 bits Microsoft Windows executable in a UNIX type operative system:

  ```
  $ prefix="i686-w64-mingw32-" EXE=".exe" LDFLAGS="-static" make
  ```

- Cross-compiling a 64 bits Microsoft Windows executable in a UNIX type operative system:

  ```
  $ prefix="x86\_64-w64-mingw32-" EXE=".exe" LDFLAGS="-static" make
  ```

Instructions to generate an optimized executable file

Type on the UNIX type terminal (you need GFortran and Make)

- In UNIX type operative systems:

  $ CFLAGS="-march=native -flto" LDFLAGS="-flto" make strip

- In a MSYS2 terminal in Microsoft Windows:

  $ EXE=".exe" CFLAGS="-flto" LDFLAGS="-flto -static" make strip

- Cross-compiling a 32 bits Microsoft Windows executable in a UNIX type operative system:

  $ prefix="i686-w64-mingw32-" EXE=".exe" CFLAGS="-flto" LDFLAGS="-flto -static" make strip

- Cross-compiling a 64 bits Microsoft Windows executable in a UNIX type operative system:

  $ prefix="x86_64-w64-mingw32-" EXE=".exe" CFLAGS="-flto" LDFLAGS="-flto -static" make strip

Instructions to generate a reference programming manual

Type on the UNIX type terminal (you need Doxygen and TeX Live or MiKTeX):

$ doxygen
$ cd latex
$ make

The reference programming manual file latex/refman.pdf is generated from source code in PDF format

Issues in the original source code

This is a list of possible issues detected in the original source code. These issues have been mostly detected by the GFortran (to compile the source code) compiler warnings. Some of them could not arise because the logic of the variables is not possible.

- In biofilm.f:
  - "dcoef" is not defined. `dcoef=3` as in watqual.f? Then, I propose at beginning: `real*8, parameter :: dcoef = 3.`
- In bmp_ri_pond.f:
  - "qseep" and "qet" could be used not initialized at lines 133 and 134. However the problem only arises for `nstep<1`
- In bmp_sand_filter.f:
  - "sed_removed" at line 342 could be used not initialized if `sfsedstdev<=0`
- In bpm_sed_pond.f:
  - `bmp_sed _pond` seems to be `bmp_sed_pond` at line 186
- In bmp_wet_pond.f:

  - "hvol" could be used not initialized in "ext_dpth" subroutine at line 267 in first bucle iteration

- In clicon.f:
  - "tmxbsb", "tmnbsb", "rbsb", "rstpbsb", "rhdbsb", "rabsb", "rmxbsb", "daylbsb", "fradbsb" and "u10bsb" could be used not initialized at 186-207 lines

- In conapply.f:
  - "k" and "kk" could be used not initialized at 121-122 lines if `iday_pest(j)/=ipst_freq(j)` and `curyr>nyskip`

- In confert.f:
  - "ifrt" seems to be "it" at line 214

- In curno.f:
  - "smxold" could be used not initialized if `cn1(h)<=1.e-6` and `curyr/=0` at line 96

- In drains.f:
  - "nlayer" could be used not initialized at line 23. However, the problem only arises if it is not set in the previous bucle (`mlyr<=1` or `sol_z(j1,j)<=0`)

- In etact.f:
  - "sev" could be used not initialized at line 286 if `dep>=esd` and `ly==2`

- In filter.f:
  - "remove21" seems to be "remove2" at line 316

- In grass_wway.f:
  - "sf_depth" and "sf_sed" could be used not initialized at lines 133 and 137 if `sf_area>0` and `sf_area<=1.e-6`

- In hhnoqual.f:
  - "algon" seems to be "algcon" at line 190

- In hhwatqual.f
  - "orgnpin" seems to be "orgpin" at line 278
  - `thour=1.0` at line 377 overwrites previous "thour" calculation. It is wrong

- In hmeas.f:
  - "rhdbsb" could be used not initialized at line 84

- In killop.f:
  - "ff1" and "ff2" are not defined at lines 167 and 267. They are set in harvkillop.f file (lines 257-258). They have to be included in modparm.f to share harvkillop.f values? or they have to be redefined as in harvkillop.f?

- In NCsed_leach.f90:
  - "perc_clyr" could be used not initialized at line 221 if `sol_nly(j)<2`

- In nrain.f:
  - "no2pcp" seems to be "no3pcp" at line 72

- In pmeas.f:
  - "rbsb" could be used not initialized at line 143

  - "flag" could be used not initialized if 'a==' 'at line 210
  - "rainsb" could be used not initialized, however only ifnstep<=0'

- In pminrl2.f:
  - at line 95 a comma is necessary between "base" and "vara"
  - "ssp" could be used not initialized at line 196 if xx<=1.e-6

- In pothole.f:
  - "solp_tileo" could be used not initialized at line 593 if pot_vol(j)<=1.e-6 or potvol_↩ tile<=1.e-6

- In potholehr.f:
  - "potflow" seems to be "potflwo" at line 447

- In readatmodep.f:
  - momax=12*nbyr is defined at line 65 but not used. It has to be "mo_max"? but then, it overwrites the file read

- In readops.f:
  - year = 0. seems to be iyear = 0 at line 98
  - "mg13" seems to be "mgt13" at line 206

- In readpnd.f:
  - "vselsetlpnd" seems to be "velsetlpnd" at line 279

- In readru.f:
  - "tck" is used but not initialized at line 79

- In readsepticbz.f:
  - at line 135 4. e-8 seems to be 4.e-8

- In rewind_init.f:
  - "orig_tnylda" is used but not initialized at line 174

- In routels.f:
  - "dstor" is used but not initialized at line 134. It has to be calculated as in watbal.f? or as in the commented line 109?
  - "latqout" and "gwqout" could be used not initialized at lines 142-143

- In rtbact.f:
  - "netwtr" could be used not initialized at line 124, however only if nstep<1

- In rthpest.f:
  - thour=1.0 at line 183 overwrites previous "thour" calculation. It is wrong
  - "frsol" and "frsrb" could be used not initialized at lines 289-290 if hrtwtr(ii)>0.001 and hrtwtr(ii)/(idt*60)<=0.01

- In rtpest.f:
  - tday=1.0 at line 180 overwrites previous "tday" calculation. It is wrong

- In sched_mgt.f:
  - < = seems to be <= at 202 line

  - "husc" and "igrow" at lines 264-265 are used but not initialized. "husc" has to be `phu_op(iop,ihru)` has in readmgt.f? "igrow" has to be `igro(ihru)` has in readmgt.f?

- In smeas.f:
  - "rabsb" could be used not initialized at line 86
- In sweep.f:
  - "fr_curb" is used but not initialized at line 56. It has to be added to modparm.f to share result with sched_mgt.f? or it has to be `mgt5op(nop(ihru),ihru)` as in sched_mgt.f?
- In tmeas.f:
  - "tmxbsb" and "tmnbsb" could be used not initialized at lines 109-110
- In transfer.f:
  - "ratio", "xx" and "ratio1" could be used not initialized at lines 236, 239 and 241 if `ihout==2`
- In wmeas.f:
  - "u10bsb" could be used not initialized at line 85
- In zero0.f:
  - "sol_sumn03" seems to be "sol_sumno3" at line 508
- In zero_urbn.f:
  - "stp_stagdis" seems to be "dtp_stagdis" at line 84
  - "subdr_kg" seems to be "subdr_km" at line 149
  - "spl_eros" is not defined at line 21, it could be "eros_spl"?

Chapter 2

Modules Index

2.1 Modules List

Here is a list of all documented modules with brief descriptions:

Chapter 3

Data Type Index

3.1 Data Types List

Here are the data types with brief descriptions:

Chapter 4

File Index

4.1 File List

Here is a list of all documented files with brief descriptions:

Chapter 5

Module Documentation

5.1 parm Module Reference

main module contatining the global variables

Data Types

- interface ascrv
- interface atri
- interface aunif
- interface dstn1
- interface ee
- interface expo
- interface fcgd
- interface HQDAV
- interface layersplit
- interface ndenit
- interface qman
- interface regres
- interface rsedaa
- interface tair
- interface theta
- interface vbl

Variables

- integer **icalen**
- real ∗8 **prf_bsn**
- real ∗8 **co2_x2**
- real ∗8 **co2_x**
- real ∗8, dimension(:), allocatable **alph_e**
- real ∗8, dimension(:), allocatable **co_p**
- real ∗8, dimension(:), allocatable **surlag**
- real ∗8, dimension(:), allocatable **cdn**
- real ∗8, dimension(:), allocatable **nperco**
- real ∗8, dimension(:), allocatable **cmn**

- real ∗8, dimension(:), allocatable **phoskd**
- real ∗8, dimension(:), allocatable **psp**
- real ∗8, dimension(:), allocatable **sdnco**
- real ∗8 **yield**
- real ∗8 **burn_frlb**
- real ∗8 **pst_kg**
- real ∗8 **r2adj_bsn**
- real ∗8 **yieldgrn**
- real ∗8 **yieldbms**
- real ∗8 **yieldtbr**
- real ∗8 **yieldn**
- real ∗8 **yieldp**
- real ∗8 **hi_bms**
- real ∗8 **hi_rsd**
- real ∗8 **yieldrsd**
- real ∗8, dimension(:), allocatable **l_k1**
- real ∗8, dimension(:), allocatable **l_k2**
- real ∗8, dimension(:), allocatable **l_lambda**
- real ∗8, dimension(:), allocatable **l_beta**
- real ∗8, dimension(:), allocatable **l_gama**
- real ∗8, dimension(:), allocatable **l_harea**
- real ∗8, dimension(:), allocatable **l_vleng**
- real ∗8, dimension(:), allocatable **l_vslope**
- real ∗8, dimension(:), allocatable **l_ktc**
- real ∗8, dimension(:), allocatable **biofilm_mumax**
- real ∗8, dimension(:), allocatable **biofilm_kinv**
- real ∗8, dimension(:), allocatable **biofilm_klw**
- real ∗8, dimension(:), allocatable **biofilm_kla**
- real ∗8, dimension(:), allocatable **biofilm_cdet**
- real ∗8, dimension(:), allocatable **biofilm_bm**
- real ∗8, dimension(:,:), allocatable **hru_rufr**
- real ∗8, dimension(:,:), allocatable **daru_km**
- real ∗8, dimension(:,:), allocatable **ru_k**
- real ∗8, dimension(:,:), allocatable **ru_c**
- real ∗8, dimension(:,:), allocatable **ru_eiq**
- real ∗8, dimension(:,:), allocatable **ru_ovsl**
- real ∗8, dimension(:,:), allocatable **ru_a**
- real ∗8, dimension(:,:), allocatable **ru_ovs**
- real ∗8, dimension(:,:), allocatable **ru_ktc**
- real ∗8, dimension(:), allocatable **gwq_ru**
- real ∗8, dimension(:), allocatable **qdayout**
- integer, dimension(:), allocatable **ils2**
- integer, dimension(:), allocatable **ils2flag**
- integer **iru**
- integer **mru**
- integer **irch**
- integer **isub**
- integer **idum**
- integer **mhyd_bsn**
- integer **ipest**
- integer **ils_nofig**
- integer **mhru1**
- integer, dimension(:), allocatable **mhyd1**
- integer, dimension(:), allocatable **irtun**
- real ∗8 **wshd_sepno3**

- real ∗8 **wshd_sepnh3**
- real ∗8 **wshd_seporgn**
- real ∗8 **wshd_sepfon**
- real ∗8 **wshd_seporgp**
- real ∗8 **wshd_sepfop**
- real ∗8 **wshd_sepsolp**
- real ∗8 **wshd_sepbod**
- real ∗8 **wshd_sepmm**
- integer, dimension(:), allocatable **isep_hru**
- real ∗8 **fixco**
- real ∗8 **nfixmx**
- real ∗8 **rsd_covco**
- real ∗8 **vcrit**
- real ∗8 **res_stlr_co**
- real ∗8 **wshd_sw**
- real ∗8 **wshd_snob**
- real ∗8 **wshd_pndfr**
- real ∗8 **wshd_pndv**
- real ∗8 **wshd_pndsed**
- real ∗8 **wshd_wetfr**
- real ∗8 **wshd_resfr**
- real ∗8 **wshd_resha**
- real ∗8 **wshd_pndha**
- real ∗8 **percop**
- real ∗8 **wshd_fminp**
- real ∗8 **wshd_ftotn**
- real ∗8 **wshd_fnh3**
- real ∗8 **wshd_fno3**
- real ∗8 **wshd_forgn**
- real ∗8 **wshd_forgp**
- real ∗8 **wshd_ftotp**
- real ∗8 **wshd_yldn**
- real ∗8 **wshd_yldp**
- real ∗8 **wshd_fixn**
- real ∗8 **wshd_pup**
- real ∗8 **wshd_wstrs**
- real ∗8 **wshd_nstrs**
- real ∗8 **wshd_pstrs**
- real ∗8 **wshd_tstrs**
- real ∗8 **wshd_astrs**
- real ∗8 **wshd_hmn**
- real ∗8 **wshd_rwn**
- real ∗8 **wshd_hmp**
- real ∗8 **wshd_rmn**
- real ∗8 **wshd_dnit**
- real ∗8 **ffcb**
- real ∗8 **wshd_rmp**
- real ∗8 **wshd_voln**
- real ∗8 **wshd_nitn**
- real ∗8 **wshd_pas**
- real ∗8 **wshd_pal**
- real ∗8 **wdpq**
- real ∗8 **wshd_plch**
- real ∗8 **wshd_raino3**
- real ∗8 **ressedc**

- real ∗8 **basno3f**
- real ∗8 **basorgnf**
- real ∗8 **wof_p**
- real ∗8 **wshd_pinlet**
- real ∗8 **wshd_ptile**
- real ∗8 **basminpf**
- real ∗8 **basorgpf**
- real ∗8 **sftmp**
- real ∗8 **smtmp**
- real ∗8 **smfmx**
- real ∗8 **smfmn**
- real ∗8 **wgpq**
- real ∗8 **wshd_resv**
- real ∗8 **wshd_ressed**
- real ∗8 **basno3i**
- real ∗8 **basorgni**
- real ∗8 **basminpi**
- real ∗8 **wdlpq**
- real ∗8 **basorgpi**
- real ∗8 **peakr**
- real ∗8 **pndsedin**
- real ∗8 **sw_excess**
- real ∗8 **albday**
- real ∗8 **wglpq**
- real ∗8 **wdps**
- real ∗8 **wtabelo**
- real ∗8 **timp**
- real ∗8 **tilep**
- real ∗8 **wt_shall**
- real ∗8 **sq_rto**
- real ∗8 **tloss**
- real ∗8 **inflpcp**
- real ∗8 **snomlt**
- real ∗8 **snofall**
- real ∗8 **fixn**
- real ∗8 **qtile**
- real ∗8 **crk**
- real ∗8 **latlyr**
- real ∗8 **pndloss**
- real ∗8 **wetloss**
- real ∗8 **potloss**
- real ∗8 **lpndloss**
- real ∗8 **lwetloss**
- real ∗8 **sedrch**
- real ∗8 **fertn**
- real ∗8 **sol_rd**
- real ∗8 **cfertn**
- real ∗8 **cfertp**
- real ∗8 **sepday**
- real ∗8 **bioday**
- real ∗8 **sepcrk**
- real ∗8 **sepcrktot**
- real ∗8 **fertno3**
- real ∗8 **fertnh3**
- real ∗8 **fertorgn**

- real ∗8 **fertsolp**
- real ∗8 **fertorgp**
- real ∗8 **fertp**
- real ∗8 **grazn**
- real ∗8 **grazp**
- real ∗8 **soxy**
- real ∗8 **qdfr**
- real ∗8 **sdti**
- real ∗8 **rtwtr**
- real ∗8 **ressa**
- real ∗8 **wgps**
- real ∗8 **rttime**
- real ∗8 **rchdep**
- real ∗8 **rtevp**
- real ∗8 **rttlc**
- real ∗8 **da_km**
- real ∗8 **resflwi**
- real ∗8 **wdlps**
- real ∗8 **wglps**
- real ∗8 **resflwo**
- real ∗8 **respcp**
- real ∗8 **resev**
- real ∗8 **ressep**
- real ∗8 **ressedi**
- real ∗8 **ressedo**
- real ∗8 **dtot**
- real ∗8 **wdprch**
- real ∗8 **nperco_bsn**
- real ∗8 **pperco_bsn**
- real ∗8 **rsdco**
- real ∗8 **phoskd_bsn**
- real ∗8 **voltot**
- real ∗8 **volcrmin**
- real ∗8 **msk_x**
- real ∗8 **uno3d**
- real ∗8 **canev**
- real ∗8 **usle**
- real ∗8 **rcn**
- real ∗8 **surlag_bsn**
- real ∗8 **bactkdq**
- real ∗8 **precipday**
- real ∗8 **wdpf**
- real ∗8 **thbact**
- real ∗8 **wpq20**
- real ∗8 **wlpq20**
- real ∗8 **wps20**
- real ∗8 **wlps20**
- real ∗8 **bactrop**
- real ∗8 **bactsedp**
- real ∗8 **bactlchp**
- real ∗8 **bactlchlp**
- real ∗8 **enratio**
- real ∗8 **wetpcp**
- real ∗8 **pndpcp**
- real ∗8 **wetsep**

- real ∗8 **wgpf**
- real ∗8 **pndsep**
- real ∗8 **wetev**
- real ∗8 **pndev**
- real ∗8 **pndsedo**
- real ∗8 **wetsedo**
- real ∗8 **pndflwi**
- real ∗8 **wetflwi**
- real ∗8 **pndflwo**
- real ∗8 **wetflwo**
- real ∗8 **wetsedi**
- real ∗8 **da_ha**
- real ∗8 **vpd**
- real ∗8 **bactrolp**
- real ∗8 **bactsedlp**
- real ∗8 **evrch**
- real ∗8 **evlai**
- real ∗8 **pet_day**
- real ∗8 **ep_day**
- real ∗8 **wdlpf**
- real ∗8 **snoev**
- real ∗8 **sno3up**
- real ∗8 **adj_pkr**
- real ∗8 **n_updis**
- real ∗8 **p_updis**
- real ∗8 **nactfr**
- real ∗8 **reactw**
- real ∗8 **sdiegropq**
- real ∗8 **sdiegrolpq**
- real ∗8 **sdiegrops**
- real ∗8 **sdiegrolps**
- real ∗8 **es_day**
- real ∗8 **sbactrop**
- real ∗8 **sbactrolp**
- real ∗8 **sbactsedp**
- real ∗8 **sbactsedlp**
- real ∗8 **ep_max**
- real ∗8 **wof_lp**
- real ∗8 **sbactlchp**
- real ∗8 **sbactlchlp**
- real ∗8 **psp_bsn**
- real ∗8 **rchwtr**
- real ∗8 **resuspst**
- real ∗8 **setlpst**
- real ∗8 **bsprev**
- real ∗8 **bssprev**
- real ∗8 **spadyo**
- real ∗8 **spadyev**
- real ∗8 **spadysp**
- real ∗8 **spadyrfv**
- real ∗8 **spadyosp**
- real ∗8 **qday**
- real ∗8 **usle_ei**
- real ∗8 **al5**
- real ∗8 **pndsedc**

- real ∗8 **no3pcp**
- real ∗8 **rcharea**
- real ∗8 **volatpst**
- real ∗8 **wetsedc**
- real ∗8 **uobw**
- real ∗8 **ubw**
- real ∗8 **uobn**
- real ∗8 **uobp**
- real ∗8 **respesti**
- real ∗8 **wglpf**
- real ∗8 **snocovmx**
- real ∗8 **snocov1**
- real ∗8 **snocov2**
- real ∗8 **rexp**
- real ∗8 **rcor**
- real ∗8 **lyrtile**
- real ∗8 **lyrtilex**
- real ∗8 **ai0**
- real ∗8 **ai1**
- real ∗8 **ai2**
- real ∗8 **ai3**
- real ∗8 **ai4**
- real ∗8 **ai5**
- real ∗8 **ai6**
- real ∗8 **rhoq**
- real ∗8 **tfact**
- real ∗8 **sno50cov**
- real ∗8 **mumax**
- real ∗8 **lambda0**
- real ∗8 **lambda1**
- real ∗8 **lambda2**
- real ∗8 **k_l**
- real ∗8 **k_n**
- real ∗8 **k_p**
- real ∗8 **p_n**
- real ∗8 **rnum1**
- real ∗8 **autop**
- real ∗8 **auton**
- real ∗8 **etday**
- real ∗8 **hmntl**
- real ∗8 **rwntl**
- real ∗8 **hmptl**
- real ∗8 **rmn2tl**
- real ∗8 **rmptl**
- real ∗8 **wdntl**
- real ∗8 **cmn_bsn**
- real ∗8 **rmp1tl**
- real ∗8 **roctl**
- real ∗8 **gwseep**
- real ∗8 **revapday**
- real ∗8 **reswtr**
- real ∗8 **bury**
- real ∗8 **difus**
- real ∗8 **reactb**
- real ∗8 **solpesto**

- real ∗8 **petmeas**
- real ∗8 **wdlprch**
- real ∗8 **wdpres**
- real ∗8 **sorpesto**
- real ∗8 **spcon_bsn**
- real ∗8 **spexp_bsn**
- real ∗8 **solpesti**
- real ∗8 **sorpesti**
- real ∗8 **wdlpres**
- real ∗8 **snoprev**
- real ∗8 **swprev**
- real ∗8 **shallstp**
- real ∗8 **deepstp**
- real ∗8 **msk_co1**
- real ∗8 **msk_co2**
- real ∗8 **ressolpo**
- real ∗8 **resorgno**
- real ∗8 **resorgpo**
- real ∗8 **resno3o**
- real ∗8 **reschlao**
- real ∗8 **resno2o**
- real ∗8 **resnh3o**
- real ∗8 **qdbank**
- real ∗8 **potpcpmm**
- real ∗8 **potevmm**
- real ∗8 **potsepmm**
- real ∗8 **potflwo**
- real ∗8 **potsedo**
- real ∗8 **pest_sol**
- real ∗8 **trnsrch**
- real ∗8 **wp20p_plt**
- real ∗8 **bactminp**
- real ∗8 **bactminlp**
- real ∗8 **wp20lp_plt**
- real ∗8 **cncoef**
- real ∗8 **cdn_bsn**
- real ∗8 **sdnco_bsn**
- real ∗8 **bact_swf**
- real ∗8 **bactmx**
- real ∗8 **bactmin**
- real ∗8 **chla_subco**
- real ∗8 **tb_adj**
- real ∗8 **cn_froz**
- real ∗8 **dorm_hr**
- real ∗8 **smxco**
- real ∗8 **depimp_bsn**
- real ∗8 **ddrain_bsn**
- real ∗8 **tdrain_bsn**
- real ∗8 **gdrain_bsn**
- real ∗8 **rch_san**
- real ∗8 **rch_sil**
- real ∗8 **rch_cla**
- real ∗8 **rch_sag**
- real ∗8 **rch_lag**
- real ∗8 **rch_gra**

- real ∗8 **hlife_ngw_bsn**
- real ∗8 **ch_opco_bsn**
- real ∗8 **ch_onco_bsn**
- real ∗8 **bc1_bsn**
- real ∗8 **bc2_bsn**
- real ∗8 **bc3_bsn**
- real ∗8 **bc4_bsn**
- real ∗8 **rcn_sub_bsn**
- real ∗8 **decr_min**
- real ∗8 **anion_excl_bsn**
- real ∗8, dimension(:), allocatable **wat_tbl**
- real ∗8, dimension(:), allocatable **sol_swpwt**
- real ∗8, dimension(:,:), allocatable **vwt**
- real ∗8 **re_bsn**
- real ∗8 **sdrain_bsn**
- real ∗8 **sstmaxd_bsn**
- real ∗8 **drain_co_bsn**
- real ∗8 **pc_bsn**
- real ∗8 **latksatf_bsn**
- integer **i_subhw**
- integer **imgt**
- integer **idlast**
- integer **iwtr**
- integer **ifrttyp**
- integer **mo_atmo**
- integer **mo_atmo1**
- integer **ifirstatmo**
- integer **iyr_atmo**
- integer **iyr_atmo1**
- integer **matmo**
- integer **mrg**
- integer **mch**
- integer **mcr**
- integer **mpdb**
- integer **mcrdb**
- integer **mfdb**
- integer **mhru**
- integer **mhyd**
- integer **mfcst**
- integer **mnr**
- integer **myr**
- integer **mcut**
- integer **mgr**
- integer **msubo**
- integer **mrcho**
- integer **isubwq**
- integer **ffcst**
- integer isproj

  special project code: 1 test rewind (run simulation twice)
- integer **nhru**
- integer **mo**
- integer **nbyr**
- integer **immo**
- integer **nrch**

- integer **nres**
- integer **irte**
- integer **i_mo**
- integer **icode**
- integer **ihout**
- integer **inum1**
- integer **inum2**
- integer **inum3**
- integer **inum4**
- integer **wndsim**
- integer **ihru**
- integer **inum5**
- integer **inum6**
- integer **inum7**
- integer **inum8**
- integer **icfac**
- integer **nrgage**
- integer **ntgage**
- integer **nrgfil**
- integer **ntgfil**
- integer **nrtot**
- integer **nttot**
- integer **mrech**
- integer **lao**
- integer **igropt**
- integer **npmx**
- integer **irtpest**
- integer **curyr**
- integer **tmpsim**
- integer **icrk**
- integer **iihru**
- integer **ismax**
- integer **itdrn**
- integer **iwtdn**
- integer **iroutunit**
- integer **ires_nut**
- integer iclb

  auto-calibration flag
- integer **mtil**
- integer **mvaro**
- integer **mrecd**
- integer **idist**
- integer **mudb**
- integer **mrecm**
- integer **mrecc**
- integer **mrecy**
- integer **ipet**
- integer **nyskip**
- integer **ideg**
- integer **ievent**
- integer **slrsim**
- integer **iopera**
- integer **id1**
- integer **idaf**

- integer **idal**
- integer **leapyr**
- integer **mo_chk**
- integer **rhsim**
- integer **mstdo**
- integer **ifirsts**
- integer **ifirsth**
- integer **ifirstw**
- integer **nstot**
- integer **nhtot**
- integer **nwtot**
- integer **icst**
- integer **ilog**
- integer **i**
- integer **iyr**
- integer **itotr**
- integer **iwq**
- integer **iskip**
- integer **ifirstpet**
- integer **itotb**
- integer **itots**
- integer **iprp**
- integer **pcpsim**
- integer **itoth**
- integer **nd_30**
- integer **iops**
- integer **iphr**
- integer **isto**
- integer **isol**
- integer fcstcycles

  number of times forecast period is simulated (using different weather generator seeds each time)
- integer fcstday

  beginning date of forecast period (julian date)
- integer fcstyr

  beginning year of forecast period
- integer iscen

  scenarios counter
- integer **subtot**
- integer **ogen**
- integer **msub**
- integer **mhruo**
- integer **mres**
- integer **mapp**
- integer **mpst**
- integer **mlyr**
- integer **igen**
- integer **iprint**
- integer **iida**
- integer **fcstcnt**
- integer **icn**
- integer **ised_det**
- integer **mtran**
- integer **idtill**
- integer **motot**

- integer, dimension(100) **ida_lup**
- integer, dimension(100) **iyr_lup**
- integer **no_lup**
- integer **no_up**
- integer **nostep**
- character(len=8) date

  date simulation is performed where leftmost eight characters are set to a value of yyyymmdd, where yyyy is the year, mm is the month and dd is the day
- character(len=10) time

  time simulation is performed where leftmost ten characters are set to a value of hhmmss.sss, where hh is the hour, mm is the minutes and ss.sss is the seconds and milliseconds
- character(len=5) zone

  time difference with respect to Coordinated Universal Time (ie Greenwich Mean Time)
- character(len=80) prog

  SWAT program header string.
- character(len=13) **slrfile**
- character(len=13) **wndfile**
- character(len=13) **rhfile**
- character(len=13) **petfile**
- character(len=13) **calfile**
- character(len=13) **atmofile**
- character(len=13) **lucfile**
- character(len=13) **septdb**
- character(len=13) **dpd_file**
- character(len=13) **wpd_file**
- character(len=13) **rib_file**
- character(len=13) **sfb_file**
- character(len=13) **lid_file**
- integer, dimension(:), allocatable **ifirstr**
- integer, dimension(:), allocatable **idg**
- integer, dimension(:), allocatable **ifirsthr**
- integer, dimension(:), allocatable values

  values(1): year simulation is performed
  values(2): month simulation is performed
  values(3): day in month simulation is performed
  values(4): time difference with respect to Coordinated Universal Time (ie Greenwich Mean Time)
  values(5): hour simulation is performed
  values(6): minute simulation is performed
  values(7): second simulation is performed
  values(8): millisecond simulation is performed
- integer, dimension(:), allocatable **ndays**
- integer, dimension(:), allocatable **ndays_noleap**
- integer, dimension(:), allocatable **ndays_leap**
- integer **mapex**
- real ∗8, dimension(:), allocatable **flodaya**
- real ∗8, dimension(:), allocatable **seddaya**
- real ∗8, dimension(:), allocatable **orgndaya**
- real ∗8, dimension(:), allocatable **orgpdaya**
- real ∗8, dimension(:), allocatable **no3daya**
- real ∗8, dimension(:), allocatable **minpdaya**
- real ∗8, dimension(:), allocatable hi_targ

  index target of cover defined at planting
- real ∗8, dimension(:), allocatable **bio_targ**
- real ∗8, dimension(:), allocatable **tnyld**
- integer, dimension(:), allocatable **idapa**

- integer, dimension(:), allocatable **iypa**
- integer, dimension(:), allocatable **ifirsta**
- integer, dimension(:), allocatable **mo_transb**
- integer, dimension(:), allocatable **mo_transe**
- integer, dimension(:), allocatable **ih_tran**
- integer **msdb**
- integer **iseptic**
- real ∗8, dimension(:), allocatable **sptqs**
- real ∗8, dimension(:), allocatable **percp**
- real ∗8, dimension(:), allocatable **sptbodconcs**
- real ∗8, dimension(:), allocatable **spttssconcs**
- real ∗8, dimension(:), allocatable **spttnconcs**
- real ∗8, dimension(:), allocatable **sptnh4concs**
- real ∗8, dimension(:), allocatable **sptno3concs**
- real ∗8, dimension(:), allocatable **sptno2concs**
- real ∗8, dimension(:), allocatable **sptorgnconcs**
- real ∗8, dimension(:), allocatable **spttpconcs**
- real ∗8, dimension(:), allocatable **sptminps**
- real ∗8, dimension(:), allocatable **sptorgps**
- real ∗8, dimension(:), allocatable **sptfcolis**
- real ∗8, dimension(:), allocatable **failyr**
- real ∗8, dimension(:), allocatable **qstemm**
- real ∗8, dimension(:), allocatable **bio_amn**
- real ∗8, dimension(:), allocatable **bio_bod**
- real ∗8, dimension(:), allocatable **biom**
- real ∗8, dimension(:), allocatable **rbiom**
- real ∗8, dimension(:), allocatable **fcoli**
- real ∗8, dimension(:), allocatable **bio_ntr**
- real ∗8, dimension(:), allocatable **bz_perc**
- real ∗8, dimension(:), allocatable **plqm**
- real ∗8, dimension(:), allocatable **sep_cap**
- real ∗8, dimension(:), allocatable **bz_area**
- real ∗8, dimension(:), allocatable **bz_z**
- real ∗8, dimension(:), allocatable **bz_thk**
- real ∗8, dimension(:), allocatable **bio_bd**
- real ∗8, dimension(:), allocatable **cmup_kgh**
- real ∗8, dimension(:), allocatable **cmtot_kgh**
- real ∗8, dimension(:), allocatable **coeff_bod_dc**
- real ∗8, dimension(:), allocatable **coeff_bod_conv**
- real ∗8, dimension(:), allocatable **coeff_fc1**
- real ∗8, dimension(:), allocatable **coeff_fc2**
- real ∗8, dimension(:), allocatable **coeff_fecal**
- real ∗8, dimension(:), allocatable **coeff_plq**
- real ∗8, dimension(:), allocatable **coeff_mrt**
- real ∗8, dimension(:), allocatable **coeff_rsp**
- real ∗8, dimension(:), allocatable **coeff_slg1**
- real ∗8, dimension(:), allocatable **coeff_slg2**
- real ∗8, dimension(:), allocatable **coeff_nitr**
- real ∗8, dimension(:), allocatable **coeff_denitr**
- real ∗8, dimension(:), allocatable **coeff_pdistrb**
- real ∗8, dimension(:), allocatable **coeff_solpslp**
- real ∗8, dimension(:), allocatable **coeff_solpintc**
- real ∗8, dimension(:), allocatable **coeff_psorpmax**
- integer, dimension(:), allocatable **i_sep**
- integer, dimension(:), allocatable **isep_typ**

- integer, dimension(:), allocatable **isep_opt**
- integer, dimension(:), allocatable **sep_tsincefail**
- integer, dimension(:), allocatable **isep_tfail**
- integer, dimension(:), allocatable **isep_iyr**
- integer, dimension(:), allocatable **sep_strm_dist**
- integer, dimension(:), allocatable **sep_den**
- real ∗8, dimension(:), allocatable **sol_sumno3**
- real ∗8, dimension(:), allocatable **sol_sumsolp**
- real ∗8, dimension(:), allocatable **strsw_sum**
- real ∗8, dimension(:), allocatable **strstmp_sum**
- real ∗8, dimension(:), allocatable **strsn_sum**
- real ∗8, dimension(:), allocatable **strsp_sum**
- real ∗8, dimension(:), allocatable **strsa_sum**
- real ∗8, dimension(:), allocatable **spill_hru**
- real ∗8, dimension(:), allocatable **tile_out**
- real ∗8, dimension(:), allocatable **hru_in**
- real ∗8, dimension(:), allocatable **spill_precip**
- real ∗8, dimension(:), allocatable **pot_seep**
- real ∗8, dimension(:), allocatable **pot_evap**
- real ∗8, dimension(:), allocatable **pot_sedin**
- real ∗8, dimension(:), allocatable **pot_solp**
- real ∗8, dimension(:), allocatable **pot_solpi**
- real ∗8, dimension(:), allocatable **pot_orgp**
- real ∗8, dimension(:), allocatable **pot_orgpi**
- real ∗8, dimension(:), allocatable **pot_orgn**
- real ∗8, dimension(:), allocatable **pot_orgni**
- real ∗8, dimension(:), allocatable **pot_mps**
- real ∗8, dimension(:), allocatable **pot_mpsi**
- real ∗8, dimension(:), allocatable **pot_mpa**
- real ∗8, dimension(:), allocatable **pot_mpai**
- real ∗8, dimension(:), allocatable **pot_no3i**
- real ∗8, dimension(:), allocatable **precip_in**
- real ∗8, dimension(:), allocatable **tile_sedo**
- real ∗8, dimension(:), allocatable **tile_no3o**
- real ∗8, dimension(:), allocatable **tile_solpo**
- real ∗8, dimension(:), allocatable **tile_orgno**
- real ∗8, dimension(:), allocatable **tile_orgpo**
- real ∗8, dimension(:), allocatable **tile_minpso**
- real ∗8, dimension(:), allocatable **tile_minpao**
- integer **ia_b**
- integer **ihumus**
- integer **itemp**
- integer **isnow**
- integer, dimension(:), allocatable **icolb**
- integer, dimension(:), allocatable **icolr**
- integer, dimension(:), allocatable **icolrsv**
- integer, dimension(:), allocatable **icols**
- integer, dimension(:), allocatable **ipdvar**
- integer, dimension(:), allocatable **ipdvab**
- integer, dimension(:), allocatable **ipdvas**
- integer, dimension(:), allocatable **ipdhru**
- real ∗8, dimension(:), allocatable **wshddayo**
- real ∗8, dimension(:), allocatable **wshdmono**
- real ∗8, dimension(:), allocatable **wshdyro**
- real ∗8, dimension(:), allocatable **wshdaao**

- real ∗8, dimension(:), allocatable **fcstaao**
- real ∗8, dimension(:,:), allocatable **wpstdayo**
- real ∗8, dimension(:,:), allocatable **wpstmono**
- real ∗8, dimension(:,:), allocatable **wpstyro**
- real ∗8, dimension(:,:), allocatable **yldkg**
- real ∗8, dimension(:,:), allocatable **bio_hv**
- real ∗8, dimension(:,:), allocatable **wpstaao**
- real ∗8, dimension(:,:), allocatable **rchmono**
- real ∗8, dimension(:,:), allocatable **rchyro**
- real ∗8, dimension(:,:), allocatable **rchaao**
- real ∗8, dimension(:,:), allocatable **rchdy**
- real ∗8, dimension(:,:), allocatable **hrumono**
- real ∗8, dimension(:,:), allocatable **hruyro**
- real ∗8, dimension(:,:), allocatable **hruaao**
- real ∗8, dimension(:,:), allocatable **submono**
- real ∗8, dimension(:,:), allocatable **subyro**
- real ∗8, dimension(:,:), allocatable **subaao**
- real ∗8, dimension(:,:), allocatable **resoutm**
- real ∗8, dimension(:,:), allocatable **resouty**
- real ∗8, dimension(:,:), allocatable **resouta**
- real ∗8, dimension(:,:), allocatable **wshd_aamon**
- real ∗8, dimension(:,:), allocatable **wtrmon**
- real ∗8, dimension(:,:), allocatable **wtryr**
- real ∗8, dimension(:,:), allocatable **wtraa**
- real ∗8, dimension(:,:), allocatable **sub_smfmx**
- real ∗8, dimension(:,:), allocatable **sub_smfmn**
- real ∗8, dimension(:,:,:), allocatable **hrupstd**
- real ∗8, dimension(:,:,:), allocatable **hrupsta**
- real ∗8, dimension(:,:,:), allocatable **hrupstm**
- real ∗8, dimension(:,:,:), allocatable **hrupsty**
- integer, dimension(:), allocatable **ifirstt**
- integer, dimension(:), allocatable **ifirstpcp**
- integer, dimension(:), allocatable **elevp**
- integer, dimension(:), allocatable **elevt**
- real ∗8, dimension(:,:), allocatable **ftmpstdmn**
- real ∗8, dimension(:,:), allocatable **ftmpmn**
- real ∗8, dimension(:,:), allocatable **ftmpmx**
- real ∗8, dimension(:,:), allocatable **ftmpstdmx**
- real ∗8, dimension(:,:,:), allocatable **fpr_w**
- real ∗8, dimension(:,:,:), allocatable **fpcp_stat**
- real ∗8, dimension(:), allocatable **flwin**
- real ∗8, dimension(:), allocatable **flwout**
- real ∗8, dimension(:), allocatable **bankst**
- real ∗8, dimension(:), allocatable **ch_wi**
- real ∗8, dimension(:), allocatable **ch_d**
- real ∗8, dimension(:), allocatable **ch_onco**
- real ∗8, dimension(:), allocatable **ch_opco**
- real ∗8, dimension(:), allocatable **ch_orgn**
- real ∗8, dimension(:), allocatable **ch_orgp**
- real ∗8, dimension(:), allocatable **drift**
- real ∗8, dimension(:), allocatable **rch_dox**
- real ∗8, dimension(:), allocatable **rch_bactp**
- real ∗8, dimension(:), allocatable **alpha_bnk**
- real ∗8, dimension(:), allocatable **alpha_bnke**
- real ∗8, dimension(:), allocatable **disolvp**

- real ∗8, dimension(:), allocatable **algae**
- real ∗8, dimension(:), allocatable **sedst**
- real ∗8, dimension(:), allocatable **rchstor**
- real ∗8, dimension(:), allocatable **organicn**
- real ∗8, dimension(:), allocatable **organicp**
- real ∗8, dimension(:), allocatable **chlora**
- real ∗8, dimension(:), allocatable **nitraten**
- real ∗8, dimension(:), allocatable **nitriten**
- real ∗8, dimension(:), allocatable **ch_li**
- real ∗8, dimension(:), allocatable **ch_si**
- real ∗8, dimension(:), allocatable **ch_bnk_san**
- real ∗8, dimension(:), allocatable **ch_bnk_sil**
- real ∗8, dimension(:), allocatable **ch_bnk_cla**
- real ∗8, dimension(:), allocatable **ch_bnk_gra**
- real ∗8, dimension(:), allocatable **ch_bed_san**
- real ∗8, dimension(:), allocatable **ch_bed_sil**
- real ∗8, dimension(:), allocatable **ch_bed_cla**
- real ∗8, dimension(:), allocatable **ch_bed_gra**
- real ∗8, dimension(:), allocatable **depfp**
- real ∗8, dimension(:), allocatable **depsanfp**
- real ∗8, dimension(:), allocatable **depsilfp**
- real ∗8, dimension(:), allocatable **depclafp**
- real ∗8, dimension(:), allocatable **depsagfp**
- real ∗8, dimension(:), allocatable **deplagfp**
- real ∗8, dimension(:), allocatable **depch**
- real ∗8, dimension(:), allocatable **depsanch**
- real ∗8, dimension(:), allocatable **depsilch**
- real ∗8, dimension(:), allocatable **depclach**
- real ∗8, dimension(:), allocatable **depsagch**
- real ∗8, dimension(:), allocatable **deplagch**
- real ∗8, dimension(:), allocatable **depgrach**
- real ∗8, dimension(:), allocatable **depgrafp**
- real ∗8, dimension(:), allocatable **grast**
- real ∗8, dimension(:), allocatable **depprch**
- real ∗8, dimension(:), allocatable **depprfp**
- real ∗8, dimension(:), allocatable **prf**
- real ∗8, dimension(:), allocatable **r2adj**
- real ∗8, dimension(:), allocatable **spcon**
- real ∗8, dimension(:), allocatable **spexp**
- real ∗8, dimension(:), allocatable **sanst**
- real ∗8, dimension(:), allocatable **silst**
- real ∗8, dimension(:), allocatable **clast**
- real ∗8, dimension(:), allocatable **sagst**
- real ∗8, dimension(:), allocatable **lagst**
- real ∗8, dimension(:), allocatable **pot_san**
- real ∗8, dimension(:), allocatable **pot_sil**
- real ∗8, dimension(:), allocatable **pot_cla**
- real ∗8, dimension(:), allocatable **pot_sag**
- real ∗8, dimension(:), allocatable **pot_lag**
- real ∗8, dimension(:), allocatable **potsani**
- real ∗8, dimension(:), allocatable **potsili**
- real ∗8, dimension(:), allocatable **potclai**
- real ∗8, dimension(:), allocatable **potsagi**
- real ∗8, dimension(:), allocatable **potlagi**
- real ∗8, dimension(:), allocatable **sanyld**

- real ∗8, dimension(:), allocatable **silyld**
- real ∗8, dimension(:), allocatable **clayld**
- real ∗8, dimension(:), allocatable **sagyld**
- real ∗8, dimension(:), allocatable **lagyld**
- real ∗8, dimension(:), allocatable **grayld**
- real ∗8, dimension(:), allocatable **res_san**
- real ∗8, dimension(:), allocatable **res_sil**
- real ∗8, dimension(:), allocatable **res_cla**
- real ∗8, dimension(:), allocatable **res_sag**
- real ∗8, dimension(:), allocatable **res_lag**
- real ∗8, dimension(:), allocatable **res_gra**
- real ∗8, dimension(:), allocatable **pnd_san**
- real ∗8, dimension(:), allocatable **pnd_sil**
- real ∗8, dimension(:), allocatable **pnd_cla**
- real ∗8, dimension(:), allocatable **pnd_sag**
- real ∗8, dimension(:), allocatable **pnd_lag**
- real ∗8, dimension(:), allocatable **wet_san**
- real ∗8, dimension(:), allocatable **wet_sil**
- real ∗8, dimension(:), allocatable **wet_cla**
- real ∗8, dimension(:), allocatable **wet_lag**
- real ∗8, dimension(:), allocatable **wet_sag**
- real ∗8 **ressano**
- real ∗8 **ressilo**
- real ∗8 **resclao**
- real ∗8 **ressago**
- real ∗8 **reslago**
- real ∗8 **resgrao**
- real ∗8 **ressani**
- real ∗8 **ressili**
- real ∗8 **resclai**
- real ∗8 **ressagi**
- real ∗8 **reslagi**
- real ∗8 **resgrai**
- real ∗8 **potsano**
- real ∗8 **potsilo**
- real ∗8 **potclao**
- real ∗8 **potsago**
- real ∗8 **potlago**
- real ∗8 **pndsanin**
- real ∗8 **pndsilin**
- real ∗8 **pndclain**
- real ∗8 **pndsagin**
- real ∗8 **pndlagin**
- real ∗8 **pndsano**
- real ∗8 **pndsilo**
- real ∗8 **pndclao**
- real ∗8 **pndsago**
- real ∗8 **pndlago**
- real ∗8, dimension(:), allocatable **ch_di**
- real ∗8, dimension(:), allocatable **ch_erod**
- real ∗8, dimension(:), allocatable **ch_l2**
- real ∗8, dimension(:), allocatable **ch_cov**
- real ∗8, dimension(:), allocatable **ch_cov1**
- real ∗8, dimension(:), allocatable **ch_cov2**
- real ∗8, dimension(:), allocatable **ch_bnk_bd**

- real ∗8, dimension(:), allocatable **ch_bed_bd**
- real ∗8, dimension(:), allocatable **ch_bnk_kd**
- real ∗8, dimension(:), allocatable **ch_bed_kd**
- real ∗8, dimension(:), allocatable **ch_bnk_d50**
- real ∗8, dimension(:), allocatable **ch_bed_d50**
- real ∗8, dimension(:), allocatable **tc_bed**
- real ∗8, dimension(:), allocatable **tc_bnk**
- integer, dimension(:), allocatable **ch_eqn**
- real ∗8, dimension(:), allocatable **chpst_conc**
- real ∗8, dimension(:), allocatable **chpst_rea**
- real ∗8, dimension(:), allocatable **chpst_vol**
- real ∗8, dimension(:), allocatable **chpst_koc**
- real ∗8, dimension(:), allocatable **chpst_stl**
- real ∗8, dimension(:), allocatable **chpst_rsp**
- real ∗8, dimension(:), allocatable **chpst_mix**
- real ∗8, dimension(:), allocatable **sedpst_conc**
- real ∗8, dimension(:), allocatable **ch_wdr**
- real ∗8, dimension(:), allocatable **sedpst_rea**
- real ∗8, dimension(:), allocatable **sedpst_bry**
- real ∗8, dimension(:), allocatable **sedpst_act**
- real ∗8, dimension(:), allocatable **rch_cbod**
- real ∗8, dimension(:), allocatable **rch_bactlp**
- real ∗8, dimension(:), allocatable **chside**
- real ∗8, dimension(:), allocatable **rs1**
- real ∗8, dimension(:), allocatable **rs2**
- real ∗8, dimension(:), allocatable **rs3**
- real ∗8, dimension(:), allocatable **rs4**
- real ∗8, dimension(:), allocatable **rs5**
- real ∗8, dimension(:), allocatable **rs6**
- real ∗8, dimension(:), allocatable **rs7**
- real ∗8, dimension(:), allocatable **rk1**
- real ∗8, dimension(:), allocatable **rk2**
- real ∗8, dimension(:), allocatable **rk3**
- real ∗8, dimension(:), allocatable **rk4**
- real ∗8, dimension(:), allocatable **rk5**
- real ∗8, dimension(:), allocatable **rk6**
- real ∗8, dimension(:), allocatable **bc1**
- real ∗8, dimension(:), allocatable **bc2**
- real ∗8, dimension(:), allocatable **bc3**
- real ∗8, dimension(:), allocatable **bc4**
- real ∗8, dimension(:), allocatable **ammonian**
- real ∗8, dimension(:), allocatable **orig_sedpstconc**
- real ∗8, dimension(:,:), allocatable **wurch**
- integer, dimension(:), allocatable **icanal**
- integer, dimension(:), allocatable **itb**
- real ∗8, dimension(:), allocatable **ch_revap**
- real ∗8, dimension(:), allocatable **dep_chan**
- real ∗8, dimension(:), allocatable **harg_petco**
- real ∗8, dimension(:), allocatable **subfr_nowtr**
- real ∗8, dimension(:), allocatable **cncoef_sub**
- real ∗8, dimension(:), allocatable **dr_sub**
- real ∗8, dimension(:), allocatable **wcklsp**
- real ∗8, dimension(:), allocatable **sub_fr**
- real ∗8, dimension(:), allocatable **sub_minp**
- real ∗8, dimension(:), allocatable **sub_sw**

- real ∗8, dimension(:), allocatable **sub_sumfc**
- real ∗8, dimension(:), allocatable **sub_gwno3**
- real ∗8, dimension(:), allocatable **sub_gwsolp**
- real ∗8, dimension(:), allocatable **sub_km**
- real ∗8, dimension(:), allocatable **sub_tc**
- real ∗8, dimension(:), allocatable **wlat**
- real ∗8, dimension(:), allocatable **sub_pet**
- real ∗8, dimension(:), allocatable **co2**
- real ∗8, dimension(:), allocatable **welev**
- real ∗8, dimension(:), allocatable **sub_orgn**
- real ∗8, dimension(:), allocatable **sub_orgp**
- real ∗8, dimension(:), allocatable **sub_bd**
- real ∗8, dimension(:), allocatable **sub_wtmp**
- real ∗8, dimension(:), allocatable **sub_sedpa**
- real ∗8, dimension(:), allocatable **sub_sedps**
- real ∗8, dimension(:), allocatable **sub_minpa**
- real ∗8, dimension(:), allocatable **sub_minps**
- real ∗8, dimension(:), allocatable **daylmn**
- real ∗8, dimension(:), allocatable **latcos**
- real ∗8, dimension(:), allocatable **latsin**
- real ∗8, dimension(:), allocatable **phutot**
- real ∗8, dimension(:), allocatable **tlaps**
- real ∗8, dimension(:), allocatable **plaps**
- real ∗8, dimension(:), allocatable **tmp_an**
- real ∗8, dimension(:), allocatable **sub_precip**
- real ∗8, dimension(:), allocatable **pcpdays**
- real ∗8, dimension(:), allocatable **rcn_sub**
- real ∗8, dimension(:), allocatable **rammo_sub**
- real ∗8, dimension(:), allocatable **atmo_day**
- real ∗8, dimension(:), allocatable **sub_snom**
- real ∗8, dimension(:), allocatable **sub_qd**
- real ∗8, dimension(:), allocatable **sub_sedy**
- real ∗8, dimension(:), allocatable **sub_tran**
- real ∗8, dimension(:), allocatable **sub_no3**
- real ∗8, dimension(:), allocatable **sub_latno3**
- real ∗8, dimension(:,:), allocatable **sub_smtmp**
- real ∗8, dimension(:,:), allocatable **sub_timp**
- real ∗8, dimension(:,:), allocatable **sub_sftmp**
- real ∗8, dimension(:), allocatable **sub_tileno3**
- real ∗8, dimension(:), allocatable **sub_solp**
- real ∗8, dimension(:), allocatable **sub_subp**
- real ∗8, dimension(:), allocatable **sub_etday**
- real ∗8, dimension(:), allocatable **sub_wyld**
- real ∗8, dimension(:), allocatable **sub_surfq**
- real ∗8, dimension(:), allocatable **sub_elev**
- real ∗8, dimension(:), allocatable **qird**
- real ∗8, dimension(:), allocatable **sub_gwq**
- real ∗8, dimension(:), allocatable **sub_sep**
- real ∗8, dimension(:), allocatable **sub_chl**
- real ∗8, dimension(:), allocatable **sub_cbod**
- real ∗8, dimension(:), allocatable **sub_dox**
- real ∗8, dimension(:), allocatable **sub_solpst**
- real ∗8, dimension(:), allocatable **sub_sorpst**
- real ∗8, dimension(:), allocatable **sub_yorgn**
- real ∗8, dimension(:), allocatable **sub_yorgp**

- real ∗8, dimension(:), allocatable **sub_bactp**
- real ∗8, dimension(:), allocatable **sub_bactlp**
- real ∗8, dimension(:), allocatable **sub_lat**
- real ∗8, dimension(:), allocatable **sub_latq**
- real ∗8, dimension(:), allocatable **sub_gwq_d**
- real ∗8, dimension(:), allocatable **sub_tileq**
- real ∗8, dimension(:), allocatable **sub_vaptile**
- real ∗8, dimension(:), allocatable **sub_dsan**
- real ∗8, dimension(:), allocatable **sub_dsil**
- real ∗8, dimension(:), allocatable **sub_dcla**
- real ∗8, dimension(:), allocatable **sub_dsag**
- real ∗8, dimension(:), allocatable **sub_dlag**
- real ∗8 **vap_tile**
- real ∗8, dimension(:), allocatable **wnan**
- real ∗8, dimension(:,:), allocatable **sol_stpwt**
- real ∗8, dimension(:,:), allocatable **sub_pst**
- real ∗8, dimension(:,:), allocatable **sub_hhqd**
- real ∗8, dimension(:,:), allocatable **sub_hhwtmp**
- real ∗8, dimension(:,:), allocatable **rfinc**
- real ∗8, dimension(:,:), allocatable **tmpinc**
- real ∗8, dimension(:,:), allocatable **radinc**
- real ∗8, dimension(:,:), allocatable **huminc**
- real ∗8, dimension(:,:), allocatable **wndav**
- real ∗8, dimension(:,:), allocatable **ch_k**
- real ∗8, dimension(:,:), allocatable **elevb**
- real ∗8, dimension(:,:), allocatable **elevb_fr**
- real ∗8, dimension(:,:), allocatable **dewpt**
- real ∗8, dimension(:,:), allocatable **ch_w**
- real ∗8, dimension(:,:), allocatable **ch_s**
- real ∗8, dimension(:,:), allocatable **ch_n**
- real ∗8, dimension(:,:), allocatable **amp_r**
- real ∗8, dimension(:,:), allocatable **solarav**
- real ∗8, dimension(:,:), allocatable **tmpstdmx**
- real ∗8, dimension(:,:), allocatable **tmpstdmn**
- real ∗8, dimension(:,:), allocatable **pcf**
- real ∗8, dimension(:,:), allocatable **tmpmn**
- real ∗8, dimension(:,:), allocatable **tmpmx**
- real ∗8, dimension(:,:), allocatable **otmpstdmn**
- real ∗8, dimension(:,:), allocatable **otmpmn**
- real ∗8, dimension(:,:), allocatable **otmpmx**
- real ∗8, dimension(:,:), allocatable **otmpstdmx**
- real ∗8, dimension(:,:), allocatable **ch_erodmo**
- real ∗8, dimension(:,:), allocatable **uh**
- real ∗8, dimension(:,:), allocatable **hqdsave**
- real ∗8, dimension(:,:), allocatable **hsdsave**
- real ∗8, dimension(:,:,:), allocatable **pr_w**
- real ∗8, dimension(:,:,:), allocatable **pcp_stat**
- real ∗8, dimension(:,:,:), allocatable **opr_w**
- real ∗8, dimension(:,:,:), allocatable **opcp_stat**
- integer, dimension(:), allocatable **hrutot**
- integer, dimension(:), allocatable **hru1**
- integer, dimension(:), allocatable **ireg**
- integer, dimension(:), allocatable **isgage**
- integer, dimension(:), allocatable **ihgage**
- integer, dimension(:), allocatable **iwgage**

- integer, dimension(:), allocatable **irgage**
- integer, dimension(:), allocatable **itgage**
- integer, dimension(:), allocatable **subgis**
- integer, dimension(:), allocatable **fcst_reg**
- integer, dimension(:), allocatable **irelh**
- real ∗8, dimension(:,:), allocatable **sol_aorgn**
- real ∗8, dimension(:,:), allocatable **sol_tmp**
- real ∗8, dimension(:,:), allocatable **sol_fon**
- real ∗8, dimension(:,:), allocatable **sol_awc**
- real ∗8, dimension(:,:), allocatable **sol_prk**
- real ∗8, dimension(:,:), allocatable **volcr**
- real ∗8, dimension(:,:), allocatable **pperco_sub**
- real ∗8, dimension(:,:), allocatable **sol_actp**
- real ∗8, dimension(:,:), allocatable **sol_stap**
- real ∗8, dimension(:,:), allocatable **conv_wt**
- real ∗8, dimension(:,:), allocatable **sol_solp**
- real ∗8, dimension(:,:), allocatable **sol_ul**
- real ∗8, dimension(:,:), allocatable **sol_fc**
- real ∗8, dimension(:,:), allocatable **crdep**
- real ∗8, dimension(:,:), allocatable **sol_z**
- real ∗8, dimension(:,:), allocatable **sol_up**
- real ∗8, dimension(:,:), allocatable **sol_bd**
- real ∗8, dimension(:,:), allocatable **sol_st**
- real ∗8, dimension(:,:), allocatable **flat**
- real ∗8, dimension(:,:), allocatable **sol_nh3**
- real ∗8, dimension(:,:), allocatable **sol_hk**
- real ∗8, dimension(:,:), allocatable **sol_clay**
- real ∗8, dimension(:,:), allocatable **sol_ec**
- real ∗8, dimension(:,:), allocatable **sol_orgn**
- real ∗8, dimension(:,:), allocatable **sol_por**
- real ∗8, dimension(:,:), allocatable **sol_wp**
- real ∗8, dimension(:,:), allocatable **sol_orgp**
- real ∗8, dimension(:,:), allocatable **sol_hum**
- real ∗8, dimension(:,:), allocatable **sol_wpmm**
- real ∗8, dimension(:,:), allocatable **sol_k**
- real ∗8, dimension(:,:), allocatable **sol_cbn**
- real ∗8, dimension(:,:), allocatable **sol_no3**
- real ∗8, dimension(:,:), allocatable **sol_rsd**
- real ∗8, dimension(:,:), allocatable **sol_fop**
- real ∗8, dimension(:,:), allocatable **sol_silt**
- real ∗8, dimension(:,:), allocatable **sol_sand**
- real ∗8, dimension(:,:), allocatable **sol_rock**
- real ∗8, dimension(:,:), allocatable **orig_solno3**
- real ∗8, dimension(:,:), allocatable **orig_solorgn**
- real ∗8, dimension(:,:), allocatable **orig_solsolp**
- real ∗8, dimension(:,:), allocatable **orig_solorgp**
- real ∗8, dimension(:,:), allocatable **orig_soltmp**
- real ∗8, dimension(:,:), allocatable **orig_solrsd**
- real ∗8, dimension(:,:), allocatable **orig_solfop**
- real ∗8, dimension(:,:), allocatable **orig_solfon**
- real ∗8, dimension(:,:), allocatable **orig_solaorgn**
- real ∗8, dimension(:,:), allocatable **orig_solst**
- real ∗8, dimension(:,:), allocatable **orig_solactp**
- real ∗8, dimension(:,:), allocatable **orig_solstap**
- real ∗8, dimension(:,:), allocatable **orig_volcr**

- real ∗8, dimension(:,:), allocatable **conk**
- real ∗8, dimension(:,:,:), allocatable **sol_pst**
- real ∗8, dimension(:,:,:), allocatable **sol_kp**
- real ∗8, dimension(:,:,:), allocatable **orig_solpst**
- real ∗8, dimension(:), allocatable **velsetlr**
- real ∗8, dimension(:), allocatable **velsetlp**
- real ∗8, dimension(:), allocatable **br1**
- real ∗8, dimension(:), allocatable **res_k**
- real ∗8, dimension(:), allocatable **lkpst_conc**
- real ∗8, dimension(:), allocatable **evrsv**
- real ∗8, dimension(:), allocatable **res_evol**
- real ∗8, dimension(:), allocatable **res_pvol**
- real ∗8, dimension(:), allocatable **res_vol**
- real ∗8, dimension(:), allocatable **res_psa**
- real ∗8, dimension(:), allocatable **lkpst_rea**
- real ∗8, dimension(:), allocatable **lkpst_vol**
- real ∗8, dimension(:), allocatable **br2**
- real ∗8, dimension(:), allocatable **res_rr**
- real ∗8, dimension(:), allocatable **res_sed**
- real ∗8, dimension(:), allocatable **lkpst_koc**
- real ∗8, dimension(:), allocatable **lkpst_stl**
- real ∗8, dimension(:), allocatable **lkpst_rsp**
- real ∗8, dimension(:), allocatable **lkpst_mix**
- real ∗8, dimension(:), allocatable **lkspst_conc**
- real ∗8, dimension(:), allocatable **lkspst_rea**
- real ∗8, dimension(:), allocatable **theta_n**
- real ∗8, dimension(:), allocatable **theta_p**
- real ∗8, dimension(:), allocatable **con_nirr**
- real ∗8, dimension(:), allocatable **con_pirr**
- real ∗8, dimension(:), allocatable **lkspst_bry**
- real ∗8, dimension(:), allocatable **lkspst_act**
- real ∗8, dimension(:), allocatable **sed_stlr**
- real ∗8, dimension(:), allocatable **wurtnf**
- real ∗8, dimension(:), allocatable **res_nsed**
- real ∗8, dimension(:), allocatable **resdata**
- real ∗8, dimension(:), allocatable **chlar**
- real ∗8, dimension(:), allocatable **res_orgn**
- real ∗8, dimension(:), allocatable **res_orgp**
- real ∗8, dimension(:), allocatable **res_no3**
- real ∗8, dimension(:), allocatable **res_solp**
- real ∗8, dimension(:), allocatable **res_chla**
- real ∗8, dimension(:), allocatable **res_seci**
- real ∗8, dimension(:), allocatable **res_esa**
- real ∗8, dimension(:), allocatable **seccir**
- real ∗8, dimension(:), allocatable **res_no2**
- real ∗8, dimension(:), allocatable **res_nh3**
- real ∗8, dimension(:), allocatable **res_bactp**
- real ∗8, dimension(:), allocatable **res_bactlp**
- real ∗8, dimension(:), allocatable **oflowmn_fps**
- real ∗8, dimension(:), allocatable **starg_fps**
- real ∗8, dimension(:), allocatable **weirc**
- real ∗8, dimension(:), allocatable **weirk**
- real ∗8, dimension(:), allocatable **weirw**
- real ∗8, dimension(:), allocatable **acoef**
- real ∗8, dimension(:), allocatable **bcoef**

- real ∗8, dimension(:), allocatable **ccoef**
- real ∗8, dimension(:), allocatable **orig_resvol**
- real ∗8, dimension(:), allocatable **orig_ressed**
- real ∗8, dimension(:), allocatable **orig_lkpstconc**
- real ∗8, dimension(:), allocatable **orig_lkspstconc**
- real ∗8, dimension(:), allocatable **orig_ressolp**
- real ∗8, dimension(:), allocatable **orig_resorgp**
- real ∗8, dimension(:), allocatable **orig_resno3**
- real ∗8, dimension(:), allocatable **orig_resno2**
- real ∗8, dimension(:), allocatable **orig_resnh3**
- real ∗8, dimension(:), allocatable **orig_resorgn**
- real ∗8, dimension(:,:), allocatable **starg**
- real ∗8, dimension(:,:), allocatable **oflowmx**
- real ∗8, dimension(:,:), allocatable **oflowmn**
- real ∗8, dimension(:,:), allocatable **psetlr**
- real ∗8, dimension(:,:), allocatable **nsetlr**
- real ∗8, dimension(:,:), allocatable **wuresn**
- real ∗8, dimension(:,:,:), allocatable **res_out**
- integer, dimension(:), allocatable **ires1**
- integer, dimension(:), allocatable **ires2**
- integer, dimension(:), allocatable **res_sub**
- integer, dimension(:), allocatable **iresco**
- integer, dimension(:), allocatable **mores**
- integer, dimension(:), allocatable **iyres**
- integer, dimension(:), allocatable **iflod1r**
- integer, dimension(:), allocatable **iflod2r**
- integer, dimension(:), allocatable **ndtargr**
- real ∗8, dimension(:), allocatable **skoc**
- real ∗8, dimension(:), allocatable **ap_ef**
- real ∗8, dimension(:), allocatable **decay_f**
- real ∗8, dimension(:), allocatable **hlife_f**
- real ∗8, dimension(:), allocatable **hlife_s**
- real ∗8, dimension(:), allocatable **decay_s**
- real ∗8, dimension(:), allocatable **pst_wsol**
- real ∗8, dimension(:), allocatable **pst_wof**
- real ∗8, dimension(:), allocatable **irramt**
- real ∗8, dimension(:), allocatable **phusw**
- real ∗8, dimension(:), allocatable **phusw_nocrop**
- integer, dimension(:), allocatable **nope**
- integer, dimension(:), allocatable **pstflg**
- integer, dimension(:), allocatable **nop**
- integer, dimension(:), allocatable **yr_skip**
- integer, dimension(:), allocatable **isweep**
- integer, dimension(:), allocatable **icrmx**
- integer, dimension(:), allocatable **nopmx**
- integer, dimension(:,:), allocatable **mgtop**
- integer, dimension(:,:), allocatable **idop**
- integer, dimension(:,:), allocatable **mgt1iop**
- integer, dimension(:,:), allocatable **mgt2iop**
- integer, dimension(:,:), allocatable **mgt3iop**
- real ∗8, dimension(:,:), allocatable **mgt4op**
- real ∗8, dimension(:,:), allocatable **mgt5op**
- real ∗8, dimension(:,:), allocatable **mgt6op**
- real ∗8, dimension(:,:), allocatable **mgt7op**
- real ∗8, dimension(:,:), allocatable **mgt8op**

- real ∗8, dimension(:,:), allocatable **mgt9op**
- real ∗8, dimension(:,:), allocatable **mgt10iop**
- real ∗8, dimension(:,:), allocatable **phu_op**
- real ∗8, dimension(:), allocatable **wac21**
- real ∗8, dimension(:), allocatable **wac22**
- real ∗8, dimension(:), allocatable **cnyld**
- real ∗8, dimension(:), allocatable **rsdco_pl**
- real ∗8, dimension(:), allocatable **wsyf**
- real ∗8, dimension(:), allocatable **leaf1**
- real ∗8, dimension(:), allocatable **leaf2**
- real ∗8, dimension(:), allocatable **alai_min**
- real ∗8, dimension(:), allocatable **t_base**
- real ∗8, dimension(:), allocatable **t_opt**
- real ∗8, dimension(:), allocatable **hvsti**
- real ∗8, dimension(:), allocatable **bio_e**
- real ∗8, dimension(:), allocatable **vpd2**
- real ∗8, dimension(:), allocatable **gsi**
- real ∗8, dimension(:), allocatable **chtmx**
- real ∗8, dimension(:), allocatable **wavp**
- real ∗8, dimension(:), allocatable **cvm**
- real ∗8, dimension(:), allocatable **blai**
- real ∗8, dimension(:), allocatable **dlai**
- real ∗8, dimension(:), allocatable **rdmx**
- real ∗8, dimension(:), allocatable **cpyld**
- real ∗8, dimension(:), allocatable **bio_leaf**
- real ∗8, dimension(:), allocatable **bio_n1**
- real ∗8, dimension(:), allocatable **bio_n2**
- real ∗8, dimension(:), allocatable **bio_p1**
- real ∗8, dimension(:), allocatable **bio_p2**
- real ∗8, dimension(:), allocatable **bmx_trees**
- real ∗8, dimension(:), allocatable **ext_coef**
- real ∗8, dimension(:), allocatable **bm_dieoff**
- real ∗8, dimension(:), allocatable **rsr1**
- real ∗8, dimension(:), allocatable **rsr2**
- real ∗8, dimension(:,:), allocatable **pltnfr**
- real ∗8, dimension(:,:), allocatable **pltpfr**
- integer, dimension(:), allocatable **idc**
- integer, dimension(:), allocatable **mat_yrs**
- real ∗8, dimension(:), allocatable **forgn**
- real ∗8, dimension(:), allocatable **forgp**
- real ∗8, dimension(:), allocatable **fminn**
- real ∗8, dimension(:), allocatable **bactpdb**
- real ∗8, dimension(:), allocatable **fminp**
- real ∗8, dimension(:), allocatable **fnh3n**
- real ∗8, dimension(:), allocatable **bactlpdb**
- real ∗8, dimension(:), allocatable **bactkddb**
- character(len=8), dimension(200) **fertnm**
- real ∗8, dimension(:), allocatable **fimp**
- real ∗8, dimension(:), allocatable **curbden**
- real ∗8, dimension(:), allocatable **urbcoef**
- real ∗8, dimension(:), allocatable **dirtmx**
- real ∗8, dimension(:), allocatable **thalf**
- real ∗8, dimension(:), allocatable **tnconc**
- real ∗8, dimension(:), allocatable **tpconc**
- real ∗8, dimension(:), allocatable **tno3conc**

- real ∗8, dimension(:), allocatable **fcimp**
- real ∗8, dimension(:), allocatable **urbcn2**
- real ∗8 **sweepeff**
- real ∗8 **frt_kg**
- real ∗8 **pst_dep**
- real ∗8 **fr_curb**
- real ∗8, dimension(:), allocatable **ranrns_hru**
- integer, dimension(:), allocatable **itill**
- real ∗8, dimension(:), allocatable **effmix**
- real ∗8, dimension(:), allocatable **deptil**
- real ∗8, dimension(:), allocatable **ranrns**
- character(len=8), dimension(550) **tillnm**
- real ∗8, dimension(:), allocatable **rnum1s**
- real ∗8, dimension(:), allocatable **hyd_dakm**
- real ∗8, dimension(:,:), allocatable **varoute**
- real ∗8, dimension(:,:), allocatable **shyd**
- real ∗8, dimension(:,:), allocatable **vartran**
- real ∗8, dimension(:,:,:), allocatable **hhvaroute**
- integer, dimension(:), allocatable **icodes**
- integer, dimension(:), allocatable **ihouts**
- integer, dimension(:), allocatable **inum1s**
- integer, dimension(:), allocatable **inum2s**
- integer, dimension(:), allocatable **inum3s**
- integer, dimension(:), allocatable **inum4s**
- integer, dimension(:), allocatable **inum5s**
- integer, dimension(:), allocatable **inum6s**
- integer, dimension(:), allocatable **inum7s**
- integer, dimension(:), allocatable **inum8s**
- integer, dimension(:), allocatable **subed**
- character(len=10), dimension(:), allocatable **recmonps**
- character(len=10), dimension(:), allocatable **reccnstps**
- character(len=5), dimension(:), allocatable **subnum**
- character(len=4), dimension(:), allocatable **hruno**
- real ∗8, dimension(:), allocatable **grwat_n**
- real ∗8, dimension(:), allocatable **grwat_i**
- real ∗8, dimension(:), allocatable **grwat_l**
- real ∗8, dimension(:), allocatable **grwat_w**
- real ∗8, dimension(:), allocatable **grwat_d**
- real ∗8, dimension(:), allocatable **grwat_s**
- real ∗8, dimension(:), allocatable **grwat_spcon**
- real ∗8, dimension(:), allocatable **tc_gwat**
- real ∗8, dimension(:), allocatable **pot_volmm**
- real ∗8, dimension(:), allocatable **pot_tilemm**
- real ∗8, dimension(:), allocatable **pot_volxmm**
- real ∗8, dimension(:), allocatable **pot_fr**
- real ∗8, dimension(:), allocatable **pot_tile**
- real ∗8, dimension(:), allocatable **pot_vol**
- real ∗8, dimension(:), allocatable **potsa**
- real ∗8, dimension(:), allocatable **pot_volx**
- real ∗8, dimension(:), allocatable **potflwi**
- real ∗8, dimension(:), allocatable **potsedi**
- real ∗8, dimension(:), allocatable **wfsh**
- real ∗8, dimension(:), allocatable **pot_nsed**
- real ∗8, dimension(:), allocatable **pot_no3l**
- real ∗8, dimension(:), allocatable **newrti**

- real ∗8, dimension(:), allocatable **gwno3**
- real ∗8, dimension(:), allocatable **pot_sed**
- real ∗8, dimension(:), allocatable **pot_no3**
- real ∗8, dimension(:), allocatable **fsred**
- real ∗8, dimension(:), allocatable **tmpavp**
- real ∗8, dimension(:), allocatable **evpot**
- real ∗8, dimension(:), allocatable **dis_stream**
- real ∗8, dimension(:), allocatable **pot_solpl**
- real ∗8, dimension(:), allocatable **sed_con**
- real ∗8, dimension(:), allocatable **orgn_con**
- real ∗8, dimension(:), allocatable **orgp_con**
- real ∗8, dimension(:), allocatable **soln_con**
- real ∗8, dimension(:), allocatable **solp_con**
- real ∗8, dimension(:), allocatable **pot_k**
- real ∗8, dimension(:), allocatable **n_reduc**
- real ∗8, dimension(:), allocatable **n_lag**
- real ∗8, dimension(:), allocatable **n_ln**
- real ∗8, dimension(:), allocatable **n_lnco**
- integer, dimension(:), allocatable **ioper**
- integer, dimension(:), allocatable **ngrwat**
- real ∗8, dimension(:), allocatable **filterw**
- real ∗8, dimension(:), allocatable **sumix**
- real ∗8, dimension(:), allocatable **usle_ls**
- real ∗8, dimension(:), allocatable **phuacc**
- real ∗8, dimension(:), allocatable **esco**
- real ∗8, dimension(:), allocatable **epco**
- real ∗8, dimension(:), allocatable **slsubbsn**
- real ∗8, dimension(:), allocatable **hru_slp**
- real ∗8, dimension(:), allocatable **erorgn**
- real ∗8, dimension(:), allocatable **erorgp**
- real ∗8, dimension(:), allocatable **biomix**
- real ∗8, dimension(:), allocatable **pnd_seci**
- real ∗8, dimension(:), allocatable **flowmin**
- real ∗8, dimension(:), allocatable **divmax**
- real ∗8, dimension(:), allocatable **canmx**
- real ∗8, dimension(:), allocatable **usle_p**
- real ∗8, dimension(:), allocatable **lat_sed**
- real ∗8, dimension(:), allocatable **rch_dakm**
- real ∗8, dimension(:), allocatable **pnd_no3s**
- real ∗8, dimension(:), allocatable **cn1**
- real ∗8, dimension(:), allocatable **cn2**
- real ∗8, dimension(:), allocatable **lat_ttime**
- real ∗8, dimension(:), allocatable **flowfr**
- real ∗8, dimension(:), allocatable **sol_zmx**
- real ∗8, dimension(:), allocatable **tile_ttime**
- real ∗8, dimension(:), allocatable **slsoil**
- real ∗8, dimension(:), allocatable **sed_stl**
- real ∗8, dimension(:), allocatable **gwminp**
- real ∗8, dimension(:), allocatable **sol_cov**
- real ∗8, dimension(:), allocatable **yldanu**
- real ∗8, dimension(:), allocatable **pnd_solp**
- real ∗8, dimension(:), allocatable **pnd_no3**
- real ∗8, dimension(:), allocatable **ov_n**
- real ∗8, dimension(:), allocatable **driftco**
- real ∗8, dimension(:), allocatable **pnd_orgp**

- real ∗8, dimension(:), allocatable **pnd_orgn**
- real ∗8, dimension(:), allocatable **cn3**
- real ∗8, dimension(:), allocatable **twlpnd**
- real ∗8, dimension(:), allocatable **twlwet**
- real ∗8, dimension(:), allocatable **sol_sumul**
- real ∗8, dimension(:), allocatable **pnd_chla**
- real ∗8, dimension(:), allocatable **hru_fr**
- real ∗8, dimension(:), allocatable **bio_ms**
- real ∗8, dimension(:), allocatable **sol_alb**
- real ∗8, dimension(:), allocatable **strsw**
- real ∗8, dimension(:), allocatable **hru_km**
- real ∗8, dimension(:), allocatable **pnd_fr**
- real ∗8, dimension(:), allocatable **pnd_psa**
- real ∗8, dimension(:), allocatable **pnd_pvol**
- real ∗8, dimension(:), allocatable **pnd_k**
- real ∗8, dimension(:), allocatable **pnd_esa**
- real ∗8, dimension(:), allocatable **pnd_evol**
- real ∗8, dimension(:), allocatable **pnd_vol**
- real ∗8, dimension(:), allocatable **yldaa**
- real ∗8, dimension(:), allocatable **pnd_sed**
- real ∗8, dimension(:), allocatable **pnd_nsed**
- real ∗8, dimension(:), allocatable **strsa**
- real ∗8, dimension(:), allocatable **dep_imp**
- real ∗8, dimension(:), allocatable **evpnd**
- real ∗8, dimension(:), allocatable **evwet**
- real ∗8, dimension(:), allocatable **wet_fr**
- real ∗8, dimension(:), allocatable **wet_nsa**
- real ∗8, dimension(:), allocatable **wet_nvol**
- real ∗8, dimension(:), allocatable **wet_k**
- integer, dimension(:), allocatable **iwetgw**
- integer, dimension(:), allocatable **iwetile**
- real ∗8, dimension(:), allocatable **wet_mxsa**
- real ∗8, dimension(:), allocatable **wet_mxvol**
- real ∗8, dimension(:), allocatable **wet_vol**
- real ∗8, dimension(:), allocatable **wet_sed**
- real ∗8, dimension(:), allocatable **wet_nsed**
- real ∗8, dimension(:), allocatable **smx**
- real ∗8, dimension(:), allocatable **sci**
- real ∗8, dimension(:), allocatable **bp1**
- real ∗8, dimension(:), allocatable **bp2**
- real ∗8, dimension(:), allocatable **bw1**
- real ∗8, dimension(:), allocatable **bw2**
- real ∗8, dimension(:), allocatable **bactpq**
- real ∗8, dimension(:), allocatable **bactp_plt**
- real ∗8, dimension(:), allocatable **bactlp_plt**
- real ∗8, dimension(:), allocatable **cnday**
- real ∗8, dimension(:), allocatable **bactlpq**
- real ∗8, dimension(:), allocatable **auto_eff**
- real ∗8, dimension(:), allocatable **sol_sw**
- real ∗8, dimension(:), allocatable **secciw**
- real ∗8, dimension(:), allocatable **bactps**
- real ∗8, dimension(:), allocatable **bactlps**
- real ∗8, dimension(:), allocatable **tmpav**
- real ∗8, dimension(:), allocatable **chlaw**
- real ∗8, dimension(:), allocatable **subp**

- real ∗8, dimension(:), allocatable **sno_hru**
- real ∗8, dimension(:), allocatable **hru_ra**
- real ∗8, dimension(:), allocatable **wet_orgn**
- real ∗8, dimension(:), allocatable **tmx**
- real ∗8, dimension(:), allocatable **tmn**
- real ∗8, dimension(:), allocatable **rsdin**
- real ∗8, dimension(:), allocatable **tmp_hi**
- real ∗8, dimension(:), allocatable **tmp_lo**
- real ∗8, dimension(:), allocatable **rwt**
- real ∗8, dimension(:), allocatable **olai**
- real ∗8, dimension(:), allocatable **usle_k**
- real ∗8, dimension(:), allocatable **tconc**
- real ∗8, dimension(:), allocatable **hru_rmx**
- real ∗8, dimension(:), allocatable **usle_cfac**
- real ∗8, dimension(:), allocatable **usle_eifac**
- real ∗8, dimension(:), allocatable **anano3**
- real ∗8, dimension(:), allocatable **aird**
- real ∗8, dimension(:), allocatable **t_ov**
- real ∗8, dimension(:), allocatable **sol_sumfc**
- real ∗8, dimension(:), allocatable **sol_avpor**
- real ∗8, dimension(:), allocatable **usle_mult**
- real ∗8, dimension(:), allocatable **wet_orgp**
- real ∗8, dimension(:), allocatable **aairr**
- real ∗8, dimension(:), allocatable **cht**
- real ∗8, dimension(:), allocatable **u10**
- real ∗8, dimension(:), allocatable **rhd**
- real ∗8, dimension(:), allocatable **shallirr**
- real ∗8, dimension(:), allocatable **deepirr**
- real ∗8, dimension(:), allocatable **lai_aamx**
- real ∗8, dimension(:), allocatable **canstor**
- real ∗8, dimension(:), allocatable **ovrlnd**
- real ∗8, dimension(:), allocatable **ch_l1**
- real ∗8, dimension(:), allocatable **wet_no3**
- real ∗8, dimension(:), allocatable **irr_mx**
- real ∗8, dimension(:), allocatable **auto_wstr**
- real ∗8, dimension(:), allocatable **cfrt_id**
- real ∗8, dimension(:), allocatable **cfrt_kg**
- real ∗8, dimension(:), allocatable **cpst_id**
- real ∗8, dimension(:), allocatable **cpst_kg**
- real ∗8, dimension(:), allocatable **irr_asq**
- real ∗8, dimension(:), allocatable **irr_eff**
- real ∗8, dimension(:), allocatable **irrsq**
- real ∗8, dimension(:), allocatable **irrefm**
- real ∗8, dimension(:), allocatable **irrsalt**
- real ∗8, dimension(:), allocatable **bio_eat**
- real ∗8, dimension(:), allocatable **bio_trmp**
- integer, dimension(:), allocatable **ifrt_freq**
- integer, dimension(:), allocatable **ipst_freq**
- integer, dimension(:), allocatable **irr_noa**
- integer, dimension(:), allocatable **irr_sc**
- integer, dimension(:), allocatable **irr_no**
- integer, dimension(:), allocatable **imp_trig**
- integer, dimension(:), allocatable **fert_days**
- integer, dimension(:), allocatable **irr_sca**
- integer, dimension(:), allocatable **pest_days**

- integer, dimension(:), allocatable **idplt**
- integer, dimension(:), allocatable **wstrs_id**
- real ∗8, dimension(:,:), allocatable **bio_aahv**
- real ∗8, dimension(:), allocatable **cumei**
- real ∗8, dimension(:), allocatable **cumeira**
- real ∗8, dimension(:), allocatable **cumrt**
- real ∗8, dimension(:), allocatable **cumrai**
- real ∗8, dimension(:), allocatable **wet_solp**
- real ∗8, dimension(:), allocatable **wet_no3s**
- real ∗8, dimension(:), allocatable **wet_chla**
- real ∗8, dimension(:), allocatable **wet_seci**
- real ∗8, dimension(:), allocatable **pnd_no3g**
- real ∗8, dimension(:), allocatable **pstsol**
- real ∗8, dimension(:), allocatable **gwht**
- real ∗8, dimension(:), allocatable **delay**
- real ∗8, dimension(:), allocatable **gw_q**
- real ∗8, dimension(:), allocatable **pnd_solpg**
- real ∗8, dimension(:), allocatable **alpha_bf**
- real ∗8, dimension(:), allocatable **alpha_bfe**
- real ∗8, dimension(:), allocatable **gw_spyld**
- real ∗8, dimension(:), allocatable **alpha_bf_d**
- real ∗8, dimension(:), allocatable **alpha_bfe_d**
- real ∗8, dimension(:), allocatable **gw_qdeep**
- real ∗8, dimension(:), allocatable **gw_delaye**
- real ∗8, dimension(:), allocatable **gw_revap**
- real ∗8, dimension(:), allocatable **rchrg_dp**
- real ∗8, dimension(:), allocatable **revapmn**
- real ∗8, dimension(:), allocatable **anion_excl**
- real ∗8, dimension(:), allocatable **rchrg**
- real ∗8, dimension(:), allocatable **ffc**
- real ∗8, dimension(:), allocatable **bio_min**
- real ∗8, dimension(:), allocatable **surqsolp**
- real ∗8, dimension(:), allocatable **cklsp**
- real ∗8, dimension(:), allocatable **deepst**
- real ∗8, dimension(:), allocatable **shallst**
- real ∗8, dimension(:), allocatable **wet_solpg**
- real ∗8, dimension(:), allocatable **rchrg_src**
- real ∗8, dimension(:), allocatable **wet_no3g**
- real ∗8, dimension(:), allocatable **sol_avbd**
- real ∗8, dimension(:), allocatable **trapeff**
- real ∗8, dimension(:), allocatable **gwqmn**
- real ∗8, dimension(:), allocatable **tdrain**
- real ∗8, dimension(:), allocatable **pplnt**
- real ∗8, dimension(:), allocatable **snotmp**
- real ∗8, dimension(:), allocatable **ddrain**
- real ∗8, dimension(:), allocatable **gdrain**
- real ∗8, dimension(:), allocatable **sol_crk**
- real ∗8, dimension(:), allocatable **dayl**
- real ∗8, dimension(:), allocatable **brt**
- real ∗8, dimension(:), allocatable **ddrain_hru**
- real ∗8, dimension(:), allocatable **re**
- real ∗8, dimension(:), allocatable **sdrain**
- real ∗8, dimension(:), allocatable **sstmaxd**
- real ∗8, dimension(:), allocatable **stmaxd**
- real ∗8, dimension(:), allocatable **drain_co**

- real ∗8, dimension(:), allocatable **pc**
- real ∗8, dimension(:), allocatable **latksatf**
- real ∗8, dimension(:), allocatable **twash**
- real ∗8, dimension(:), allocatable **rnd2**
- real ∗8, dimension(:), allocatable **rnd3**
- real ∗8, dimension(:), allocatable **sol_cnsw**
- real ∗8, dimension(:), allocatable **doxq**
- real ∗8, dimension(:), allocatable **rnd8**
- real ∗8, dimension(:), allocatable **rnd9**
- real ∗8, dimension(:), allocatable **percn**
- real ∗8, dimension(:), allocatable **sol_sumwp**
- real ∗8, dimension(:), allocatable **tauton**
- real ∗8, dimension(:), allocatable **tautop**
- real ∗8, dimension(:), allocatable **cbodu**
- real ∗8, dimension(:), allocatable **chl_a**
- real ∗8, dimension(:), allocatable **qdr**
- real ∗8, dimension(:), allocatable **tfertn**
- real ∗8, dimension(:), allocatable **tfertp**
- real ∗8, dimension(:), allocatable **tgrazn**
- real ∗8, dimension(:), allocatable **tgrazp**
- real ∗8, dimension(:), allocatable **latno3**
- real ∗8, dimension(:), allocatable **latq**
- real ∗8, dimension(:), allocatable **minpgw**
- real ∗8, dimension(:), allocatable **no3gw**
- real ∗8, dimension(:), allocatable **nplnt**
- real ∗8, dimension(:), allocatable **tileq**
- real ∗8, dimension(:), allocatable **tileno3**
- real ∗8, dimension(:), allocatable **sedminpa**
- real ∗8, dimension(:), allocatable **sedminps**
- real ∗8, dimension(:), allocatable **sedorgn**
- real ∗8, dimension(:), allocatable **sedorgp**
- real ∗8, dimension(:), allocatable **sedyld**
- real ∗8, dimension(:), allocatable **sepbtm**
- real ∗8, dimension(:), allocatable **strsn**
- real ∗8, dimension(:), allocatable **strsp**
- real ∗8, dimension(:), allocatable **strstmp**
- real ∗8, dimension(:), allocatable **surfq**
- real ∗8, dimension(:), allocatable **surqno3**
- real ∗8, dimension(:), allocatable **tcfrtn**
- real ∗8, dimension(:), allocatable **tcfrtp**
- real ∗8, dimension(:), allocatable **hru_ha**
- real ∗8, dimension(:), allocatable **hru_dafr**
- real ∗8, dimension(:), allocatable **drydep_no3**
- real ∗8, dimension(:), allocatable **drydep_nh4**
- real ∗8, dimension(:), allocatable **phubase**
- real ∗8, dimension(:), allocatable **bio_yrms**
- real ∗8, dimension(:), allocatable **hvstiadj**
- real ∗8, dimension(:), allocatable **laimxfr**
- real ∗8, dimension(:), allocatable **laiday**
- real ∗8, dimension(:), allocatable **chlap**
- real ∗8, dimension(:), allocatable **pnd_psed**
- real ∗8, dimension(:), allocatable **wet_psed**
- real ∗8, dimension(:), allocatable **seccip**
- real ∗8, dimension(:), allocatable **plantn**
- real ∗8, dimension(:), allocatable **plt_et**

- real ∗8, dimension(:), allocatable **plt_pet**
- real ∗8, dimension(:), allocatable **plantp**
- real ∗8, dimension(:), allocatable **bio_aams**
- real ∗8, dimension(:), allocatable **bio_aamx**
- real ∗8, dimension(:), allocatable **lai_yrmx**
- real ∗8, dimension(:), allocatable **dormhr**
- real ∗8, dimension(:), allocatable **lat_pst**
- real ∗8, dimension(:), allocatable **orig_snohru**
- real ∗8, dimension(:), allocatable **orig_potvol**
- real ∗8, dimension(:), allocatable **fld_fr**
- real ∗8, dimension(:), allocatable **orig_alai**
- real ∗8, dimension(:), allocatable **orig_bioms**
- real ∗8, dimension(:), allocatable **pltfr_n**
- real ∗8, dimension(:), allocatable **orig_phuacc**
- real ∗8, dimension(:), allocatable **orig_sumix**
- real ∗8, dimension(:), allocatable **pltfr_p**
- real ∗8, dimension(:), allocatable **orig_phu**
- real ∗8, dimension(:), allocatable **phu_plt**
- real ∗8, dimension(:), allocatable **orig_shallst**
- real ∗8, dimension(:), allocatable **orig_deepst**
- real ∗8, dimension(:), allocatable **orig_pndvol**
- real ∗8, dimension(:), allocatable **orig_pndsed**
- real ∗8, dimension(:), allocatable **rip_fr**
- real ∗8, dimension(:), allocatable **orig_pndno3**
- real ∗8, dimension(:), allocatable **orig_pndsolp**
- real ∗8, dimension(:), allocatable **orig_pndorgn**
- real ∗8, dimension(:), allocatable **orig_pndorgp**
- real ∗8, dimension(:), allocatable **orig_wetvol**
- real ∗8, dimension(:), allocatable **orig_wetsed**
- real ∗8, dimension(:), allocatable **orig_wetno3**
- real ∗8, dimension(:), allocatable **orig_wetsolp**
- real ∗8, dimension(:), allocatable **orig_wetorgn**
- real ∗8, dimension(:), allocatable **orig_wetorgp**
- real ∗8, dimension(:), allocatable **orig_solcov**
- real ∗8, dimension(:), allocatable **orig_solsw**
- real ∗8, dimension(:), allocatable **orig_potno3**
- real ∗8, dimension(:), allocatable **orig_potsed**
- real ∗8, dimension(:), allocatable **wtab**
- real ∗8, dimension(:), allocatable **wtab_mn**
- real ∗8, dimension(:), allocatable **wtab_mx**
- real ∗8, dimension(:), allocatable **shallst_n**
- real ∗8, dimension(:), allocatable **gw_nloss**
- real ∗8, dimension(:), allocatable **rchrg_n**
- real ∗8, dimension(:), allocatable **det_san**
- real ∗8, dimension(:), allocatable **det_sil**
- real ∗8, dimension(:), allocatable **det_cla**
- real ∗8, dimension(:), allocatable **det_sag**
- real ∗8, dimension(:), allocatable **det_lag**
- real ∗8, dimension(:), allocatable **tnylda**
- real ∗8, dimension(:), allocatable **afrt_surface**
- real ∗8 **frt_surface**
- real ∗8, dimension(:), allocatable **auto_nyr**
- real ∗8, dimension(:), allocatable **auto_napp**
- real ∗8, dimension(:), allocatable **manure_kg**
- real ∗8, dimension(:), allocatable **auto_nstrs**

- real ∗8, dimension(:,:), allocatable **rcn_mo**
- real ∗8, dimension(:,:), allocatable **rammo_mo**
- real ∗8, dimension(:,:), allocatable **drydep_no3_mo**
- real ∗8, dimension(:,:), allocatable **drydep_nh4_mo**
- real ∗8, dimension(:), allocatable **rcn_d**
- real ∗8, dimension(:), allocatable **rammo_d**
- real ∗8, dimension(:), allocatable **drydep_no3_d**
- real ∗8, dimension(:), allocatable **drydep_nh4_d**
- real ∗8, dimension(:,:), allocatable **yldn**
- real ∗8, dimension(:,:), allocatable **gwati**
- real ∗8, dimension(:,:), allocatable **gwatn**
- real ∗8, dimension(:,:), allocatable **gwatl**
- real ∗8, dimension(:,:), allocatable **gwatw**
- real ∗8, dimension(:,:), allocatable **gwatd**
- real ∗8, dimension(:,:), allocatable **gwatveg**
- real ∗8, dimension(:,:), allocatable **gwata**
- real ∗8, dimension(:,:), allocatable **gwats**
- real ∗8, dimension(:,:), allocatable **gwatspcon**
- real ∗8, dimension(:,:), allocatable **rfqeo_30d**
- real ∗8, dimension(:,:), allocatable **eo_30d**
- real ∗8, dimension(:,:), allocatable **wgncur**
- real ∗8, dimension(:,:), allocatable **wgnold**
- real ∗8, dimension(:,:), allocatable **wrt**
- real ∗8, dimension(:,:), allocatable **psetlp**
- real ∗8, dimension(:,:), allocatable **zdb**
- real ∗8, dimension(:,:), allocatable **pst_surq**
- real ∗8, dimension(:,:), allocatable **pst_enr**
- real ∗8, dimension(:,:), allocatable **plt_pst**
- real ∗8, dimension(:,:), allocatable **pst_sed**
- real ∗8, dimension(:,:), allocatable **psetlw**
- real ∗8, dimension(:,:), allocatable **pcpband**
- real ∗8, dimension(:,:), allocatable **wupnd**
- real ∗8, dimension(:,:), allocatable **tavband**
- real ∗8, dimension(:,:), allocatable **phi**
- real ∗8, dimension(:,:), allocatable **wat_phi**
- real ∗8, dimension(:,:), allocatable **wushal**
- real ∗8, dimension(:,:), allocatable **wudeep**
- real ∗8, dimension(:,:), allocatable **tmnband**
- real ∗8, dimension(:,:), allocatable **snoeb**
- real ∗8, dimension(:,:), allocatable **nsetlw**
- real ∗8, dimension(:,:), allocatable **snotmpeb**
- real ∗8, dimension(:,:), allocatable **bss**
- real ∗8, dimension(:,:), allocatable **surf_bs**
- real ∗8, dimension(:,:), allocatable **tmxband**
- real ∗8, dimension(:,:), allocatable **nsetlp**
- real ∗8, dimension(:,:), allocatable **rainsub**
- real ∗8, dimension(:,:), allocatable **frad**
- real ∗8, dimension(:), allocatable **rstpbsb**
- real ∗8, dimension(:,:), allocatable **orig_snoeb**
- real ∗8, dimension(:,:), allocatable **orig_pltpst**
- real ∗8, dimension(:,:), allocatable **terr_p**
- real ∗8, dimension(:,:), allocatable **terr_cn**
- real ∗8, dimension(:,:), allocatable **terr_sl**
- real ∗8, dimension(:,:), allocatable **drain_d**
- real ∗8, dimension(:,:), allocatable **drain_t**

- real ∗8, dimension(:,:), allocatable **drain_g**
- real ∗8, dimension(:,:), allocatable **drain_idep**
- real ∗8, dimension(:,:), allocatable **cont_cn**
- real ∗8, dimension(:,:), allocatable **cont_p**
- real ∗8, dimension(:,:), allocatable **filt_w**
- real ∗8, dimension(:,:), allocatable **strip_n**
- real ∗8, dimension(:,:), allocatable **strip_cn**
- real ∗8, dimension(:,:), allocatable **strip_c**
- real ∗8, dimension(:,:), allocatable **strip_p**
- real ∗8, dimension(:,:), allocatable **fire_cn**
- real ∗8, dimension(:,:), allocatable **cropno_upd**
- real ∗8, dimension(:,:), allocatable **hi_upd**
- real ∗8, dimension(:,:), allocatable **laimx_upd**
- real ∗8, dimension(:,:,:), allocatable **pst_lag**
- real ∗8, dimension(:,:,:), allocatable **phug**
- integer, dimension(:), allocatable **nrelease**
- integer, dimension(:), allocatable **swtrg**
- integer, dimension(:), allocatable **hrupest**
- integer, dimension(:), allocatable **nro**
- integer, dimension(:), allocatable **nrot**
- integer, dimension(:), allocatable **nfert**
- integer, dimension(:), allocatable **igro**
- integer, dimension(:), allocatable **nair**
- integer, dimension(:), allocatable **ipnd1**
- integer, dimension(:), allocatable **ipnd2**
- integer, dimension(:), allocatable **nirr**
- integer, dimension(:), allocatable **iflod1**
- integer, dimension(:), allocatable **iflod2**
- integer, dimension(:), allocatable **ndtarg**
- integer, dimension(:), allocatable **iafrttyp**
- integer, dimension(:), allocatable **nstress**
- integer, dimension(:), allocatable **igrotree**
- integer, dimension(:), allocatable **grz_days**
- integer, dimension(:), allocatable **nmgt**
- integer, dimension(:), allocatable **icr**
- integer, dimension(:), allocatable **ncut**
- integer, dimension(:), allocatable **nsweep**
- integer, dimension(:), allocatable **nafert**
- integer, dimension(:), allocatable **irn**
- integer, dimension(:), allocatable **irrno**
- integer, dimension(:), allocatable **sol_nly**
- integer, dimension(:), allocatable **npcp**
- integer, dimension(:), allocatable **igrz**
- integer, dimension(:), allocatable **ndeat**
- integer, dimension(:), allocatable **ngr**
- integer, dimension(:), allocatable **ncf**
- integer, dimension(:), allocatable **idorm**
- integer, dimension(:), allocatable **urblu**
- integer, dimension(:), allocatable **hru_sub**
- integer, dimension(:), allocatable **ldrain**
- integer, dimension(:), allocatable **hru_seq**
- integer, dimension(:), allocatable **iurban**
- integer, dimension(:), allocatable **iday_fert**
- integer, dimension(:), allocatable **icfrt**
- integer, dimension(:), allocatable **ndcfrt**

- integer, dimension(:), allocatable **irip**
- integer, dimension(:), allocatable **ifld**
- integer, dimension(:), allocatable **hrugis**
- integer, dimension(:), allocatable **orig_igro**
- integer, dimension(:), allocatable **ntil**
- integer, dimension(:), allocatable **irrsc**
- integer, dimension(:), allocatable **iwatable**
- integer, dimension(:), allocatable **curyr_mat**
- integer, dimension(:), allocatable **ncpest**
- integer, dimension(:), allocatable **icpst**
- integer, dimension(:), allocatable **ndcpst**
- integer, dimension(:), allocatable **iday_pest**
- integer, dimension(:), allocatable **irr_flag**
- integer, dimension(:), allocatable **irra_flag**
- integer, dimension(:,:), allocatable **rndseed**
- integer, dimension(:,:), allocatable **iterr**
- integer, dimension(:,:), allocatable **iyterr**
- integer, dimension(:,:), allocatable **itdrain**
- integer, dimension(:,:), allocatable **iydrain**
- integer, dimension(:,:), allocatable **ncrops**
- integer, dimension(:), allocatable **manure_id**
- integer, dimension(:,:), allocatable **mgt_sdr**
- integer, dimension(:,:), allocatable **idplrot**
- integer, dimension(:,:), allocatable **icont**
- integer, dimension(:,:), allocatable **iycont**
- integer, dimension(:,:), allocatable **ifilt**
- integer, dimension(:,:), allocatable **iyfilt**
- integer, dimension(:,:), allocatable **istrip**
- integer, dimension(:,:), allocatable **iystrip**
- integer, dimension(:,:), allocatable **iopday**
- integer, dimension(:,:), allocatable **iopyr**
- integer, dimension(:,:), allocatable **mgt_ops**
- real ∗8, dimension(:), allocatable **wshd_pstap**
- real ∗8, dimension(:), allocatable **wshd_pstdg**
- integer, dimension(:), allocatable **ndmo**
- integer, dimension(:), allocatable **npno**
- integer, dimension(:), allocatable **mcrhru**
- character(len=13), dimension(18) **rfile**
- character(len=13), dimension(18) **tfile**
- character(len=4), dimension(1000) **urbname**
- character(len=1), dimension(:), allocatable **hydgrp**
- character(len=1), dimension(:), allocatable **kirr**
- character(len=16), dimension(:), allocatable **snam**
- character(len=17), dimension(300) **pname**
- character(len=13), dimension(79) **heds**
- character(len=13), dimension(24) **hedb**
- character(len=13), dimension(46) **hedr**
- character(len=13), dimension(41) **hedrsv**
- character(len=13), dimension(40) **hedwtr**
- character(len=4), dimension(60) **title**
- character(len=4), dimension(5000) **cpnm**
- character(len=17), dimension(50) **fname**
- real ∗8, dimension(:,:,:), allocatable **flomon**
- real ∗8, dimension(:,:,:), allocatable **solpstmon**
- real ∗8, dimension(:,:,:), allocatable **srbpstmon**

- real ∗8, dimension(:,:,:), allocatable **sedmon**
- real ∗8, dimension(:,:,:), allocatable **orgnmon**
- real ∗8, dimension(:,:,:), allocatable **orgpmon**
- real ∗8, dimension(:,:,:), allocatable **no3mon**
- real ∗8, dimension(:,:,:), allocatable **minpmon**
- real ∗8, dimension(:,:,:), allocatable **nh3mon**
- real ∗8, dimension(:,:,:), allocatable **no2mon**
- real ∗8, dimension(:,:,:), allocatable **bactpmon**
- real ∗8, dimension(:,:,:), allocatable **bactlpmon**
- real ∗8, dimension(:,:,:), allocatable **cmtl1mon**
- real ∗8, dimension(:,:,:), allocatable **cmtl2mon**
- real ∗8, dimension(:,:,:), allocatable **cmtl3mon**
- real ∗8, dimension(:,:,:), allocatable **chlamon**
- real ∗8, dimension(:,:,:), allocatable **disoxmon**
- real ∗8, dimension(:,:,:), allocatable **cbodmon**
- real ∗8, dimension(:,:), allocatable **floyr**
- real ∗8, dimension(:,:), allocatable **sedyr**
- real ∗8, dimension(:,:), allocatable **orgnyr**
- real ∗8, dimension(:,:), allocatable **orgpyr**
- real ∗8, dimension(:,:), allocatable **no3yr**
- real ∗8, dimension(:,:), allocatable **minpyr**
- real ∗8, dimension(:,:), allocatable **nh3yr**
- real ∗8, dimension(:,:), allocatable **no2yr**
- real ∗8, dimension(:,:), allocatable **bactpyr**
- real ∗8, dimension(:,:), allocatable **bactlpyr**
- real ∗8, dimension(:,:), allocatable **cmtl1yr**
- real ∗8, dimension(:,:), allocatable **cmtl2yr**
- real ∗8, dimension(:,:), allocatable **cmtl3yr**
- real ∗8, dimension(:,:), allocatable **chlayr**
- real ∗8, dimension(:,:), allocatable **disoxyr**
- real ∗8, dimension(:,:), allocatable **cbodyr**
- real ∗8, dimension(:,:), allocatable **solpstyr**
- real ∗8, dimension(:,:), allocatable **srbpstyr**
- real ∗8, dimension(:,:), allocatable **sol_mc**
- real ∗8, dimension(:,:), allocatable **sol_mn**
- real ∗8, dimension(:,:), allocatable **sol_mp**
- real ∗8, dimension(:), allocatable **flocnst**
- real ∗8, dimension(:), allocatable **sedcnst**
- real ∗8, dimension(:), allocatable **orgncnst**
- real ∗8, dimension(:), allocatable **orgpcnst**
- real ∗8, dimension(:), allocatable **no3cnst**
- real ∗8, dimension(:), allocatable **minpcnst**
- real ∗8, dimension(:), allocatable **nh3cnst**
- real ∗8, dimension(:), allocatable **no2cnst**
- real ∗8, dimension(:), allocatable **bactpcnst**
- real ∗8, dimension(:), allocatable **cmtl1cnst**
- real ∗8, dimension(:), allocatable **cmtl2cnst**
- real ∗8, dimension(:), allocatable **bactlpcnst**
- real ∗8, dimension(:), allocatable **cmtl3cnst**
- real ∗8, dimension(:), allocatable **chlacnst**
- real ∗8, dimension(:), allocatable **disoxcnst**
- real ∗8, dimension(:), allocatable **cbodcnst**
- real ∗8, dimension(:), allocatable **solpstcnst**
- real ∗8, dimension(:), allocatable **srbpstcnst**
- integer **idt**

- integer **nstep**
- real ∗8, dimension(:), allocatable **hrtwtr**
- real ∗8, dimension(:), allocatable **hhstor**
- real ∗8, dimension(:), allocatable **hdepth**
- real ∗8, dimension(:), allocatable **hsdti**
- real ∗8, dimension(:), allocatable **hrchwtr**
- real ∗8, dimension(:), allocatable **halgae**
- real ∗8, dimension(:), allocatable **horgn**
- real ∗8, dimension(:), allocatable **hnh4**
- real ∗8, dimension(:), allocatable **hno2**
- real ∗8, dimension(:), allocatable **hno3**
- real ∗8, dimension(:), allocatable **horgp**
- real ∗8, dimension(:), allocatable **hsolp**
- real ∗8, dimension(:), allocatable **hbod**
- real ∗8, dimension(:), allocatable **hdisox**
- real ∗8, dimension(:), allocatable **hchla**
- real ∗8, dimension(:), allocatable **hsedyld**
- real ∗8, dimension(:), allocatable **hsedst**
- real ∗8, dimension(:), allocatable **hharea**
- real ∗8, dimension(:), allocatable **hsolpst**
- real ∗8, dimension(:), allocatable **hsorpst**
- real ∗8, dimension(:), allocatable **hhqday**
- real ∗8, dimension(:), allocatable **precipdt**
- real ∗8, dimension(:), allocatable **hhtime**
- real ∗8, dimension(:), allocatable **hbactp**
- real ∗8, dimension(:), allocatable **hbactlp**
- integer, dimension(:), allocatable **ivar_orig**
- real ∗8, dimension(:), allocatable **rvar_orig**
- integer **nauto**
- integer **nsave**
- integer **iatmodep**
- real ∗8, dimension(:), allocatable **wattemp**
- real ∗8, dimension(:), allocatable **lkpst_mass**
- real ∗8, dimension(:), allocatable **lkspst_mass**
- real ∗8, dimension(:), allocatable **vel_chan**
- real ∗8, dimension(:), allocatable **vfscon**
- real ∗8, dimension(:), allocatable **vfsratio**
- real ∗8, dimension(:), allocatable **vfsch**
- real ∗8, dimension(:), allocatable **vfsi**
- real ∗8, dimension(:,:), allocatable **filter_i**
- real ∗8, dimension(:,:), allocatable **filter_ratio**
- real ∗8, dimension(:,:), allocatable **filter_con**
- real ∗8, dimension(:,:), allocatable **filter_ch**
- real ∗8, dimension(:,:), allocatable **sol_n**
- integer **cswat**
- real ∗8, dimension(:,:), allocatable **sol_bdp**
- real ∗8, dimension(:,:), allocatable **tillagef**
- real ∗8, dimension(:), allocatable **rtfr**
- real ∗8, dimension(:), allocatable **stsol_rd**
- integer **urban_flag**
- integer **dorm_flag**
- real ∗8 **bf_flg**
- real ∗8 **iabstr**
- real ∗8, dimension(:), allocatable **ubnrunoff**
- real ∗8, dimension(:), allocatable **ubntss**

- real ∗8, dimension(:,:), allocatable **sub_ubnrunoff**
- real ∗8, dimension(:,:), allocatable **sub_ubntss**
- real ∗8, dimension(:,:), allocatable **ovrlnd_dt**
- real ∗8, dimension(:,:,:), allocatable **hhsurf_bs**
- integer **sed_ch**
- integer **iuh**
- real ∗8 **eros_spl**
- real ∗8 **rill_mult**
- real ∗8 **eros_expo**
- real ∗8 **sedprev**
- real ∗8 **c_factor**
- real ∗8 **sig_g**
- real ∗8 **ch_d50**
- real ∗8 **uhalpha**
- real ∗8 **abstinit**
- real ∗8 **abstmax**
- real ∗8, dimension(:,:), allocatable **hhsedy**
- real ∗8, dimension(:,:), allocatable **sub_subp_dt**
- real ∗8, dimension(:,:), allocatable **sub_hhsedy**
- real ∗8, dimension(:,:), allocatable **sub_atmp**
- real ∗8, dimension(:), allocatable **rhy**
- real ∗8, dimension(:), allocatable **init_abstrc**
- real ∗8, dimension(:), allocatable **dratio**
- real ∗8, dimension(:), allocatable **hrtevp**
- real ∗8, dimension(:), allocatable **hrttlc**
- real ∗8, dimension(:,:,:), allocatable **rchhr**
- real ∗8, dimension(:), allocatable **hhresflwi**
- real ∗8, dimension(:), allocatable **hhresflwo**
- real ∗8, dimension(:), allocatable **hhressedi**
- real ∗8, dimension(:), allocatable **hhressedo**
- character(len=4), dimension(:), allocatable **lu_nodrain**
- integer, dimension(:), allocatable **bmpdrain**
- real ∗8, dimension(:), allocatable **sub_cn2**
- real ∗8, dimension(:), allocatable **sub_ha_urb**
- real ∗8, dimension(:), allocatable **bmp_recharge**
- real ∗8, dimension(:), allocatable **sub_ha_imp**
- real ∗8, dimension(:), allocatable **subdr_km**
- real ∗8, dimension(:), allocatable **subdr_ickm**
- real ∗8, dimension(:,:), allocatable **sf_im**
- real ∗8, dimension(:,:), allocatable **sf_iy**
- real ∗8, dimension(:,:), allocatable **sp_sa**
- real ∗8, dimension(:,:), allocatable **sp_pvol**
- real ∗8, dimension(:,:), allocatable **sp_pd**
- real ∗8, dimension(:,:), allocatable **sp_sedi**
- real ∗8, dimension(:,:), allocatable **sp_sede**
- real ∗8, dimension(:,:), allocatable **ft_sa**
- real ∗8, dimension(:,:), allocatable **ft_fsa**
- real ∗8, dimension(:,:), allocatable **ft_dep**
- real ∗8, dimension(:,:), allocatable **ft_h**
- real ∗8, dimension(:,:), allocatable **ft_pd**
- real ∗8, dimension(:,:), allocatable **ft_k**
- real ∗8, dimension(:,:), allocatable **ft_dp**
- real ∗8, dimension(:,:), allocatable **ft_dc**
- real ∗8, dimension(:,:), allocatable **ft_por**
- real ∗8, dimension(:,:), allocatable **tss_den**

- real ∗8, dimension(:,:), allocatable **ft_alp**
- real ∗8, dimension(:,:), allocatable **sf_fr**
- real ∗8, dimension(:,:), allocatable **sp_qi**
- real ∗8, dimension(:,:), allocatable **sp_k**
- real ∗8, dimension(:,:), allocatable **ft_qpnd**
- real ∗8, dimension(:,:), allocatable **sp_dp**
- real ∗8, dimension(:,:), allocatable **ft_qsw**
- real ∗8, dimension(:,:), allocatable **ft_qin**
- real ∗8, dimension(:,:), allocatable **ft_qout**
- real ∗8, dimension(:,:), allocatable **ft_sedpnd**
- real ∗8, dimension(:,:), allocatable **sp_bpw**
- real ∗8, dimension(:,:), allocatable **ft_bpw**
- real ∗8, dimension(:,:), allocatable **ft_sed_cumul**
- real ∗8, dimension(:,:), allocatable **sp_sed_cumul**
- integer, dimension(:), allocatable **num_sf**
- integer, dimension(:,:), allocatable **sf_typ**
- integer, dimension(:,:), allocatable **sf_dim**
- integer, dimension(:,:), allocatable **ft_qfg**
- integer, dimension(:,:), allocatable **sp_qfg**
- integer, dimension(:,:), allocatable **sf_ptp**
- integer, dimension(:,:), allocatable **ft_fc**
- real ∗8 **sfsedmean**
- real ∗8 **sfsedstdev**
- integer, dimension(:), allocatable **dtp_subnum**
- integer, dimension(:), allocatable **dtp_imo**
- integer, dimension(:), allocatable **dtp_iyr**
- integer, dimension(:), allocatable **dtp_numweir**
- integer, dimension(:), allocatable **dtp_numstage**
- integer, dimension(:), allocatable **dtp_stagdis**
- integer, dimension(:), allocatable **dtp_reltype**
- integer, dimension(:), allocatable **dtp_onoff**
- real ∗8, dimension(:), allocatable **cf**
- real ∗8, dimension(:), allocatable **cfh**
- real ∗8, dimension(:), allocatable **cfdec**
- real ∗8, dimension(:), allocatable **lat_orgn**
- real ∗8, dimension(:), allocatable **lat_orgp**
- integer, dimension(:,:), allocatable **dtp_weirtype**
- integer, dimension(:,:), allocatable **dtp_weirdim**
- real ∗8, dimension(:), allocatable **dtp_evrsv**
- real ∗8, dimension(:), allocatable **dtp_inflvol**
- real ∗8, dimension(:), allocatable **dtp_totwrwid**
- real ∗8, dimension(:), allocatable **dtp_lwratio**
- real ∗8, dimension(:), allocatable **dtp_wdep**
- real ∗8, dimension(:), allocatable **dtp_totdep**
- real ∗8, dimension(:), allocatable **dtp_watdepact**
- real ∗8, dimension(:), allocatable **dtp_outflow**
- real ∗8, dimension(:), allocatable **dtp_totrel**
- real ∗8, dimension(:), allocatable **dtp_backoff**
- real ∗8, dimension(:), allocatable **dtp_seep_sa**
- real ∗8, dimension(:), allocatable **dtp_evap_sa**
- real ∗8, dimension(:), allocatable **dtp_pet_day**
- real ∗8, dimension(:), allocatable **dtp_pcpvol**
- real ∗8, dimension(:), allocatable **dtp_seepvol**
- real ∗8, dimension(:), allocatable **dtp_evapvol**
- real ∗8, dimension(:), allocatable **dtp_flowin**

- real ∗8, dimension(:), allocatable **dtp_backup_length**
- real ∗8, dimension(:), allocatable **dtp_intcept**
- real ∗8, dimension(:), allocatable **dtp_expont**
- real ∗8, dimension(:), allocatable **dtp_coef1**
- real ∗8, dimension(:), allocatable **dtp_coef2**
- real ∗8, dimension(:), allocatable **dtp_coef3**
- real ∗8, dimension(:), allocatable **dtp_dummy1**
- real ∗8, dimension(:), allocatable **dtp_dummy2**
- real ∗8, dimension(:), allocatable **dtp_dummy3**
- real ∗8, dimension(:), allocatable **dtp_ivol**
- real ∗8, dimension(:), allocatable **dtp_ised**
- integer, dimension(:,:), allocatable **so_res_flag**
- integer, dimension(:,:), allocatable **ro_bmp_flag**
- real ∗8, dimension(:,:), allocatable **sol_watp**
- real ∗8, dimension(:,:), allocatable **sol_solp_pre**
- real ∗8, dimension(:,:), allocatable **psp_store**
- real ∗8, dimension(:,:), allocatable **ssp_store**
- real ∗8, dimension(:,:), allocatable **so_res**
- real ∗8, dimension(:,:), allocatable **sol_cal**
- real ∗8, dimension(:,:), allocatable **sol_ph**
- integer **sol_p_model**
- integer, dimension(:,:), allocatable **a_days**
- integer, dimension(:,:), allocatable **b_days**
- real ∗8, dimension(:), allocatable **harv_min**
- real ∗8, dimension(:), allocatable **fstap**
- real ∗8, dimension(:), allocatable **min_res**
- real ∗8, dimension(:,:), allocatable **ro_bmp_flo**
- real ∗8, dimension(:,:), allocatable **ro_bmp_sed**
- real ∗8, dimension(:,:), allocatable **ro_bmp_bac**
- real ∗8, dimension(:,:), allocatable **ro_bmp_pp**
- real ∗8, dimension(:,:), allocatable **ro_bmp_sp**
- real ∗8, dimension(:,:), allocatable **ro_bmp_pn**
- real ∗8, dimension(:,:), allocatable **ro_bmp_sn**
- real ∗8, dimension(:,:), allocatable **ro_bmp_flos**
- real ∗8, dimension(:,:), allocatable **ro_bmp_seds**
- real ∗8, dimension(:,:), allocatable **ro_bmp_bacs**
- real ∗8, dimension(:,:), allocatable **ro_bmp_pps**
- real ∗8, dimension(:,:), allocatable **ro_bmp_sps**
- real ∗8, dimension(:,:), allocatable **ro_bmp_pns**
- real ∗8, dimension(:,:), allocatable **ro_bmp_sns**
- real ∗8, dimension(:,:), allocatable **ro_bmp_flot**
- real ∗8, dimension(:,:), allocatable **ro_bmp_sedt**
- real ∗8, dimension(:,:), allocatable **ro_bmp_bact**
- real ∗8, dimension(:,:), allocatable **ro_bmp_ppt**
- real ∗8, dimension(:,:), allocatable **ro_bmp_spt**
- real ∗8, dimension(:,:), allocatable **ro_bmp_pnt**
- real ∗8, dimension(:,:), allocatable **ro_bmp_snt**
- real ∗8, dimension(:), allocatable **bmp_flo**
- real ∗8, dimension(:), allocatable **bmp_sed**
- real ∗8, dimension(:), allocatable **bmp_bac**
- real ∗8, dimension(:), allocatable **bmp_pp**
- real ∗8, dimension(:), allocatable **bmp_sp**
- real ∗8, dimension(:), allocatable **bmp_pn**
- real ∗8, dimension(:), allocatable **bmp_sn**
- real ∗8, dimension(:), allocatable **bmp_flag**

- real ∗8, dimension(:), allocatable **bmp_flos**
- real ∗8, dimension(:), allocatable **bmp_seds**
- real ∗8, dimension(:), allocatable **bmp_bacs**
- real ∗8, dimension(:), allocatable **bmp_pps**
- real ∗8, dimension(:), allocatable **bmp_sps**
- real ∗8, dimension(:), allocatable **bmp_pns**
- real ∗8, dimension(:), allocatable **bmp_sns**
- real ∗8, dimension(:), allocatable **bmp_flot**
- real ∗8, dimension(:), allocatable **bmp_sedt**
- real ∗8, dimension(:), allocatable **bmp_bact**
- real ∗8, dimension(:), allocatable **bmp_ppt**
- real ∗8, dimension(:), allocatable **bmp_spt**
- real ∗8, dimension(:), allocatable **bmp_pnt**
- real ∗8, dimension(:), allocatable **bmp_snt**
- real ∗8, dimension(:,:), allocatable **dtp_wdratio**
- real ∗8, dimension(:,:), allocatable **dtp_depweir**
- real ∗8, dimension(:,:), allocatable **dtp_diaweir**
- real ∗8, dimension(:,:), allocatable **dtp_retperd**
- real ∗8, dimension(:,:), allocatable **dtp_pcpret**
- real ∗8, dimension(:,:), allocatable **dtp_cdis**
- real ∗8, dimension(:,:), allocatable **dtp_flowrate**
- real ∗8, dimension(:,:), allocatable **dtp_wrwid**
- real ∗8, dimension(:,:), allocatable **dtp_addon**
- real ∗8, dimension(:), allocatable **ri_subkm**
- real ∗8, dimension(:), allocatable **ri_totpvol**
- real ∗8, dimension(:), allocatable **irmmdt**
- real ∗8, dimension(:,:), allocatable **ri_sed**
- real ∗8, dimension(:,:), allocatable **ri_fr**
- real ∗8, dimension(:,:), allocatable **ri_dim**
- real ∗8, dimension(:,:), allocatable **ri_im**
- real ∗8, dimension(:,:), allocatable **ri_iy**
- real ∗8, dimension(:,:), allocatable **ri_sa**
- real ∗8, dimension(:,:), allocatable **ri_vol**
- real ∗8, dimension(:,:), allocatable **ri_qi**
- real ∗8, dimension(:,:), allocatable **ri_k**
- real ∗8, dimension(:,:), allocatable **ri_dd**
- real ∗8, dimension(:,:), allocatable **ri_evrsv**
- real ∗8, dimension(:,:), allocatable **ri_dep**
- real ∗8, dimension(:,:), allocatable **ri_ndt**
- real ∗8, dimension(:,:), allocatable **ri_pmpvol**
- real ∗8, dimension(:,:), allocatable **ri_sed_cumul**
- real ∗8, dimension(:,:), allocatable **hrnopcp**
- real ∗8, dimension(:,:), allocatable **ri_qloss**
- real ∗8, dimension(:,:), allocatable **ri_pumpv**
- real ∗8, dimension(:,:), allocatable **ri_sedi**
- character(len=4), dimension(:,:), allocatable **ri_nirr**
- integer, dimension(:), allocatable **num_ri**
- integer, dimension(:), allocatable **ri_luflg**
- integer, dimension(:), allocatable **num_noirr**
- integer, dimension(:), allocatable **wtp_subnum**
- integer, dimension(:), allocatable **wtp_onoff**
- integer, dimension(:), allocatable **wtp_imo**
- integer, dimension(:), allocatable **wtp_iyr**
- integer, dimension(:), allocatable **wtp_dim**
- integer, dimension(:), allocatable **wtp_stagdis**

- integer, dimension(:), allocatable **wtp_sdtype**
- real ∗8, dimension(:), allocatable **wtp_pvol**
- real ∗8, dimension(:), allocatable **wtp_pdepth**
- real ∗8, dimension(:), allocatable **wtp_sdslope**
- real ∗8, dimension(:), allocatable **wtp_lenwdth**
- real ∗8, dimension(:), allocatable **wtp_extdepth**
- real ∗8, dimension(:), allocatable **wtp_hydeff**
- real ∗8, dimension(:), allocatable **wtp_evrsv**
- real ∗8, dimension(:), allocatable **wtp_sdintc**
- real ∗8, dimension(:), allocatable **wtp_sdexp**
- real ∗8, dimension(:), allocatable **wtp_sdc1**
- real ∗8, dimension(:), allocatable **wtp_sdc2**
- real ∗8, dimension(:), allocatable **wtp_sdc3**
- real ∗8, dimension(:), allocatable **wtp_pdia**
- real ∗8, dimension(:), allocatable **wtp_plen**
- real ∗8, dimension(:), allocatable **wtp_pmann**
- real ∗8, dimension(:), allocatable **wtp_ploss**
- real ∗8, dimension(:), allocatable **wtp_k**
- real ∗8, dimension(:), allocatable **wtp_dp**
- real ∗8, dimension(:), allocatable **wtp_sedi**
- real ∗8, dimension(:), allocatable **wtp_sede**
- real ∗8, dimension(:), allocatable **wtp_qi**
- real ∗8 **bio_init**
- real ∗8 **lai_init**
- real ∗8 **cnop**
- real ∗8 **hi_ovr**
- real ∗8 **harveff**
- real ∗8 **frac_harvk**
- real ∗8 **lid_vgcl**
- real ∗8 **lid_vgcm**
- real ∗8 **lid_qsurf_total**
- real ∗8 **lid_farea_sum**
- real ∗8, dimension(:,:), allocatable **lid_cuminf_last**
- real ∗8, dimension(:,:), allocatable **lid_sw_last**
- real ∗8, dimension(:,:), allocatable **interval_last**
- real ∗8, dimension(:,:), allocatable **lid_f_last**
- real ∗8, dimension(:,:), allocatable **lid_cumr_last**
- real ∗8, dimension(:,:), allocatable **lid_str_last**
- real ∗8, dimension(:,:), allocatable **lid_farea**
- real ∗8, dimension(:,:), allocatable **lid_qsurf**
- real ∗8, dimension(:,:), allocatable **lid_sw_add**
- real ∗8, dimension(:,:), allocatable **lid_cumqperc_last**
- real ∗8, dimension(:,:), allocatable **lid_cumirr_last**
- real ∗8, dimension(:,:), allocatable **lid_excum_last**
- integer, dimension(:,:), allocatable **gr_onoff**
- integer, dimension(:,:), allocatable **gr_imo**
- integer, dimension(:,:), allocatable **gr_iyr**
- real ∗8, dimension(:,:), allocatable **gr_farea**
- real ∗8, dimension(:,:), allocatable **gr_solop**
- real ∗8, dimension(:,:), allocatable **gr_etcoef**
- real ∗8, dimension(:,:), allocatable **gr_fc**
- real ∗8, dimension(:,:), allocatable **gr_wp**
- real ∗8, dimension(:,:), allocatable **gr_ksat**
- real ∗8, dimension(:,:), allocatable **gr_por**
- real ∗8, dimension(:,:), allocatable **gr_hydeff**

- real ∗8, dimension(:,:), allocatable **gr_soldpt**
- real ∗8, dimension(:,:), allocatable **gr_dummy1**
- real ∗8, dimension(:,:), allocatable **gr_dummy2**
- real ∗8, dimension(:,:), allocatable **gr_dummy3**
- real ∗8, dimension(:,:), allocatable **gr_dummy4**
- real ∗8, dimension(:,:), allocatable **gr_dummy5**
- integer, dimension(:,:), allocatable **rg_onoff**
- integer, dimension(:,:), allocatable **rg_imo**
- integer, dimension(:,:), allocatable **rg_iyr**
- real ∗8, dimension(:,:), allocatable **rg_farea**
- real ∗8, dimension(:,:), allocatable **rg_solop**
- real ∗8, dimension(:,:), allocatable **rg_etcoef**
- real ∗8, dimension(:,:), allocatable **rg_fc**
- real ∗8, dimension(:,:), allocatable **rg_wp**
- real ∗8, dimension(:,:), allocatable **rg_ksat**
- real ∗8, dimension(:,:), allocatable **rg_por**
- real ∗8, dimension(:,:), allocatable **rg_hydeff**
- real ∗8, dimension(:,:), allocatable **rg_soldpt**
- real ∗8, dimension(:,:), allocatable **rg_dimop**
- real ∗8, dimension(:,:), allocatable **rg_sarea**
- real ∗8, dimension(:,:), allocatable **rg_vol**
- real ∗8, dimension(:,:), allocatable **rg_sth**
- real ∗8, dimension(:,:), allocatable **rg_sdia**
- real ∗8, dimension(:,:), allocatable **rg_bdia**
- real ∗8, dimension(:,:), allocatable **rg_sts**
- real ∗8, dimension(:,:), allocatable **rg_orifice**
- real ∗8, dimension(:,:), allocatable **rg_oheight**
- real ∗8, dimension(:,:), allocatable **rg_odia**
- real ∗8, dimension(:,:), allocatable **rg_dummy1**
- real ∗8, dimension(:,:), allocatable **rg_dummy2**
- real ∗8, dimension(:,:), allocatable **rg_dummy3**
- real ∗8, dimension(:,:), allocatable **rg_dummy4**
- real ∗8, dimension(:,:), allocatable **rg_dummy5**
- integer, dimension(:,:), allocatable **cs_onoff**
- integer, dimension(:,:), allocatable **cs_imo**
- integer, dimension(:,:), allocatable **cs_iyr**
- integer, dimension(:,:), allocatable **cs_grcon**
- real ∗8, dimension(:,:), allocatable **cs_farea**
- real ∗8, dimension(:,:), allocatable **cs_vol**
- real ∗8, dimension(:,:), allocatable **cs_rdepth**
- real ∗8, dimension(:,:), allocatable **cs_dummy1**
- real ∗8, dimension(:,:), allocatable **cs_dummy2**
- real ∗8, dimension(:,:), allocatable **cs_dummy3**
- real ∗8, dimension(:,:), allocatable **cs_dummy4**
- real ∗8, dimension(:,:), allocatable **cs_dummy5**
- integer, dimension(:,:), allocatable **pv_onoff**
- integer, dimension(:,:), allocatable **pv_imo**
- integer, dimension(:,:), allocatable **pv_iyr**
- integer, dimension(:,:), allocatable **pv_solop**
- real ∗8, dimension(:,:), allocatable **pv_grvdep**
- real ∗8, dimension(:,:), allocatable **pv_grvpor**
- real ∗8, dimension(:,:), allocatable **pv_farea**
- real ∗8, dimension(:,:), allocatable **pv_drcoef**
- real ∗8, dimension(:,:), allocatable **pv_fc**
- real ∗8, dimension(:,:), allocatable **pv_wp**

- real ∗8, dimension(:,:), allocatable **pv_ksat**
- real ∗8, dimension(:,:), allocatable **pv_por**
- real ∗8, dimension(:,:), allocatable **pv_hydeff**
- real ∗8, dimension(:,:), allocatable **pv_soldpt**
- real ∗8, dimension(:,:), allocatable **pv_dummy1**
- real ∗8, dimension(:,:), allocatable **pv_dummy2**
- real ∗8, dimension(:,:), allocatable **pv_dummy3**
- real ∗8, dimension(:,:), allocatable **pv_dummy4**
- real ∗8, dimension(:,:), allocatable **pv_dummy5**
- integer, dimension(:,:), allocatable **lid_onoff**
- real ∗8, dimension(:,:), allocatable **sol_bmc**
- real ∗8, dimension(:,:), allocatable **sol_bmn**
- real ∗8, dimension(:,:), allocatable **sol_hsc**
- real ∗8, dimension(:,:), allocatable **sol_hsn**
- real ∗8, dimension(:,:), allocatable **sol_hpc**
- real ∗8, dimension(:,:), allocatable **sol_hpn**
- real ∗8, dimension(:,:), allocatable **sol_lm**
- real ∗8, dimension(:,:), allocatable **sol_lmc**
- real ∗8, dimension(:,:), allocatable **sol_lmn**
- real ∗8, dimension(:,:), allocatable **sol_ls**
- real ∗8, dimension(:,:), allocatable **sol_lsl**
- real ∗8, dimension(:,:), allocatable **sol_lsc**
- real ∗8, dimension(:,:), allocatable **sol_lsn**
- real ∗8, dimension(:,:), allocatable **sol_rnmn**
- real ∗8, dimension(:,:), allocatable **sol_lslc**
- real ∗8, dimension(:,:), allocatable **sol_lslnc**
- real ∗8, dimension(:,:), allocatable **sol_rspc**
- real ∗8, dimension(:,:), allocatable **sol_woc**
- real ∗8, dimension(:,:), allocatable **sol_won**
- real ∗8, dimension(:,:), allocatable **sol_hp**
- real ∗8, dimension(:,:), allocatable **sol_hs**
- real ∗8, dimension(:,:), allocatable **sol_bm**
- real ∗8, dimension(:,:), allocatable **sol_cac**
- real ∗8, dimension(:,:), allocatable **sol_cec**
- real ∗8, dimension(:,:), allocatable **sol_percc**
- real ∗8, dimension(:,:), allocatable **sol_latc**
- real ∗8, dimension(:), allocatable **sedc_d**
- real ∗8, dimension(:), allocatable **surfqc_d**
- real ∗8, dimension(:), allocatable **latc_d**
- real ∗8, dimension(:), allocatable **percc_d**
- real ∗8, dimension(:), allocatable **foc_d**
- real ∗8, dimension(:), allocatable **nppc_d**
- real ∗8, dimension(:), allocatable **rsdc_d**
- real ∗8, dimension(:), allocatable **grainc_d**
- real ∗8, dimension(:), allocatable **stoverc_d**
- real ∗8, dimension(:), allocatable **soc_d**
- real ∗8, dimension(:), allocatable **rspc_d**
- real ∗8, dimension(:), allocatable **emitc_d**
- real ∗8, dimension(:), allocatable **sub_sedc_d**
- real ∗8, dimension(:), allocatable **sub_surfqc_d**
- real ∗8, dimension(:), allocatable **sub_latc_d**
- real ∗8, dimension(:), allocatable **sub_percc_d**
- real ∗8, dimension(:), allocatable **sub_foc_d**
- real ∗8, dimension(:), allocatable **sub_nppc_d**
- real ∗8, dimension(:), allocatable **sub_rsdc_d**

- real ∗8, dimension(:), allocatable **sub_grainc_d**
- real ∗8, dimension(:), allocatable **sub_stoverc_d**
- real ∗8, dimension(:), allocatable **sub_emitc_d**
- real ∗8, dimension(:), allocatable **sub_soc_d**
- real ∗8, dimension(:), allocatable **sub_rspc_d**
- real ∗8, dimension(:), allocatable **sedc_m**
- real ∗8, dimension(:), allocatable **surfqc_m**
- real ∗8, dimension(:), allocatable **latc_m**
- real ∗8, dimension(:), allocatable **percc_m**
- real ∗8, dimension(:), allocatable **foc_m**
- real ∗8, dimension(:), allocatable **nppc_m**
- real ∗8, dimension(:), allocatable **rsdc_m**
- real ∗8, dimension(:), allocatable **grainc_m**
- real ∗8, dimension(:), allocatable **stoverc_m**
- real ∗8, dimension(:), allocatable **emitc_m**
- real ∗8, dimension(:), allocatable **soc_m**
- real ∗8, dimension(:), allocatable **rspc_m**
- real ∗8, dimension(:), allocatable **sedc_a**
- real ∗8, dimension(:), allocatable **surfqc_a**
- real ∗8, dimension(:), allocatable **latc_a**
- real ∗8, dimension(:), allocatable **percc_a**
- real ∗8, dimension(:), allocatable **foc_a**
- real ∗8, dimension(:), allocatable **nppc_a**
- real ∗8, dimension(:), allocatable **rsdc_a**
- real ∗8, dimension(:), allocatable **grainc_a**
- real ∗8, dimension(:), allocatable **stoverc_a**
- real ∗8, dimension(:), allocatable **emitc_a**
- real ∗8, dimension(:), allocatable **soc_a**
- real ∗8, dimension(:), allocatable **rspc_a**
- integer, dimension(:), allocatable **tillage_switch**
- real ∗8, dimension(:), allocatable **tillage_depth**
- integer, dimension(:), allocatable **tillage_days**
- real ∗8, dimension(:), allocatable **tillage_factor**
- real ∗8 **dthy**
- integer, dimension(4) **ihx**
- integer, dimension(:), allocatable **nhy**
- real ∗8, dimension(:), allocatable **rchx**
- real ∗8, dimension(:), allocatable **rcss**
- real ∗8, dimension(:), allocatable **qcap**
- real ∗8, dimension(:), allocatable **chxa**
- real ∗8, dimension(:), allocatable **chxp**
- real ∗8, dimension(:,:,:), allocatable **qhy**
- real ∗8 **ff1**
- real ∗8 **ff2**

5.1.1 Detailed Description

main module contatining the global variables

Author

modified by Javier Burguete Tolosa

Chapter 6

Data Type Documentation

6.1 parm::ascrv Interface Reference

Public Member Functions

- subroutine **ascrv** (x1, x2, x3, x4, x5, x6)

The documentation for this interface was generated from the following file:

- modparm.f90

6.2 parm::atri Interface Reference

Public Member Functions

- real ∗8 function **atri** (at1, at2, at3, at4i)

The documentation for this interface was generated from the following file:

- modparm.f90

6.3 parm::aunif Interface Reference

Public Member Functions

- real ∗8 function **aunif** (x1)

The documentation for this interface was generated from the following file:

- modparm.f90

6.4 parm::dstn1 Interface Reference

Public Member Functions

- real ∗8 function **dstn1** (rn1, rn2)

The documentation for this interface was generated from the following file:

- modparm.f90

6.5 parm::ee Interface Reference

Public Member Functions

- real ∗8 function **ee** (tk)

The documentation for this interface was generated from the following file:

- modparm.f90

6.6 parm::expo Interface Reference

Public Member Functions

- real ∗8 function **expo** (xx)

The documentation for this interface was generated from the following file:

- modparm.f90

6.7 parm::fcgd Interface Reference

Public Member Functions

- real ∗8 function **fcgd** (xx)

The documentation for this interface was generated from the following file:

- modparm.f90

6.8 parm::HQDAV Interface Reference

Public Member Functions

- subroutine **hqdav** (A, CBW, QQ, SSS, ZCH, ZX, CHW, FPW, jrch)

The documentation for this interface was generated from the following file:

- modparm.f90

6.9 parm::layersplit Interface Reference

Public Member Functions

- subroutine **layersplit** (dep_new)

The documentation for this interface was generated from the following file:

- modparm.f90

6.10 parm::ndenit Interface Reference

Public Member Functions

- subroutine **ndenit** (k, j, cdg, wdn, void)

The documentation for this interface was generated from the following file:

- modparm.f90

6.11 parm::qman Interface Reference

Public Member Functions

- real ∗8 function **qman** (x1, x2, x3, x4)

The documentation for this interface was generated from the following file:

- modparm.f90

6.12 parm::regres Interface Reference

Public Member Functions

- real ∗8 function **regres** (k)

The documentation for this interface was generated from the following file:

- modparm.f90

6.13 parm::rsedaa Interface Reference

Public Member Functions

- subroutine **rsedaa** (years)

The documentation for this interface was generated from the following file:

- modparm.f90

6.14 parm::tair Interface Reference

Public Member Functions

- real ∗8 function **tair** (hr, jj)

The documentation for this interface was generated from the following file:

- modparm.f90

6.15 parm::theta Interface Reference

Public Member Functions

- real ∗8 function **theta** (r20, thk, tmp)

The documentation for this interface was generated from the following file:

- modparm.f90

6.16 parm::vbl Interface Reference

Public Member Functions

- subroutine **vbl** (evx, spx, pp, qin, ox, vx1, vy, yi, yo, ysx, vf, vyf, aha)

The documentation for this interface was generated from the following file:

- modparm.f90

Chapter 7

File Documentation

7.1 main.f90 File Reference

main.f90

Functions/Subroutines

- program main
  this is the main program that reads input, calls the main simulation model, and writes output.

7.1.1 Detailed Description

main.f90

this is the main program that reads input, calls the main simulation model, and writes output.

7.1.2 Function/Subroutine Documentation

7.1.2.1 main()

```
program main ( )
```

this is the main program that reads input, calls the main simulation model, and writes output.

Author

modified by Javier Burguete Tolosa

Index