

# Spreadsheet (Excel, LibreOffice, etc.) Functions\*

Mehmet Hakan Satman (PH.D.)

Istanbul University, Faculty of Economics, Department of Econometrics

December 2, 2025

## Contents

<b>1</b>	<b>Rounding Functions</b>	<b>3</b>
1.1	ROUND . . . . .	3
1.2	ROUNDUP . . . . .	3
1.3	ROUNDDOWN . . . . .	3
1.4	INT . . . . .	3
<b>2</b>	<b>Mathematical Functions</b>	<b>4</b>
2.1	SIGN . . . . .	4
2.2	ABS . . . . .	4
2.3	POWER . . . . .	4
2.4	LOG . . . . .	5
2.5	LN . . . . .	5
2.6	LOG10 . . . . .	5
2.7	EXP . . . . .	5
2.8	SQRT . . . . .	6
2.9	PI . . . . .	6
2.10	SIN . . . . .	6
2.11	COS . . . . .	6
2.12	RADIANS . . . . .	6
2.13	DEGREES . . . . .	6
2.14	ISNUMBER . . . . .	7
2.15	ISEVEN . . . . .	7
2.16	ISODD . . . . .	7
2.17	ISBLANK . . . . .	7
2.18	BASE . . . . .	8
2.19	MOD . . . . .	8
2.20	ROMAN . . . . .	8
2.21	Function Composition . . . . .	8
2.21.1	Example 1 . . . . .	8
2.21.2	Example 2 . . . . .	8
2.21.3	Example 3 . . . . .	9
2.21.4	Example 4 . . . . .	9
<b>3</b>	<b>Statistical Functions</b>	<b>9</b>
3.1	MIN . . . . .	9
3.2	MAX . . . . .	9
3.3	VAR . . . . .	9
3.4	STDEV . . . . .	10
3.5	SUM . . . . .	10

---

\*This document is prepared for educational purposes only in the information technology course series at Istanbul University, Faculty of Economics. The content includes formulas and functions commonly used in spreadsheet software such as Microsoft Excel, LibreOffice, and Google Sheets, etc. The notes are for those who already participated in the related courses. The source code of this content is available at <https://github.com/jbytecode/sampledb> in L<sup>A</sup>T<sub>E</sub>X format.

3.6	PRODUCT	10
3.7	AVERAGE	10
3.8	COUNT	10
3.9	MEDIAN	11
3.10	PERCENTILE	11
3.11	QUARTILE	12
3.12	SKEW	13
3.13	CORREL	13
3.14	FACT	13
3.15	COMBIN	13
3.16	SUMSQ	14
<b>4</b>	<b>Logical Functions</b>	<b>14</b>
4.1	AND	14
4.2	OR	14
4.3	NOT	14
4.4	XOR	15
4.5	IF	15
4.5.1	IF...ELSEIF...ELSEIF...ELSE	15
4.5.2	How many real roots?	16
4.5.3	How is the weather outside?	16
<b>5</b>	<b>Random Numbers</b>	<b>17</b>
5.1	RAND	17
5.2	RANDBETWEEN	17
<b>6</b>	<b>Date and Time Functions</b>	<b>17</b>
6.1	NOW	17
6.2	YEAR	17
6.3	MONTH	17
6.4	DAY	17
6.5	HOURL	18
6.6	MINUTE	18
6.7	SECOND	18
<b>7</b>	<b>String Functions</b>	<b>18</b>
7.1	CHAR	18
7.2	CODE	18
7.3	UNICODE	18
7.4	UNICHAR	19
7.5	LOWER	19
7.6	UPPER	19
7.7	CONCATENATE	19
7.8	LEFT	19
7.9	RIGHT	19
7.10	MID	20
7.11	LEN	20
7.12	ISTEXT	20
7.13	ISNONTEXT	20
7.14	REPLACE	20
7.15	SEARCH	21
7.16	VLOOKUP	21
<b>8</b>	<b>Visual Basic for Applications (VBA)</b>	<b>22</b>
8.1	times function	22
8.2	factorial function	22
8.3	paraboladelta function	22
8.4	numberofroots function	22
8.5	findminimum function	23

# 1 Rounding Functions

## 1.1 ROUND

	A	B	C	D	E	F
1		=ROUND(1.1234,3)				
2						

1.123

	A	B	C	D	E	F
1		=ROUND(1.1237,3)				
2						

1.124

## 1.2 ROUNDUP

	A	B	C	D	E	F
1		=ROUNDUP(1.1234,3)				
2						

1.124

	A	B	C	D	E	F
1		=ROUNDUP(1.1237,3)				
2						

1.124

## 1.3 ROUNDDOWN

	A	B	C	D	E	F
1		=ROUNDDOWN(1.1234,3)				
2						

1.123

	A	B	C	D	E	F
1		=ROUNDDOWN(1.1237,3)				
2						

1.123

## 1.4 INT

	A	B	C	D	E	F
1		=INT(1.1234)				
2		=INT(100.99)				

1  
100

## 2 Mathematical Functions

### 2.1 SIGN

	A	B	C	D	E	F
1		=SIGN(16)				
2						

1

	A	B	C	D	E	F
1		=SIGN(-8)				
2						

-1

	A	B	C	D	E	F
1		=SIGN(0)				
2						

0

### 2.2 ABS

	A	B	C	D	E	F
1		=ABS(-25)				
2						

25

	A	B	C	D	E	F
1		=ABS(25)				
2						

25

### 2.3 POWER

	A	B	C	D	E	F
1		=POWER(2; 3)				
2						

8

	A	B	C	D	E	F
1		=POWER(10; 4)				
2						

10000

2.4 LOG

	A	B	C	D	E	F
1		=LOG(1000)				
2						

3

	A	B	C	D	E	F
1		=LOG(8; 2)				
2						

3

2.5 LN

	A	B	C	D	E	F
1		=LN(2,71828)				
2						

0.999999327347282

	A	B	C	D	E	F
1		=LN(EXP(1))				
2						

1

2.6 LOG10

	A	B	C	D	E	F
1		=LOG10(1000))				
2						

3

2.7 EXP

$EXP(x) = e^x$

	A	B	C	D	E	F
1		=EXP(1)				
2						

2.71828182845905

	A	B	C	D	E	F
1		=LN(EXP(2))				
2						

2

## 2.8 SQRT

	A	B	C	D	E	F
1		=SQRT(16)				
2						

4

## 2.9 PI

	A	B	C	D	E	F
1		=PI()				
2						

3.14159265358979

## 2.10 SIN

	A	B	C	D	E	F
1		=SIN(PI()/2)				
2						

1

## 2.11 COS

	A	B	C	D	E	F
1		=COS(2 * PI())				
2						

1

## 2.12 RADIANS

	A	B	C	D	E	F
1		=RADIANS(90)				
2						

1.5707963267949

## 2.13 DEGREES

	A	B	C	D	E	F
1		=DEGREES(PI()/2)				
2						

90

## 2.14 ISNUMBER

	A	B	C	D	E	F
1	8	=ISNUMBER(A1)				
2						

TRUE

	A	B	C	D	E	F
1	Cat	=ISNUMBER(A1)				
2						

FALSE

## 2.15 ISEVEN

	A	B	C	D	E	F
1	8	=ISEVEN(A1)				
2						

TRUE

	A	B	C	D	E	F
1	9	=ISEVEN(A1)				
2						

FALSE

## 2.16 ISODD

	A	B	C	D	E	F
1	8	=ISODD(A1)				
2						

FALSE

	A	B	C	D	E	F
1	9	=ISODD(A1)				
2						

TRUE

## 2.17 ISBLANK

	A	B	C	D	E	F
1		=ISBLANK(A1)				
2						

TRUE

	A	B	C	D	E	F
1	Cats	=ISBLANK(A1)				
2						

FALSE

## 2.18 BASE

	A	B	C	D	E	F
1		=BASE(16; 2; 8)				
2		=BASE(255, 2; 8)				
3		=BASE(3; 2; 8)				

00010000  
11111111  
00000011

## 2.19 MOD

	A	B	C	D	E	F
1		=MOD(5; 2)				
2		=MOD(10; 9)				
3		=MOD(8; 3)				

1  
1  
2

## 2.20 ROMAN

	A	B	C	D	E	F
1		=ROMAN(1453)				
2		=ROMAN(2025)				
3		=ROMAN(8)				
4		=ROMAN(105)				
5		=ROMAN(50)				

MCDLIII  
MMXXV  
VIII  
CV  
L

## 2.21 Function Composition

### 2.21.1 Example 1

=SQRT(POWER(3;2) + POWER(4;2))

Answer:

5

### 2.21.2 Example 2

=LOG10(POWER(10;4))

Answer:

4



### 2.21.3 Example 3

=ROUNDUP(SQRT(50);3)

Answer:

7.072

### 2.21.4 Example 4

=ABS(MOD(29;6))

Answer:

5

## 3 Statistical Functions

### 3.1 MIN

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=MIN(A1:A4)					

5

### 3.2 MAX

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=MAX(A1:A4)					

12

### 3.3 VAR

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=VAR(A1:A4)					

10.9166666666667

### 3.4 STDEV

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=STDEV(A1:A4)					

3.30403793359984

### 3.5 SUM

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=SUM(A1:A4)					

35

### 3.6 PRODUCT

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PRODUCT(A1:A4)					

4620

### 3.7 AVERAGE

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=AVERAGE(A1:A4)					

8.75

### 3.8 COUNT

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=COUNT(A1:A4)					

4

### 3.9 MEDIAN

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=MEDIAN(A1:A4)					

9.0

### 3.10 PERCENTILE

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0)					

5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 1)					

12

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0.5)					

9

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0.25)					

6.5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0.75)					

11.25

### 3.11 QUARTILE

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 0)					

5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 1)					

6.5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 2)					

9

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 3)					

11.25

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 4)					

12

### 3.12 SKEW

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=SKEW(A1:A4)					

-0.592518588276328

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=KURT(A1:A4)					

-3.86900530272129

### 3.13 CORREL

	A	B	C	D	E	F
1	5	10				
2	7	14				
3	12	24				
4	11	22				
5	=CORREL(A1:A4; B1:B4)					

1

	A	B	C	D	E	F
1	5	22				
2	7	24				
3	12	14				
4	11	10				
5	=CORREL(A1:A4; B1:B4)					

-0.862595419847328

### 3.14 FACT

	A	B	C	D	E	F
1	=FACT(5)					
2						

120

### 3.15 COMBIN

	A	B	C	D	E	F
1	=COMBIN(5; 2)					
2						

$${}^n\text{Cr} = \frac{n!}{r!(n-r)!} = \frac{5!}{2!(5-2)!} = \frac{5 \times 4 \times 3!}{2 \times 1 \times 3!} = \frac{20}{2} = 10$$

10

### 3.16 SUMSQ

	A	B	C	D	E	F
1	1					
2	2					
3	3					
4	4					
5	=SUMSQ(A1:A4)					

30

## 4 Logical Functions

### 4.1 AND

	A	B	C	D	E	F
1		TRUE	FALSE			
2		TRUE	TRUE			
3		FALSE	FALSE			
4		=AND(B1:C1)				
5		=AND(B2:C2)				
6		=AND(B3:C3)				

FALSE  
TRUE  
FALSE

### 4.2 OR

	A	B	C	D	E	F
1		TRUE	FALSE			
2		TRUE	TRUE			
3		FALSE	FALSE			
4		=OR(B1:C1)				
5		=OR(B2:C2)				
6		=OR(B3:C3)				

TRUE  
TRUE  
FALSE

### 4.3 NOT

	A	B	C	D	E	F
1		TRUE				
2		TRUE				
3		FALSE				
4		=NOT(B1)				
5		=NOT(B2)				
6		=NOT(B3)				

FALSE  
FALSE  
TRUE

#### 4.4 XOR

	A	B	C	D	E	F
1		TRUE	FALSE			
2		TRUE	TRUE			
3		FALSE	TRUE			
4		FALSE	FALSE			
5		=XOR(B1:C1)				
6		=XOR(B2:C2)				
7		=XOR(B3:C3)				

TRUE  
FALSE  
TRUE  
FALSE

#### 4.5 IF

	A	B	C	D	E	F
1	5	6	12	-1	10	
2	=IF(A1 = 5; TRUE; FALSE)					
3	=IF(AND(A1 >= 5; SIGN(D1) = -1); "YES"; "NO")					
4	=IF(AND(A1 = 5; B1 = 6; C1 > 5); "YES"; "NO")					
5	=IF(A1 < 0; "NEG"; IF(A1 = 0; "ZERO"; "POS"))					
6						
7						

TRUE  
YES  
YES  
POS

##### 4.5.1 IF...ELSEIF...ELSEIF...ELSE

	A	B	C	D	E	F
1	5	22				
2	7	24				

Write an IF statement to handle this situation:

- If the value in A1 is less than 10, return "LOW"
- If the value in A1 is between 10 and 20 (inclusive), return "MEDIUM"
- If the value in A1 is between 21 and 30 (inclusive), return "HIGH"
- If the value in A1 is greater than 30, return "VERY HIGH"

```
=IF(A1 < 10; "LOW";
  IF(AND(A1 >= 10; A1 <= 20); "MEDIUM";
    IF(AND(A1 >= 21; A1 <= 30); "HIGH";
      "VERY HIGH")))
```

A shorter version:

```
=IF(A1 < 10; "LOW";  
    IF(A1 <= 20; "MEDIUM";  
        IF(A1 <= 30; "HIGH";  
            "VERY HIGH")))
```

The answer is

LOW

Use IFS function (if your Excel supports it):

```
=IFS(A1 < 10; "LOW";  
    AND(A1 >= 10; A1 <= 20); "MEDIUM";  
    AND(A1 >= 21; A1 <= 30); "HIGH";  
    A1 > 30; "VERY HIGH")
```

#### 4.5.2 How many real roots?

	A	B	C	D	E	F
1	-1	5	100			
2	=POWER(B1; 2) - 4 * A1 * C1					

Write an IF statement (indeed they are expressions in Excel) to determine how many real roots the quadratic equation  $Ax^2 + Bx + C = 0$  has, based on the values in A1, B1, and C1. Return 0 (No real roots), 1 (repeated root), or 2 (two real roots).

```
=IF(B2 < 0; 0;  
    IF(B2 = 0; 1; 2))
```

Use IFS function (if your Excel supports it):

```
=IFS(B2 < 0; 0;  
    B2 = 0; 1;  
    B2 > 0; 2)
```

#### 4.5.3 How is the weather outside?

Suppose that the temperature is in cell A1 (in degrees Celsius). Write an IF statement to return the following:

- If the temperature is less than or equal to 0, return "Freezing"
- If the temperature is greater than 0 but less than or equal to 15, return "Cold"
- If the temperature is greater than 15 but less than or equal to 25, return "Warm"
- If the temperature is greater than 25 but less than or equal to 35, return "Hot"
- If the temperature is greater than 35, return "Too Hot"

```
=IF(A1 <= 0; "Freezing";  
    IF(A1 <= 15; "Cold";  
        IF(A1 <= 25; "Warm";  
            IF(A1 <= 35; "Hot";  
                "Too Hot"))))
```

Use IFS function (if your Excel supports it):

```
=IFS(A1 <= 0; "Freezing";  
    A1 <= 15; "Cold";  
    A1 <= 25; "Warm";  
    A1 <= 35; "Hot";  
    A1 > 35; "Too Hot")
```



## 5 Random Numbers

### 5.1 RAND

	A	B	C	D	E	F
1		=RAND()				
2						

```
// A random number between 0 and 1, e.g.  
0.5432101234
```

### 5.2 RANDBETWEEN

	A	B	C	D	E	F
1		=RANDBETWEEN(1; 10)				
2						

```
// A random integer between 1 and 10, e.g.  
// The range is inclusive, so 1 and 10 are possible outputs  
7
```

## 6 Date and Time Functions

### 6.1 NOW

	A	B	C	D	E	F
1		=NOW()				
2						

```
01/12/25 08:10 PM
```

### 6.2 YEAR

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=YEAR(B1)				

```
2025
```

### 6.3 MONTH

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=MONTH(B1)				

```
12
```

### 6.4 DAY

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=DAY(B1)				

```
1
```

## 6.5 HOUR

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=HOUR(B1)				

20

## 6.6 MINUTE

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=MINUTE(B1)				

10

## 6.7 SECOND

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=SECOND(B1)				

50

## 7 String Functions

### 7.1 CHAR

	A	B	C	D	E	F
1		=CHAR(65)				
2						

A

### 7.2 CODE

	A	B	C	D	E	F
1		=CODE("B")				
2						

66

### 7.3 UNICODE

	A	B	C	D	E	F
1		=UNICODE("😊")				
2						

9786

## 7.4 UNICHAR

	A	B	C	D	E	F
1		=UNICHAR(9786)				
2						

Output: 😊

## 7.5 LOWER

	A	B	C	D	E	F
1		istanBUL				
2		=LOWER(B1)				

istanbul

## 7.6 UPPER

	A	B	C	D	E	F
1		istanBUL				
2		=UPPER(B1)				

ISTANBUL

## 7.7 CONCATENATE

	A	B	C	D	E	F
1		İstanbul	University			
2		=CONCATENATE(B1; C1)				

İstanbulUniversity

	A	B	C	D	E	F
1		İstanbul	University			
2		=CONCATENATE(B1;" "; C1)				

İstanbul University

## 7.8 LEFT

	A	B	C	D	E	F
1		İstanbul	University			
2		=LEFT(B1; 3)				

İst

## 7.9 RIGHT

	A	B	C	D	E	F
1		İstanbul	University			
2		=RIGHT(B1; 3)				

bul

## 7.10 MID

	A	B	C	D	E	F
1		İstanbul	University			
2		=MID(B1; 6; 3)				
3		=MID(C1; 5; 2)				

bul  
er

## 7.11 LEN

	A	B	C	D	E	F
1		İstanbul	University			
2		=LEN(B1)				
3		=LEN(C1)				

8  
10

## 7.12 ISTEKT

	A	B	C	D	E	F
1		İstanbul	1453			
2		=ISTEXT(B1)				
3		=ISTEXT(C1)				

TRUE  
FALSE

## 7.13 ISNONTXT

	A	B	C	D	E	F
1		İstanbul	1453			
2		=ISNONTXT(B1)				
3		=ISNONTXT(C1)				

FALSE  
TRUE

## 7.14 REPLACE

	A	B	C	D	E	F
1		İstanbul				
2		=REPLACE(A1; 4; 2; "*)				
3		=REPLACE(A1; 3; 5; "?")				

İs\*bul  
İs?l

## 7.15 SEARCH

	A	B	C	D	E	F
1		Istanbul				
2		=SEARCH("bul"; A1)				
3		=SEARCH("tan"; A1)				
4		=SEARCH("something"; A1)				

6  
3  
#VALUE!

## 7.16 VLOOKUP

Basic Usage:

=VLOOKUP(lookup\_value; table\_array; col\_index\_num; [range\_lookup])

where

- **lookup\_value** is the value to search for in the first column of the table\_array
- **table\_array** is the range of cells that contains the data
- **col\_index\_num** is the column number in the table\_array from which to retrieve the value
- **range\_lookup** is a logical value that specifies whether to find an exact match (FALSE) or an approximate match (TRUE). If omitted, TRUE is assumed

	A	B	C	D	E	F
1	2	Economics				
2	3	Industrial Relations				
3	5	Econometrics				
4	8	Business Administration				
5		=VLOOKUP(8; A1:B4; 2; FALSE)				

Business Administration

Description of the example:

- The function looks for the value 8 in the first column of the range A1:B4
- It finds the value 8 in cell A4
- It then retrieves the value from the second column of the same row, which is "Business Administration"

	A	B	C	D	E	F
1	101	Introduction to Economics	4			
2	102	Information Technologies	2			
3	103	Basic Statistics	3			
4	104	Operations Research	3			
5		=VLOOKUP(104; A1:C4; 3; FALSE)				

The output:

3

Why? Because the function looks for the value 104 in the first column of the range A1:C4, finds it in cell A4, and retrieves the value from the third column of the same row, which is 3.

## 8 Visual Basic for Applications (VBA)

### 8.1 times function

```
' This function returns the product of two numbers
Function times(a, b)
    times = a * b
End Function
```

Usage in Excel:

=times(5; 6)

### 8.2 factorial function

```
Rem This function returns factorial of n
Function factorial(n)
    Dim result As Long
    Dim i As Long
    result = 1

    For i = 2 To n
        result = result * i
    Next

    factorial = result
End Function
```

Usage in Excel:

=factorial(5)

### 8.3 paraboladelta function

```
Rem This functions returns delta of a given parabola
Function paraboladelta(a As Double, b As Double, c As Double) As Double
    paraboladelta = b * b - 4 * a * c
End Function
```

Usage in Excel:

=paraboladelta(1; -3; 2)

### 8.4 numberofroots function

```
' This function returns
' -> 0, if delta < 0
' -> 1, if delta = 0
' -> 2, if delta > 0
Function numberofroots(a As Double, b As Double, c As Double) As Integer
    Dim delta As Double
    delta = b * b - 4 * a * c
    If delta < 0 Then
        numberofroots = 0
    ElseIf delta = 0 Then
        numberofroots = 1
    Else
        numberofroots = 2
    End If
End Function
```

Usage in Excel:

=numberofroots(1; -3; 2)

## 8.5 findminimum function

```
' This function returns the minimum of a given range  
Function findminimum(r As Range) As Double  
    mymin = 9999999  
    For i = 1 To r.Count  
        If r.Cells(i, 1) < mymin Then  
            mymin = r.Cells(i, 1)  
        End If  
    Next  
    findminimum = mymin  
End Function
```

Usage in Excel:

```
=findminimum(A1:A10)
```