

# Spreadsheet Functions

December 1, 2025

## Contents

<b>1</b>	<b>Rounding Functions</b>	<b>3</b>
1.1	ROUND . . . . .	3
1.2	ROUNDUP . . . . .	3
1.3	ROUNDDOWN . . . . .	3
1.4	INT . . . . .	4
<b>2</b>	<b>Mathematical Functions</b>	<b>4</b>
2.1	SIGN . . . . .	4
2.2	ABS . . . . .	5
2.3	POWER . . . . .	5
2.4	LOG . . . . .	5
2.5	LN . . . . .	6
2.6	LOG10 . . . . .	6
2.7	EXP . . . . .	6
2.8	SQRT . . . . .	7
2.9	PI . . . . .	7
2.10	SIN . . . . .	7
2.11	COS . . . . .	7
2.12	RADIANS . . . . .	7
2.13	DEGREES . . . . .	8
2.14	ISNUMBER . . . . .	8
2.15	ISEVEN . . . . .	8
2.16	ISODD . . . . .	8
2.17	ISBLANK . . . . .	9
<b>3</b>	<b>Statistical Functions</b>	<b>9</b>
3.1	MIN . . . . .	9
3.2	MAX . . . . .	10
3.3	VAR . . . . .	10
3.4	STDEV . . . . .	10
3.5	SUM . . . . .	10
3.6	PRODUCT . . . . .	11
3.7	AVERAGE . . . . .	11

3.8	COUNT . . . . .	11
3.9	MEDIAN . . . . .	11
3.10	PERCENTILE . . . . .	12
3.11	QUARTILE . . . . .	13
3.12	SKEW . . . . .	14
3.13	CORREL . . . . .	15
3.14	FACT . . . . .	15
3.15	COMBIN . . . . .	15
3.16	SUMSQ . . . . .	16
<b>4</b>	<b>Logical Functions</b>	<b>16</b>
4.1	AND . . . . .	16
4.2	OR . . . . .	16
4.3	NOT . . . . .	17
4.4	XOR . . . . .	17
4.5	IF . . . . .	17
4.5.1	IF...ELSEIF...ELSEIF...ELSE . . . . .	18
4.5.2	How many real roots? . . . . .	19
4.5.3	How is the weather outside? . . . . .	19
<b>5</b>	<b>Random Numbers</b>	<b>20</b>
5.1	RAND . . . . .	20
5.2	RANDBETWEEN . . . . .	20
<b>6</b>	<b>Date and Time Functions</b>	<b>20</b>
6.1	NOW . . . . .	20
6.2	YEAR . . . . .	20
6.3	MONTH . . . . .	21
6.4	DAY . . . . .	21
6.5	HOURL . . . . .	21
6.6	MINUTE . . . . .	21
6.7	SECOND . . . . .	21
<b>7</b>	<b>String Functions</b>	<b>22</b>
7.1	CHAR . . . . .	22
7.2	CODE . . . . .	22
7.3	UNICODE . . . . .	22
7.4	UNICHAR . . . . .	22
7.5	LOWER . . . . .	22
7.6	UPPER . . . . .	23
7.7	CONCATENATE . . . . .	23
7.8	LEFT . . . . .	23
7.9	RIGHT . . . . .	23
7.10	MID . . . . .	24
7.11	LEN . . . . .	24
7.12	ISTEXT . . . . .	24

7.13 ISNONTTEXT . . . . .	24
7.14 REPLACE . . . . .	25
7.15 SEARCH . . . . .	25

# 1 Rounding Functions

## 1.1 ROUND

	A	B	C	D	E	F
1		=ROUND(1.1234,3)				
2						

1.123

	A	B	C	D	E	F
1		=ROUND(1.1237,3)				
2						

1.124

## 1.2 ROUNDUP

	A	B	C	D	E	F
1		=ROUNDUP(1.1234,3)				
2						

1.124

	A	B	C	D	E	F
1		=ROUNDUP(1.1237,3)				
2						

1.124

## 1.3 ROUNDDOWN

	A	B	C	D	E	F
1		=ROUNDDOWN(1.1234,3)				
2						

1.123

	A	B	C	D	E	F
1		=ROUNDDOWN(1.1237,3)				
2						

1.123

### 1.4 INT

	A	B	C	D	E	F
1		=INT(1.1234)				
2		=INT(100.99)				

1  
100

## 2 Mathematical Functions

### 2.1 SIGN

	A	B	C	D	E	F
1		=SIGN(16)				
2						

1

	A	B	C	D	E	F
1		=SIGN(-8)				
2						

-1

	A	B	C	D	E	F
1		=SIGN(0)				
2						

0

## 2.2 ABS

	A	B	C	D	E	F
1		=ABS(-25)				
2						

25

	A	B	C	D	E	F
1		=ABS(25)				
2						

25

## 2.3 POWER

	A	B	C	D	E	F
1		=POWER(2; 3)				
2						

8

	A	B	C	D	E	F
1		=POWER(10; 4)				
2						

10000

## 2.4 LOG

	A	B	C	D	E	F
1		=LOG(1000)				
2						

3

	A	B	C	D	E	F
1		=LOG(8; 2)				
2						

3

## 2.5 LN

	A	B	C	D	E	F
1		=LN(2,71828)				
2						

0.999999327347282

	A	B	C	D	E	F
1		=LN(EXP(1))				
2						

1

## 2.6 LOG10

	A	B	C	D	E	F
1		=LOG10(1000))				
2						

3

## 2.7 EXP

$$EXP(x) = e^x$$

	A	B	C	D	E	F
1		=EXP(1)				
2						

2.71828182845905

	A	B	C	D	E	F
1		=LN(EXP(2))				
2						

2

## 2.8 SQRT

	A	B	C	D	E	F
1		=SQRT(16)				
2						

4

## 2.9 PI

	A	B	C	D	E	F
1		=PI()				
2						

3.14159265358979

## 2.10 SIN

	A	B	C	D	E	F
1		=SIN(PI()/2)				
2						

1

## 2.11 COS

	A	B	C	D	E	F
1		=COS(2 * PI())				
2						

1

## 2.12 RADIANS

	A	B	C	D	E	F
1		=RADIANS(90)				
2						

1.5707963267949

### 2.13 DEGREES

	A	B	C	D	E	F
1		=DEGREES(PI()/2)				
2						

90

### 2.14 ISNUMBER

	A	B	C	D	E	F
1	8	=ISNUMBER(A1)				
2						

TRUE

	A	B	C	D	E	F
1	Cat	=ISNUMBER(A1)				
2						

FALSE

### 2.15 ISEVEN

	A	B	C	D	E	F
1	8	=ISEVEN(A1)				
2						

TRUE

	A	B	C	D	E	F
1	9	=ISEVEN(A1)				
2						

FALSE

### 2.16 ISODD

	A	B	C	D	E	F
1	8	=ISODD(A1)				
2						



FALSE

	A	B	C	D	E	F
1	9	=ISODD(A1)				
2						

TRUE

2.17 ISBLANK

	A	B	C	D	E	F
1		=ISBLANK(A1)				
2						

TRUE

	A	B	C	D	E	F
1	Cats	=ISBLANK(A1)				
2						

FALSE

3 Statistical Functions

3.1 MIN

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=MIN(A1:A4)					

### 3.2 MAX

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=MAX(A1:A4)					

12

### 3.3 VAR

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=VAR(A1:A4)					

10.9166666666667

### 3.4 STDEV

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=STDEV(A1:A4)					

3.30403793359984

### 3.5 SUM

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=SUM(A1:A4)					

35

### 3.6 PRODUCT

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PRODUCT(A1:A4)					

4620

### 3.7 AVERAGE

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=AVERAGE(A1:A4)					

8.75

### 3.8 COUNT

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=COUNT(A1:A4)					

4

### 3.9 MEDIAN

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=MEDIAN(A1:A4)					

9.0

### 3.10 PERCENTILE

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0)					

5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 1)					

12

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0.5)					

9

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0.25)					

6.5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0.75)					

11.25

### 3.11 QUARTILE

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 0)					

5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 1)					

6.5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 2)					

9

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 3)					

11.25

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 4)					

12

### 3.12 SKEW

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=SKEW(A1:A4)					

-0.592518588276328

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=KURT(A1:A4)					

-3.86900530272129

### 3.13 CORREL

	A	B	C	D	E	F
1	5	10				
2	7	14				
3	12	24				
4	11	22				
5	=CORREL(A1:A4; B1:B4)					

1

	A	B	C	D	E	F
1	5	22				
2	7	24				
3	12	14				
4	11	10				
5	=CORREL(A1:A4; B1:B4)					

-0.862595419847328

### 3.14 FACT

	A	B	C	D	E	F
1	=FACT(5)					
2						

120

### 3.15 COMBIN

	A	B	C	D	E	F
1	=COMBIN(5; 2)					
2						

$$nCr = \frac{n!}{r!(n-r)!} = \frac{5!}{2!(5-2)!} = \frac{5 \times 4 \times 3!}{2 \times 1 \times 3!} = \frac{20}{2} = 10$$

10

### 3.16 SUMSQ

	A	B	C	D	E	F
1	1					
2	2					
3	3					
4	4					
5	=SUMSQ(A1:A4)					

30

## 4 Logical Functions

### 4.1 AND

	A	B	C	D	E	F
1		TRUE	FALSE			
2		TRUE	TRUE			
3		FALSE	FALSE			
4		=AND(B1:C1)				
5		=AND(B2:C2)				
6		=AND(B3:C3)				

FALSE  
TRUE  
FALSE

### 4.2 OR

	A	B	C	D	E	F
1		TRUE	FALSE			
2		TRUE	TRUE			
3		FALSE	FALSE			
4		=OR(B1:C1)				
5		=OR(B2:C2)				
6		=OR(B3:C3)				

TRUE  
TRUE  
FALSE



### 4.3 NOT

	A	B	C	D	E	F
1		TRUE				
2		TRUE				
3		FALSE				
4		=NOT(B1)				
5		=NOT(B2)				
6		=NOT(B3)				

FALSE  
FALSE  
TRUE

### 4.4 XOR

	A	B	C	D	E	F
1		TRUE	FALSE			
2		TRUE	TRUE			
3		FALSE	TRUE			
4		FALSE	FALSE			
5		=XOR(B1:C1)				
6		=XOR(B2:C2)				
7		=XOR(B3:C3)				

TRUE  
FALSE  
TRUE  
FALSE

### 4.5 IF

	A	B	C	D	E	F
1	5	6	12	-1	10	
2	=IF(A1 = 5; TRUE; FALSE)					
3	=IF(AND(A1 >= 5; SIGN(D1) = -1); "YES"; "NO")					
4	=IF(AND(A1 = 5; B1 = 6; C1 > 5); "YES"; "NO")					
5	=IF(A1 < 0; "NEG"; IF(A1 = 0; "ZERO"; "POS"))					
6						
7						

TRUE  
YES

YES  
POS

#### 4.5.1 IF...ELSEIF...ELSEIF...ELSE

	A	B	C	D	E	F
1	5	22				
2	7	24				

Write an IF statement to handle this situation:

- If the value in A1 is less than 10, return "LOW"
- If the value in A1 is between 10 and 20 (inclusive), return "MEDIUM"
- If the value in A1 is between 21 and 30 (inclusive), return "HIGH"
- If the value in A1 is greater than 30, return "VERY HIGH"

```
=IF(A1 < 10; "LOW";  
  IF(AND(A1 >= 10; A1 <= 20); "MEDIUM";  
    IF(AND(A1 >= 21; A1 <= 30); "HIGH";  
      "VERY HIGH")))
```

A shorter version:

```
=IF(A1 < 10; "LOW";  
  IF(A1 <= 20; "MEDIUM";  
    IF(A1 <= 30; "HIGH";  
      "VERY HIGH")))
```

The answer is

LOW

Use IFS function (if your Excel supports it):

```
=IFS(A1 < 10; "LOW";  
  AND(A1 >= 10; A1 <= 20); "MEDIUM";  
  AND(A1 >= 21; A1 <= 30); "HIGH";  
  A1 > 30; "VERY HIGH")
```

#### 4.5.2 How many real roots?

	A	B	C	D	E	F
1	-1	5	100			
2	=POWER(B1; 2) - 4 * A1 * C1					

Write an IF statement (indeed they are expressions in Excel) to determine how many real roots the quadratic equation  $Ax^2 + Bx + C = 0$  has, based on the values in A1, B1, and C1. Return 0 (No real roots), 1 (repeated root), or 2 (two real roots).

```
=IF(B2 < 0; 0;  
    IF(B2 = 0; 1; 2))
```

Use IFS function (if your Excel supports it):

```
=IFS(B2 < 0; 0;  
     B2 = 0; 1;  
     B2 > 0; 2)
```

#### 4.5.3 How is the weather outside?

Suppose that the temperature is in cell A1 (in degrees Celsius). Write an IF statement to return the following:

- If the temperature is less than or equal to 0, return "Freezing"
- If the temperature is greater than 0 but less than or equal to 15, return "Cold"
- If the temperature is greater than 15 but less than or equal to 25, return "Warm"
- If the temperature is greater than 25 but less than or equal to 35, return "Hot"
- If the temperature is greater than 35, return "Too Hot"

```
=IF(A1 <= 0; "Freezing";  
    IF(A1 <= 15; "Cold";  
        IF(A1 <= 25; "Warm";  
            IF(A1 <= 35; "Hot";  
                "Too Hot"))))
```

Use IFS function (if your Excel supports it):

```
=IFS(A1 <= 0; "Freezing";  
     A1 <= 15; "Cold";  
     A1 <= 25; "Warm";  
     A1 <= 35; "Hot";  
     A1 > 35; "Too Hot")
```

## 5 Random Numbers

### 5.1 RAND

	A	B	C	D	E	F
1		=RAND()				
2						

```
// A random number between 0 and 1, e.g.  
0.5432101234
```

### 5.2 RANDBETWEEN

	A	B	C	D	E	F
1		=RANDBETWEEN(1; 10)				
2						

```
// A random integer between 1 and 10, e.g.  
// The range is inclusive, so 1 and 10 are possible outputs  
7
```

## 6 Date and Time Functions

### 6.1 NOW

	A	B	C	D	E	F
1		=NOW()				
2						

```
01/12/25 08:10 PM
```

### 6.2 YEAR

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=YEAR(B1)				

```
2025
```

### 6.3 MONTH

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=MONTH(B1)				

12

### 6.4 DAY

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=DAY(B1)				

1

### 6.5 HOUR

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=HOUR(B1)				

20

### 6.6 MINUTE

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=MINUTE(B1)				

10

### 6.7 SECOND

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=SECOND(B1)				

50

## 7 String Functions

### 7.1 CHAR

	A	B	C	D	E	F
1		=CHAR(65)				
2						

A

### 7.2 CODE

	A	B	C	D	E	F
1		=CODE("B")				
2						

66

### 7.3 UNICODE

	A	B	C	D	E	F
1		=UNICODE("😊")				
2						

9786

### 7.4 UNICHAR

	A	B	C	D	E	F
1		=UNICHAR(9786)				
2						

Output: 😊

### 7.5 LOWER

	A	B	C	D	E	F
1		istanBUL				
2		=LOWER(B1)				

istanbul

## 7.6 UPPER

	A	B	C	D	E	F
1		istanBUL				
2		=UPPER(B1)				

İSTANBUL

## 7.7 CONCATENATE

	A	B	C	D	E	F
1		İstanbul	University			
2		=CONCATENATE(B1; C1)				

İstanbulUniversity

	A	B	C	D	E	F
1		İstanbul	University			
2		=CONCATENATE(B1;" "; C1)				

İstanbul University

## 7.8 LEFT

	A	B	C	D	E	F
1		İstanbul	University			
2		=LEFT(B1; 3)				

İst

## 7.9 RIGHT

	A	B	C	D	E	F
1		İstanbul	University			
2		=RIGHT(B1; 3)				

bul

## 7.10 MID

	A	B	C	D	E	F
1		İstanbul	University			
2		=MID(B1; 6; 3)				
3		=MID(C1; 5; 2)				

bul  
er

## 7.11 LEN

	A	B	C	D	E	F
1		İstanbul	University			
2		=LEN(B1)				
3		=LEN(C1)				

8  
10

## 7.12 ISTEXT

	A	B	C	D	E	F
1		İstanbul	1453			
2		=ISTEXT(B1)				
3		=ISTEXT(C1)				

TRUE  
FALSE

## 7.13 ISNONTEXT

	A	B	C	D	E	F
1		İstanbul	1453			
2		=ISNONTEXT(B1)				
3		=ISNONTEXT(C1)				

FALSE  
TRUE



## 7.14 REPLACE

	A	B	C	D	E	F
1		Istanbul				
2		=REPLACE(A1; 4; 2; "*" )				
3		=REPLACE(A1; 3; 5; "?" )				

Is\*bul

Is?l

## 7.15 SEARCH

	A	B	C	D	E	F
1		Istanbul				
2		=SEARCH("bul"; A1)				
3		=SEARCH("tan"; A1)				
4		=SEARCH("something"; A1)				

6

3

#VALUE!