

Baselines for Election-Night Forecasting

The 2026 Senate map, and how to tell a real shift from the order of the count

Democracy's Data

Last updated 1 September 2026

On election night the returns do not arrive in a random order. Small rural precincts finish counting first and large urban counties finish last. Ballots cast in person are usually counted before ballots that arrived by mail, and several states keep counting mail for days. So the lead a candidate holds at nine o'clock is partly a fact about the electorate and partly a fact about which places have finished.

That produces a predictable pattern rather than noise. Foley (2013) measured a shift toward Democratic candidates during the canvass, the official count that continues after election night, since about 2000. **A number that is still moving is not a result.** So how do you tell a real shift from the order of the count?

The answer is a baseline: a number written down beforehand saying what each place is expected to do. A county that reports is then compared against its own expectation rather than a running statewide total, and the gap is the only thing carrying information.

01 The test

The baseline tested here is one sentence. **A state elects the senator of the party whose presidential candidate carried it.** No candidates appear in that sentence, and no money, polls or campaigns — nothing that happened after the previous presidential election was counted.

A rule cannot be graded on the election it was written for, because that election has not happened. So it is rehearsed one level down, on the 433 congressional districts of 2024 with the presidential vote counted inside each one and the party of the member elected there beside it. That file offers 433 chances to be wrong instead of 33, which makes accuracy measurable at each level of competitiveness rather than only overall. The returns come from Jason Timm's compilation of the state canvasses (<https://github.com/jaytimmm/PresElectionResults>), because no federal agency publishes American election returns.

Two joins build it, and both keys are geography. The 2026 landscape joins a roster of sitting senators to each state's 2024 presidential margin on the two-letter state abbreviation. The rehearsal joins the presidential vote inside a district to the House result there on the district identifier. Every join takes on the assumptions of both files plus one more about how they line up, which is the subject of Join Keys and Crosswalks. That chapter also covers the crosswalk, a table that translates one set of areas into another.

02 The data

Three files, and only two of them exist yet.

`senate_2026_landscape.csv` has 33 rows, one per Senate seat on the 2026 ballot. It carries `state`, `senator_last`, `party`, `pres24_margin` and `ev` from the sources, and `pres24_winner`, `abs_margin` and `hostile_turf` computed here by comparison. The last is a definition rather than a measurement: a seat is on hostile turf when the party holding it is the party that lost the state for president.

The roster it starts from is `legislators-current.csv`, a volunteer-maintained public-domain list of everyone serving in Congress. It is two tables wearing one layout: its 435 representatives carry a `district` and its 100 senators carry a `senate_class` instead, each side leaving the other's column blank. **One row is a person, and this brief needs a list of contests.**

Stage	Rows
Members of Congress in the roster	537
Senators	100
Senators whose class is up in 2026	33

Senate terms run six years, so the class says whose is expiring. Both Georgia senators appear in the roster and only one is in this brief, because Jon Ossoff's seat is Class 2 and Raphael Warnock's is not. Nothing about a senator's name, party or state distinguishes them; one digit does.

State	Incumbent	Party	2024 presidential winner	2024 margin	Hostile turf?
GA	Ossoff	Democrat	Trump	2.2	TRUE

Two things to notice in that row. **`pres24_margin` is not about this election.** It is information from 2024 carried forward, and it is the only predictive column in the file. And **`senator_last` is whoever held the seat in August 2026**, because a roster of current members describes today and is overwritten tomorrow. Retirement, primary defeat, appointment and death each break that column, and by election day several will have. Finding a name in these 33 rows that is on no ballot is one of the more instructive things you can do here.

`rehearsal_house_2024.csv` is the opposite kind of object, an election that is finished. It holds `district`, `state`, `cd`, the Democratic share of the district's two-party presidential vote in `dem_share`, the `house_rep` elected there with `house_rep_party`, and the three columns computed here: `baseline`, `actual` and `as_expected`. Nobody tallies a presidential vote by congressional district, so `dem_share` is less official than it looks. Somebody has to lay precinct returns over district lines and split the precincts the lines cut through, which makes it a careful reconstruction rather than a canvass.

The third file is `results_senate_2026_TEMPLATE.csv`: 33 rows and two empty columns, waiting for the night. What fills them will not be a count. **A called race is a judgment**, made by analysts who decide that the ballots still outstanding cannot reorder the ones already in.

Cleaning barely arises, which is a property of the sources rather than a virtue of the build. The work is one merge on a state abbreviation, one dropping of rows, and a handful of columns worked out by comparison. Nothing was imputed, meaning no missing value was guessed at and filled in.

Before you read on, commit to an answer. The rule above gets some districts wrong. **Where do those districts sit?** Not geographically – where on the range from the safest Republican seat to the safest Democratic one. Scattered evenly across it, as a rule that is wrong now and then everywhere would put them? Or bunched somewhere? If bunched, write down where, and how tightly, before you look.

03 What it says about democracy

Start with what is on the ballot.

Quantity	Value
Seats up	33
Republican seats being defended	20
Democratic seats being defended	13
Seats where the other party's presidential candidate won in 2024	3

33 seats, 20 Republican and 13 Democratic. That asymmetry is an accident of 2020, because it is whichever class of senators happened to be elected six years earlier. Only 3 seats sit on hostile turf.

State	Incumbent	Party	2024 winner	2024 margin
MI	Peters	Democrat	Trump	1.42
GA	Ossoff	Democrat	Trump	2.20
ME	Collins	Republican	Harris	-6.94




Figure 1. The 33 seats up in 2026, one square per state. Equal squares fit because the Senate gives every state two seats regardless of population, so a geographic map would size the states by the one quantity that does not matter. Coloured squares have a seat on the ballot and are filled by the party defending it; grey squares have no Senate election. The letter and number in each contested square give the defending party and that state's 2024 presidential margin, and the 3 heavily outlined squares are where those two disagree.

Quantity	Value
Seats where the 2024 margin was 15 points or more	16
Share of the seats up	48%
Median 2024 margin, absolute value	14.7 points
Seats where the 2024 margin was under 5 points	5

16 of 33 seats sit in states decided by fifteen points or more in 2024, and the median seat is in a state decided by 14.7. Before anybody raised a dollar, roughly half the class was out of reach. Applied to this map, the baseline makes a falsifiable prediction without knowing who is running.

Outcome	Value
Seats the baseline gives Republicans	21

Outcome	Value
Seats the baseline gives Democrats	12
Seats where the baseline implies a party change	3

The rule expects 3 of 33 seats to change hands, precisely the 3 on hostile turf. Now rehearse it on districts already counted.

Quantity	Value
Districts	433
Where the presidential winner's party won the seat	418
Accuracy	96.5%

418 of 433 – 96.5%. A rule whose only input is two years stale calls 96.5% of a national election. So 15 districts broke it: few enough to list, and enough to ask a question of.

Districts...	How many	Rule correct in	Accuracy (%)
within 2 points of even	35	26	74.3
within 5 points of even	90	75	83.3
within 10 points of even	175	160	91.4
within 15 points of even	268	253	94.4

And the complement.

Districts...	How many	Rule correct in	Accuracy (%)
more than 2 points from even	398	392	98.5
more than 5 points from even	343	343	100.0
more than 10 points from even	258	258	100.0
more than 15 points from even	165	165	100.0




Figure 2. The rule's accuracy is a function of competitiveness and of almost nothing else. The same rule is scored twice at every cut-off. The red line is its accuracy among districts within that many points of an even presidential split; the blue line, among districts further out. The two separate at the first cut-off and never come back together. Beyond 4.0 points from even the blue line reaches 100% and stays there, across 357 districts where the rule did not miss once.

Outside five points of even the rule was right in 343 districts of 343. Inside five points it was right 83.3% of the time. Every one of the 15 misses lies within 3.7 points of an even split.

District	Democratic % (president)	Presidential winner	Member elected	Member's party
TX-28	46.31	republican	Henry Cuellar	democrat
OH-09	46.61	republican	Marcy Kaptur	democrat
CA-13	47.21	republican	Adam Gray	democrat
NY-03	47.33	republican	Thomas R. Suozzi	democrat
TX-34	47.77	republican	Vicente Gonzalez	democrat
WA-03	48.30	republican	Marie Gluesenkamp Perez	democrat
NC-01	48.44	republican	Donald G. Davis	democrat
MI-08	48.99	republican	Kristen McDonald Rivet	democrat
NM-02	49.03	republican	Gabe Vasquez	democrat
CA-09	49.08	republican	Josh Harder	democrat
NJ-09	49.41	republican	Nellie Pou	democrat
NV-03	49.62	republican	Susie Lee	democrat
PA-01	50.16	democrat	Brian K. Fitzpatrick	republican

District	Democratic % (president)	Presidential winner	Member elected	Member's party
NY-17	50.28	democrat	Michael Lawler	republican
NE-02	52.34	democrat	Don Bacon	republican




Figure 3. The failures against the whole distribution they came from. Grey bars count all 433 districts by the Democratic share of their two-party presidential vote; red bars, on the same axis and scale, count the 15 the rule got wrong. The red is not thinly spread across the grey. It occupies one narrow column in the middle, and the two long tails holding most of the House are empty of it.

The rule is not 96.5% accurate. It is 100% accurate where nothing was at stake and a coin-flip-plus where something was. Both readings of that percentage were available and only one is useful. “A rule this simple forecasts a national election” is true and misleading; “it forecasts every uncompetitive election, which is most of them” is true and usable.

That second reading is what makes the baseline work on the night. Beyond five points the expectation is close to certain, so a place reporting far from it is either a real shift or a partial count. Ask what is still outstanding there and you can tell which. Inside five points the baseline knows nothing, so a lead that moves is neither evidence of a shift nor evidence against one.

Zone	Seats	What the rehearsal says
More than 15 points from even in 2024	16	rule was 100.0% right here
Between 5 and 15 points	12	rule was 100.0% right here
Within 5 points	5	rule was 83.1% right here

State	Incumbent	Party	2024 winner	2024 margin
MI	Peters	Democrat	Trump	1.42
GA	Ossoff	Democrat	Trump	2.20
NH	Shaheen	Democrat	Harris	-2.78
NC	Tillis	Republican	Trump	3.21
MN	Smith	Democrat	Harris	-4.24

5 seats of 33 are in the zone where the rule stopped working. Those are the races to watch, and the rest are the yardstick you watch them against. Two caveats before treating that as a forecast. **A House district is not a Senate state**, because Senate races have larger and better-known candidates, which should make a presidential baseline less accurate. And **a midterm is not a presidential year**, because the electorate is smaller and differently composed.

What does not follow is that campaigns do not matter. The baseline holding is consistent with two very different worlds, one in which nothing happened and one in which enormous effort went into making the expected thing happen.

04 What this brief cannot tell you

Whether the baseline has become more accurate over time. Hopkins (2018) argues that American political behaviour has nationalised, and Abramowitz and Webster (2016) put the tightening down to negative partisanship. Both predict that the same rehearsal run on 1980 would score far lower. This file holds one election and cannot test it.

What is still outstanding anywhere. Nothing here records how many ballots a jurisdiction has left to count, which is what you need to separate a real shift from a partial one. The baseline says what to expect; it does not say how much of the answer has arrived.

Who will be on the ballot. The landscape is a snapshot from August 2026, so retirements, primary defeats and appointments after that date are absent, and an open seat behaves very differently from an incumbent defending one.

Anything about candidates, turnout, money or polling. There is exactly one predictor in either file by construction, which makes it a clean baseline and useless for anything else. 2 House districts are also missing from the rehearsal, and every accuracy figure above is computed over 433.

05 What you should have learned

- Returns arrive in an order that is not random, so a lead on election night is partly a fact about which places have finished counting. The defence is a baseline written down in advance.
- A rule with no candidates in it called 418 of 433 House districts in 2024, or 96.5%, on one input that was two years old.
- That figure averages two regimes. Beyond 4.0 points from an even presidential split the rule was right in all 357 districts; within five points it was right 83.3% of the time.

- All 15 misses lie within 3.7 points of an even split, so the baseline is trustworthy where nothing is at stake and worthless where the drama is.
- Of the 33 Senate seats on the 2026 ballot, 16 are in states decided by fifteen points or more and 5 are in the zone where the rule stopped working.

06 Extensions

None of these is answered above, and every one can be answered from the tables the Sources section hands over.

- `rehearsal_house_2024.csv` has `baseline`, `actual` and `as_expected`. Count how often the baseline was right within each ten-point slice of `dem_share`, and find the slice where it stops being useful.
- Find the rows where `as_expected` is FALSE and read `house_rep` beside `dem_share`. What do those members have in common?
- `senate_2026_landscape.csv` flags seats with `hostile_turf` and gives `pres24_margin` beside it. List them, and say which party has more exposure.
- Sort `senate_2026_landscape.csv` by `abs_margin`, then check `senator_last` against the candidates actually on this year's ballot. How many names have changed?
- **Stretch.** On the night, fill `results_senate_2026_TEMPLATE.csv` from a results page and score the baseline against it. Note where each call came from and at what hour, because a called race is somebody's judgment and the file will not say so.
- **Stretch.** Pick a state that counts mail ballots for days and track its margin from election night through certification. How far did it move, and which way?

07 Sources

Data

- 2026 Senate landscape: the Class 2 seats with each state's 2024 presidential margin, built from `@unitedstates/congress-legislators, legislators-current.csv` (<https://unitedstates.github.io/congress-legislators/legislators-current.csv>). Incumbents are as of August 2026.
- Rehearsal file: the 2024 presidential vote by congressional district beside the party of the member elected there, from Jason Timm's `PresElectionResults` compilation (<https://github.com/jaytimmm/PresElectionResults>). The presidential figures are a reconstruction from precinct returns.

The data itself

Every figure above is drawn from these plain CSV tables.

`rehearsal_house_2024.csv`, `senate_2026_landscape.csv`, `results_senate_2026_TEMPLATE.csv`

Also cited

- Foley, E. B. (2013). "A Big Blue Shift: Measuring an Asymmetrically Increasing Margin of Litigation." *Journal of Law and Politics* 28(4): 501-546.
- Hopkins, D. J. (2018). *The Increasingly United States: How and Why American Political Behavior Nationalized*. Chicago: University of Chicago Press.

- Abramowitz, A. I. and Webster, S. (2016). "The rise of negative partisanship and the nationalization of U.S. elections in the 21st century." *Electoral Studies* 41: 12-22.

REBUILD THIS DATA YOURSELF, WITH AN AI ASSISTANT

I want to rebuild a public dataset from its original sources, without any starting files. Please do the following and show your work.

THE FIRST SOURCE. The @unitedstates project's roster of current members of Congress, a plain CSV at

<https://unitedstates.github.io/congress-legislators/legislators-current.csv>

One row per sitting member, with chamber, state, party, and – for senators – the class that says which election year the seat faces. Open, maintained by volunteers, no account or key needed.

THE SECOND SOURCE. The 2024 presidential result by state and by congressional district. Any careful public compilation will do: the jaytimm/PresElectionResults collection on GitHub carries the state results, and The Downballot publishes district-level presidential calculations as freely exported spreadsheets.

WHAT TO BUILD. This was assembled before a November 2026 election night, in two halves: the map that exists in advance, and a rehearsal of the method on an election that has already happened.

1. The 2026 Senate landscape: every Class 2 seat up in 2026, who holds it today, and how the state voted for president in 2024 – flagging seats where the holding party lost the state.
2. The rehearsal: each 2024 House result beside the presidential result in the same district, marking where the seat went against the district's presidential winner.

CHECK YOUR WORK. The copies this book used were fetched in August 2026. If your rebuild matches them, you should find:

- 33 Class 2 Senate seats on the 2026 ballot
 - 3 of them held by the party that lost the state for president
 - 433 districts in the rehearsal table, out of the House's 435; in all but 15 the seat went to the party that carried the district
- The seat landscape moves as members resign, die, or are appointed, so the roster file changes week to week; a different holder for a seat means the world moved, not that you made an error.