



ASTRONOMY TODAY

CHAISSON
McMILLAN

SEVENTH EDITION

Lecture Outlines

Chapter 6


Astronomy Today

7th Edition

Chaisson/McMillan

Chapter 6

The Solar System



Units of Chapter 6

6.1 An Inventory of the Solar System

6.2 Measuring the Planets

6.3 The Overall Layout of the Solar System

6.4 Terrestrial and Jovian Planets

6.5 Interplanetary Matter

Units of Chapter 6 (cont.)

6.6 Spacecraft Exploration of the Solar System

Gravitational “Slingshots”

6.7 How Did the Solar System Form?


Angular Momentum

6.1 An Inventory of the Solar System

Early astronomers knew of the stars, the 7 *luminaries*, comets, and meteors.

The Copernican Revolution gave us the correct ordering and spacing of the planets (in AU). The telescope led to measuring:

- the size of AU
- stellar parallax
- aberration of starlight
- and lots of new objects ...



© 2011 Pearson Education, Inc.

6.1 An Inventory of the Solar System

Now known:

- Stars: 1
- Planets: 8 (added Uranus and Neptune)
- Moons: 166 (2011) → 190 (2018, includes dwarf planets)
- Asteroids: 8 bigger than 300 km
- Kuiper Belt Objects: 100 bigger than 300 km
- + many small asteroids, KBOs, comets, and meteoroids (<100m).
- “Dwarf Planets: Ceres + >3 big KBOs, Pluto
- Interplanetary: dust (zodiacal), solar wind



6.2 Measuring the Planets

TABLE 6.1 Properties of Some Solar System Objects

Object	Orbital Semimajor Axis (AU)	Orbital Period (Earth Years)	Mass (Earth Masses)	Radius (Earth Radii)	Number of Known Satellites	Rotation Period * (days)	Average Density (kg/m ³)	(g/cm ³)
Mercury	0.39	0.24	0.055	0.38	0	59	5400	5.4
Venus	0.72	0.62	0.82	0.95	0	-243	5200	5.2
Earth	1.0	1.0	1.0	1.0	1	1.0	5500	5.5
Moon	—	—	0.012	0.27	—	27.3	3300	3.3
Mars	1.52	1.9	0.11	0.53	2	1.0	3900	3.9
Ceres (asteroid)	2.8	4.7	0.00015	0.073	0	0.38	2700	2.7
Jupiter	5.2	11.9	318	11.2	63 79 (2019)	0.41	1300	1.3
Saturn	9.5	29.4	95	9.5	56 82 (2019)	0.44	700	0.7
Uranus	19.2	84	15	4.0	27	-0.72	1300	1.3
Neptune	30.1	164	17	3.9	13 14 (2019)	0.67	1600	1.6
Pluto (Kuiper belt object)	39.5	248	0.002	0.2	3 5 (2019)	-6.4	2100	2.1
Hale-Bopp (comet)	180	2400	1.0×10^{-9}	0.004	—	0.47	100	0.1
Sun	—	—	332,000	109	—	25.8	1400	1.4



*A negative rotation period indicates retrograde (backward) rotation relative to the sense in which all planets orbit the Sun.

6.2 Measuring the Planets

- **Orbital period** found from **synodic period**
- **Distance from Sun** from **Kepler's 3rd law**
- **Radius** known from angular size and distance
- **Masses** from **Newton's laws / Kepler's laws**
- **Rotation period** by watching surface features
- **Density** can be calculated knowing radius and mass
- ***Uncompressed density:*** the density of a planet if gravity were not compressing it

6.3 The Overall Layout of the Solar System


All orbits but
Mercury's are close
to the same plane



6.3 The Overall Layout of the Solar System

Because the planet's orbits are close to being in a plane, it is possible for them to appear in a straight line as viewed from Earth.


(Photograph was taken in April 2002.)



*A 1974 book, “The Jupiter Effect”, predicted end-of-world destruction in 1982 due to a similar alignment.

6.4 Terrestrial and Jovian Planets

In this picture of the eight planets and the Sun, some of the differences between the four terrestrial and four Jovian planets are clear.



Terrestrials:

- Are smaller
- Are closer to the Sun
- Possess fewer moons & rings
- Have thinner atmospheres
- Are denser
- Have lower masses
- Have higher surface temperatures
- Are composed more of high T_{melt} minerals

6.4 Terrestrial and Jovian Planets

Differences *among* the terrestrial planets:

- All have atmospheres, but they are very different; surface conditions vary as well
- Only Earth has oxygen in its atmosphere, liquid water on its surface, and life
- Earth and Mars spin at about the same rate; Mercury and Venus rotate much more slowly, Venus also rotates retrograde
- Only Earth and Mars have moons
- Only Earth and Mercury have magnetic fields


6.4 Terrestrial and Jovian Planets

Pluto was always the oddball.

It was on the edge of the Kuiper Belt.

Trans-neptunian objects found (Quauar, Makemake, Sedna)

Then, Eris was found, even bigger than Pluto and has Moon (Dysnomia).



6.4 Terrestrial and Jovian Planets

Pluto was visited by New Horizons on July 14, 2015. It is bigger than Eris after all! Has 5 moons!

Pluto




Charon



Nix



Hydra



enhanced color

black and white

6.5 Interplanetary Matter

Asteroids and meteoroids have rocky composition. (Meteoroids are smaller than 100 m.)

Ex) Asteroid Eros is 34 km long*



*Visited by NEAR in 2001.

6.5 Interplanetary Matter

Comets are “dirty snowballs”

Comet Hale-Bopp

Had a big nucleus.

Brightest in 1997.

Period ~ 2530 years.



(b)

© 2011 Pearson Education, Inc.



6.5 Interplanetary Matter

Kuiper Belt Objects are beyond Neptune.

Pointing to Planet X


Orbits of some
suggests a
“Planet X.”

“Arrokoth”



6.6 Spacecraft Exploration of the Solar System

Soviet *Venera* probes landed on Venus from 1970 to 1978



© 2011 Pearson Education, Inc.

6.6 Spacecraft Exploration of the Solar System

The most recent Venus expedition from the United States was the *Magellan orbiter*, 1990–1994.

ESAs latest: *Venus Express*, 2005–2015.




© 2011 Pearson Education, Inc.

See Globe of Venus

6.6 Spacecraft Exploration of the Solar System


***Viking landers* arrived at Mars in 1976**



© 2011 Pearson Education, Inc.


6.6 Spacecraft Exploration of the Solar System

InSight lander landed on Mars in Nov. 2018. Has seismometer.



6.6 Spacecraft Exploration of the Solar System


Sojourner rover was deployed on Mars in 1997



© 2011 Pearson Education, Inc.

Discovery 6-1: Gravitational “Slingshots”


Gravitational “slingshots” can change direction of spacecraft, and also accelerate it



© 2011 Pearson Education, Inc.


6.6 Spacecraft Exploration of the Solar System

Pioneer and Voyager flew through asteroid belt on way to outer solar system.
This is *Voyager*.



6.6 Spacecraft Exploration of the Solar System

Pioneer and Voyager launch dates and trajectories. Only 5 craft have reached escape velocity from the solar system!



6.6 Spacecraft Exploration of the Solar System

***Cassini-Huygens*
mission arrived at
Saturn in 2004.**

**It has returned many
spectacular images.**






© 2011 Pearson Education, Inc.

6.7 How Did the Solar System Form?

Nebular theory:

**Cloud of gas and dust contracts due to gravity.
Contracts more easily along spin axis – forms disk.
Conservation of angular momentum means it spins
faster and faster as it contracts.**



(a)

(b)

(c)


© 2011 Pearson Education, Inc.

Planets form out of disk.


© 2011 Pearson Education, Inc.

More Precisely 6-1: Angular Momentum

Conservation of angular momentum says that product of radius and rotation rate must be constant. $L \sim MR^2 \omega$ (where ω = spin rate)



© 2011 Pearson Education, Inc.



6.7 How Did the Solar System Form?

Dust is important ingredient in the solar nebula.

1) It allows nebula to cool and contract.

2) It provides nuclei for condensation and accretion onto small chunks.



© 2011 Pearson Education, Inc.




Dust can be seen in interstellar clouds as shown here.


6.7 How Did the Solar System Form?

The condensation sequence is the way the composition of the dust grains in the solar nebula changed with distance from the Sun.

High melting point materials close to Sun, high and low melting point material far from Sun.



6.7 How Did the Solar System Form?



Once planets got big enough, they could gravitationally capture H and He gas from solar nebula.

6.7 How Did the Solar System Form?

Hierarchical formation terms

Interstellar grains < 1 micrometer

Protoplanetary disk grains $>\sim 1$ micrometer

Aggregates, fractal aggregates

Pebbles

pebble+gas swarms

Planetesimals

Protoplanets

Processes

Bonds,
Molecular forces

“Static cling”,

Stickiness

Slow collisions,

Fast collisions

Gravity + collisions
+ accretion of gas

6.7 How did the Solar System Form?

More than 3826 extrasolar planets have been confirmed! (4717 Kepler candidates)*

51 Pegasi, the first exoplanet discovered.

Artist's conception, from *Wikipedia*.



The diversity of these new systems has required more sophisticated theories for the formation of planet systems.

Ex) Big planets with eccentric orbits found.


Ex) Unusually low densities

6.7 How did the Solar System Form?

Mass – Period Distribution

Exoplanet properties

26 Oct 2018
exoplanetarchive.ipac.caltech.edu



Summary of Chapter 6

- Solar system consists of Sun and everything orbiting it
- Asteroids are rocky, and most orbit between orbits of Mars and Jupiter
- Comets are icy and are believed to have formed early in the solar system's life
- Major planets orbit Sun in same sense, and all but Venus rotate in that sense as well
- Planetary orbits lie almost in the same plane

Summary of Chapter 6 (cont.)

- **Four inner planets—terrestrial planets—are rocky, small, and dense**
- **Four outer planets—jovian planets—are gaseous and large**
- **Nebular theory of solar system formation: cloud of gas and dust gradually collapsed under its own gravity, spinning faster as it shrank**
- **Condensation theory says dust grains acted as condensation nuclei, beginning formation of larger objects**