
Week4: (Finish Gauss' Law) and Electric Potential

Day 2 Outline

- 1) Hwk: Ch. 23 P. 2,3,5,9,12,15,17,21,25,28,29,35,36,43, 48,51. MCQ 1-13 odd (Due Mon) Read Ch. 23-1 to 23-8
- 2) Use Gauss' law for nested conducting spheres
- 3) Quiz 2 on Gauss' law
- 4) Electric Potential
 Electric Potential Energy U_E
 Comparison to gravity
 Electric potential (or voltage) V
 Relation to E-field



Notes: Return Ch. 22 Hwk 3 Mean=7.9/10. Checked # f 0,35, MQ. PDF version of this week4 PPT online. Tutoring Thu 7 pm.

Electric Potential of a Point Charge

• Recall E field

$$\vec{E} = \frac{kq}{r^2} \hat{r}$$


• Electric Potential of a point

charge
$$V = \frac{kq}{r}$$

$$V=0$$
 when $r \rightarrow \infty$

• Electric potential difference

$$\Delta V_{ab} = \frac{kq}{r_b} - \frac{kq}{r_a}$$




Electric Potential


- Electric Potential of a point charge (last slide)
- Electric potential closely related to *potential energy*
 - $-\Delta U = q\Delta V$
 - And to work: $W_{byfield} = -q\Delta V$
 - Convention: both U and V = 0 at r=infinity
- Electric potential closely related to electric force

$$- F\Delta_S = W_{bvfield} = q\Delta V$$

- Electric potential closely related to electric field
 - $-\delta V = -E\delta s$ so that potential difference is: $\Delta V = -\int \vec{E} \cdot d\vec{l}$
- Electric Potential is easier to find than the E-field because it is not a vector




Analogy with gravity



Equipotential Surfaces

- E field is perpendicular to the equipotential surfaces
- The surface of a conductor is an equipotential surface
 - no E field parallel to the surface in *Electrostatics*
 - gradually "match" the boundaries



Week4: (Finish Gauss' Law) and Electric Potential

Day 3 Outline

1) Hwk: Ch. 23 P. 2,3,5,9,12,15,17,21,25,28,29,35,36,43, 48,51. MCQ 1-13 odd (Due Mon)

Read Ch. 23-1 to 23-8

- 2) Quiz 2 on Gauss's law and flux
- 3) Electric Potential

Homework hints

Relation to E-field

Calculating potential for continuous charge distribs Calculating potential energy for point charges

Notes:


PDF version of this week4 PPT online.


Try "Ch. 23 Test Bank Practice" online.

Equipotential Surfaces


Equipotentials are perpendicular to the E-field lines.

E field points "down hill"





Contours of a map analogy



Lines of equal altitude are like Lines of equal potential.

Net force on a positive test charge will point "down hill" just like net force on a boulder will point down hill


(b)

F and E are perpendicular to the circles

$$\Delta V_{ab} = \frac{kq}{r_b} - \frac{kq}{r_a}$$

Analogy with Gravity and hills

E field points "down hill" perpendicular to the



Field gets stronger closer to the point charge. Don't have to go as far to have the same change in electric potential

$$E_r = -\left(\frac{dV}{dr}\right)$$

Slightly misleading

 V_4 V_3 V_2 V_1

(d)

Week5: Electric Potential and Exam I

Day 1 Outline

1) Hwk: Ch. 23 P. 2,3,5,9,12,15,17,21,25,28,29,35,36,43, 48,51. MCQ 1-13 odd (Due <3pm)

Ch. 24 on capacitance is next.

- 2) Return Quiz 2 (on Gauss's law) mean = 3.8/9
- 3) Electric Potential

 ΔV , ΔU_E , W, ΔK and Δv in uniform E

Finding E from V(x,y,z) or V(r)

Calculating potential for continuous charge distribs Notes:

Exam I on Friday. Prepare review questions for Wed.

PDF version of "Review1 for Exam 1" updated online.


Try Ch. 21-23 "Test Bank Practices" online.

Look for key to Ch. 23 hwk.

Hwk returned by Wednesday.

Equipotential Surfaces

- Imaginary or real surfaces of constant voltage
 - The surfaces of a conductor are equipotential surfaces
- E field and equipotential surfaces are perpendicular to each other




If a charge moves from A to B along an equipotential surface, then

$$\Delta V_{AB} = 0$$


$$\Delta U_{AB} = q\Delta V_{AB} = 0$$

Parallel Plates


• Releasing a positive test charge from rest at point B...




Electric Potential Energy (conservation of energy ideas)



Work is done to move the charge, so we store potential energy, U_E



Charge is released and energy is converted from U_E to KE




Only the displacement in the direction of the E field matters


 $(\Delta U_E \text{ independent of path})$

Problem: closed loop path, ABCA

- Work done is path independent
 - Only the initial and final position matter
 - Look for an easy solution!




Problem: find V's and Δ V's



Problem: find V and ΔV

$$V_1 - V_5 = 3.75 \text{ V}$$

$$V_1 = 3.75 \text{ V}$$
 $V_2 = 2.8125 \text{ V}$
 $V_3 = 1.875 \text{ V}$
 $V_4 = 0.9375 \text{ V}$
 $V_5 = 0 \text{ V}$



Electric Potential Energy U_E


- Building up arrangements of charge
 - Energy required to "build" = ΔU
- Bring a point charge in from infinity
 - like charges requires energy
 - repulsive forces
 - unlike charges give up energy
 - attractive forces

$$W = Fd = qEd$$
and
$$E = \frac{kq}{r^2}$$

...are difficult to use since E is not a constant.

Can use:

$$U_{12} = \Delta U_{12} = q_2 \Delta V_{\infty 1}$$




$$V_{\infty} = 0$$

$$V_{1} = k \frac{q_{1}}{r_{12}}$$

U_E for more than two charges

- Don't double count
- Bring each one in from "infinity"



- Bringing together like charges requires energy (force them together)
- Bringing together un-like charges gives up energy (fall together naturally)

$$U_{12} = k \frac{q_1 q_2}{r_{12}}$$

$$U_{23} = k \frac{q_2 q_3}{r_{23}}$$

$$U_{13} = k \frac{q_1 q_3}{r_{13}}$$

(b)

Week5: Electric Potential and Exam I

Day 2 Outline

- 1) Hwk: Ch. Study for Exam I Ch. 24 on capacitance is next.
- 2) General Exam info
- 3) Electric Potential

 ΔV , ΔU_E , W, ΔK and Δv in uniform E

Finding E from V(x,y,z) or V(r)

Calculating potential for continuous charge distribs Notes:

Exam I on Friday. Prepare review questions for Wed.

PDF version of "Review1 for Exam 1" updated online.

Try Ch. 21-23 "Test Bank Practices" online.

Hwk keys 1-4 online.

Return Hwk 3 (mean = 8.65/10)