
System Requirements Specification

for

Digitized Rhinoplasty (Option 9)

Version 2.0 approved

**Prepared by Priscilla Carbo, Marvin Cazeau, Jared Curtis, Maree Kelly,
Alessandra Oo**

Embry Riddle Aeronautical University, Daytona Beach Campus

4 February 2022

Table of Contents

Introduction	4
Purpose	4
Intended Audience and Reading Suggestions	4
Product Scope	4
References	4
Overall Description	5
Product Perspective	5
Product Functions	5
User Classes and Characteristics	6
Operating Environment	6
Design and Implementation Constraints	6
User Documentation	6
Assumptions and Dependencies	6
External Interface Requirements	7
Physical Environment Requirements	7
Interface Requirements	7
Functional Requirements	7
Documentation Requirements	8
System Features	8
Output similar faces using CNN	8
Render 3D Face of Patient	9
Other Nonfunctional Requirements	10
Performance Requirements	10
Safety Requirements	10
Security Requirements	10
Software Quality Attributes	10
Business Rules	10
Other Requirements	10

Revision History

Version	Name	Date	Reason for Changes
v1.0	P.C., M.C., J.C., M.K., A.O.	16 September 2021	Formatted template, added introduction
v1.1	P.C., M.C., J.C., M.K., A.O.	28 September 2021	Completed introduction, added references.
v1.2	P.C.,J.C., M.K, M.C, A.O.	26 October 2021	Added document conventions, added overall description, reformatted document
v1.3	P.C.,J.C., M.K,M.C,A.O.	30 November 2021	Refined system requirements, Modified system descriptions
v2.0	A.O, J.C, P.C, M.C, M.K	04 February 2022	Fixed format, modified system requirement, descriptions and formats

1. Introduction

1.1. Purpose

The software requirements specification for Digitized Rhinoplasty v2.1 covers the general system requirements, scope of the project, and intended use for all applicable audiences.

1.2. Document Conventions

No document conventions while writing this System Requirements Specification.

1.3. Intended Audience and Reading Suggestions

This document is intended for developers, users, testers, customers, and product owners alike to provide insight into the specifications and scope of the project. The suggested sequence for reading the document is beginning with the overall description and overview sections then proceeding through the sections that are most pertinent to the user.

1.4. Product Scope

The product being designed is a system that will allow a client to visibly see landmarks on an image of their face. It will initially take the 3-D input of the client's face then use a neural network model to plot significant facial landmarks on the patient's face for future rhinoplasty analysis. To elaborate, these landmarks will be used to make clusters of similarly structured faces and assign a patient to whichever cluster they most closely resemble. A patient will then be able to choose another patient from the cluster that they want to use as a reference to generate new landmarks for their nose before undergoing rhinoplasty surgery.


1.5. References

- I. "Digitized Rhinoplasty." *Digitalization of Rhinoplasty Research*, <https://digitized-rhinoplasty.com/>.
 - A. This is a web application intended to digitize the rhinoplasty by novel methodologies for pre-surgery planning, intraoperative guidance, and post-surgery evaluations.

2. Overall Description

2.1. Product Perspective

Digitized Rhinoplasty is a system designed to aid surgeons and patients who are about to undergo rhinoplasty surgery. It is an update to the previously developed Nova Initia system, which presented similar functionality in allowing users to preview desired facial surgeries. This system requires some hardware and multiple pieces of software in order to function, which is modeled below. The iPhone camera is initially utilized to scan the users' faces, which is then uploaded into the Digitized Rhinoplasty website. A JSON file is then uploaded into the database. Then, through the use of the selected Machine Learning models, the user is presented with different selections and options in potential facial modifications.



2.2. Product Functions

- 2.2.1. Interpret 3D scan of a user's face using GAN.
- 2.2.2. Compare the 3D scan of a user's face to a database of other 3D Face Scans.
- 2.2.3. Use the NN model to plot significant landmarks on the patient's face.
- 2.2.4. Use the NN model to group similar faces and suggest changes to the nose.

2.3. User Classes and Characteristics

- Surgeon
 - Requires full access to the database, with the ability to read from and add to the data.
 - Requires Python and Blender to be installed on their machine.
 - Requires access to the digitized rhinoplasty web application.
 - Requires access to Bellus3D iPhone application.
 - Should be able to view a patient's face in Blender.

- Should be able to make changes to the user's nose in Blender.
 - Should be able to export the patient's altered face/nose.
- Patient
 - Requires access to Bellus3D iPhone application.
 - Requires access to Digitized Rhinoplasty website.
 - Should be able to view similar faces.
 - Should be able to choose face(s) with similar noses.
 - Should be able to view the changes to their face before the operation.

2.4. Operating Environment

The software should operate on a computer running Windows 10 or later, or Mac OS 10.15.6 or later. This computer should have Python version 3.6 installed and should have access to the internet as well to ensure proper functionality.

2.5. Design and Implementation Constraints

- The hardware must have Windows, Mac OS, or Linux OS installed.
- The hardware must have Python version 3.0 or later installed.
- The hardware must be connected to a network with internet access.
- The hardware must have access to the database of patients.
- The software must have access to Digitized Rhinoplasty website
- The software and documentation is only available in English.
- The software will require maintenance in order to work on each different machine (i.e. the file locations will need to be changed).
- The Bellus3D is no longer available as of December 2022

2.6. User Documentations

Documentation for the software is available on GitHub under the Deliverables folder and can be viewed here: <https://github.com/jcurtis664/FacialAnalyzer/tree/main/Deliverables>.

2.7. Assumptions and Dependencies

- 2.7.1. The software will run on Windows 10.0 and Mac OS 10.15.6 or later operating systems.
- 2.7.2. The surgeon will access the program as a local software.
- 2.7.3. User must have Blender 2.90 or later installed on their system
- 2.7.4. User must have an iOS device to scan faces
- 2.7.5. The openpyxl module is installed to Blender's python module directory (C:\Program Files\Blender Foundation\Blender 2.90\2.90\scripts\modules). If openpyxl is not installed there is a tutorial on the github called "Installing openpyxl to Blender"
- 2.7.6. GAN must correctly process a 3D image

2.7.7. Users must use the Digitized Rhinoplasty website to obtain a JSON file.

3. External Interface Requirements

3.1. Physical Environment Requirements

- 3.1.1. The system shall only be installed in a plastic surgery clinic.
- 3.1.2. The user shall have version 3.6 of Python installed.
- 3.1.3. The user shall have version 3.0.9 of openpyxl installed in their Python site-packages.
- 3.1.4. The user shall have at least 2.90.1 version of Blender installed.
- 3.1.5. The user shall have version 3.0.9 of openpyxl installed in their Blender modules.

3.2. Interface Requirements

- 3.2.1. The system shall display a login screen.
- 3.2.2. The system shall display a home screen.
- 3.2.3. The system shall display a preview of a 3D face with facial points.
- 3.2.4. The system shall allow input of new patient data.
- 3.2.5. The system shall output new user data to the database.
- 3.2.6. The system shall execute Blender for manual face manipulation.
- 3.2.7. The system shall execute the CNN algorithm when prompted by the user.
- 3.2.8. The system shall allow the user to input images.
- 3.2.9. The system shall output the patient “before image” to Blender.

3.3. Functional Requirements

- 3.3.1. The system shall create a 3D image of the new nose on the patient's scanned face.
- 3.3.2. The system shall display the 3D image of the patient's face with a new nose.
- 3.3.3. The surgeon shall mark points on the patient's face upon upload using the Digitized Rhinoplasty web application.
- 3.3.4. The system shall display options for the patient to choose from.
- 3.3.5. The system shall generate more suggestions based on the patient's request.
- 3.3.6. The system shall send the patient's choice to Blender.
- 3.3.7. The system shall create the patient's new face in Blender.

3.4. Documentation Requirements

- 3.4.1. The documentation will be online through the application's GitHub.
- 3.4.2. The intended audience shall be surgeons and patients.
- 3.4.3. Physicians shall have previous background in surgical procedures.
- 3.4.4. The patients shall receive the same feedback as the doctor as well as a blended image of their expected output.

4. System Features

Section 4 details a more specific list as put forward in section 2.2.

Services of the product: Output similar faces using CNN, render 3D model of user face, output the new model after changes have been made to the nose.

4.1. Output similar faces using CNN

4.1.1. Description and Priority

A user should provide a 2D JPEG of their 3D face, which will be used as the input for a convolutional neural network (CNN). The output of the CNN algorithm will provide the user with a grouping of faces that look similar to their own. This feature is of high priority to the functionality of the system.

4.1.2. Stimulus/Response Sequences

First the user will utilize the Bellus3D iOS application to generate a 3D scan of the face to generate an .obj file, a .jpg file, and a .mtl file, which should be saved in a folder with the naming convention "<Patient Name>" in the database's Scaninfo folder. These files should then be uploaded to the Digitized Rhinoplasty web application (<https://digitized-rhinoplasty.com>) to generate a 3D model of the face, where the doctor will choose the 29 significant landmarks. Once the landmarks are selected, the user should export the JSON file and save it in the database's JSON folder with the naming convention "<Patient Name>.JSON". The user should then utilize the python file "read_in.py" found on the GitHub page (<https://github.com/jcurtis664/FacialAnalyzer>) to upload the patient's data into the database, then again to set the current patient. Next, the user should run the python file "match_faces_cnn.py" to be presented with a grouping of faces similar to their own.

4.1.3. Functional Requirements

REQ-1: The user must have an iOS device.

REQ-2: The user must download the Bellus3D software to the iOS device

REQ-3: The user must also have a computer with Windows, Mac OS, or Linux.

REQ-4: The computer must have access to the internet.

REQ-5: The computer must have python installed.

4.2. Render 3D Face of Patient

4.2.1. Description and Priority

A user should provide a 3D obj file, a jpg file, and an mtl file of their face, as well as a JSON file of the 29 significant landmarks, which will be loaded into Blender to display a model of the patient's face. This feature is of high priority to the functionality of the system.

4.2.2. Stimulus/Response Sequences

First the user will utilize the Bellus3D iOS application to generate a 3D scan of the face to generate an obj file, a jpg file, and an mtl file, which should be saved in a folder with the naming convention

“<Patient Name>” in the database’s Scaninfo folder. These files should then be uploaded to the digitized rhinoplasty web application (<https://digitized-rhinoplasty.com>) to generate a 3D model of the face, where the doctor will choose the 50 significant landmarks. Once the landmarks are selected, the user should export the JSON file and save it in the database’s JSON folder with the naming convention “<Patient Name>.JSON”. The Blender file ‘NovaInitia2.blend’ should then be opened and the script ‘NovaInitiav2’ should be run, which will prompt the user to choose four files (dataPointsFile_path, newDataPointsFile_path, faceObjectFile_path, and meshFile_path)

4.2.3. Functional Requirements

REQ-1: The user must have an Apple device

REQ-2: The user must download the Bellus3D software to the Apple device

REQ-3: The user must also have a computer with Windows, Mac OS, or Linux

REQ-4: The computer must have access to the internet

REQ-5: The computer must have Blender installed

REQ-6: The user must install openpyxl into the Blender modules folder

5. Other Nonfunctional Requirements

5.1. Performance Requirements

Section 5 details the current known requirements and regulations associated with this product of the Initial Release, Version 1.3.

5.2. Safety Requirements

There are no safety requirements for this system.

5.3. Security Requirements

- 5.3.1. The system shall only allow access to authorized users.
- 5.3.2. The system shall save patient data in a secure database.
- 5.3.3. The system shall isolate patient data from each individual patient file
- 5.3.4. The system shall backup every time new patient data is uploaded.

5.4. Software Quality Attributes

There are no additional software quality attributes for the product. They were listed above in section 3.

5.5. Business Rules

- 5.5.1. Business Requirements
 - 5.5.1.1 The system shall only accept a certified surgeon that specializes in rhinoplasty as a user.
 - 5.5.1.2 The patient shall be over the age of 18.
 - 5.5.1.3 The patient shall have the consent of a parent or guardian if under the age of 18.

6. Other Requirements

- 6.1 A patient should sign a document to allow the use of their face in the database.

Appendix A: Glossary

GAN - Generative Adversarial Network, used to generate 3D images to add to our database

CNN - Convolutional Neural Network, machine learning algorithm used to find similarity between jpg files of patients

JPEG - Joint Photographic Experts Group, taken from Bellus3D and uploaded to Digitized Rhinoplasty website