# **SARAPP Search and Rate Application Use Case Specification**

### Submitted to:

Asst. Prof. Ma. Rowena C. Solamo **Faculty Member** Department of Computer Science College of Engineering University of the Philippines, Diliman

> Submitted by: Angelika Galang Julian Troy Valdez Richelle Yap

In partial fulfillment of academic requirements for the course CS 191 Software Engineering I of the 1st Semester, AY <2017-2018>

System: SARAPP Page 1 Version: 2.0 Group: 1

## **Unique Reference:**

The documents are stored in the 02-Requirements Engineering folder of CS191\_G1\_17-18\_SARAPP https://github.com/jcvaldez1/CS191 G1 17-18 SARAPP/tree/master/02-Requirements%20Engineering

## **Document Purpose:**

This document contains the specification for the SARAPP system's use-case 1.0 – search food store.

## Target Audience:

This document serves as a partial fulfillment of academic requirements for the CS 191 Software Engineering course, handled by Ma'am Rowena Solamo, to whom this document is made for. Additionally, the users of the application will mainly consist of student, teachers, staff, and guests who would visit and look for some place to eat inside University of the Philippines Diliman.

#### **Revision Control**

#### History Revision:

Revision Date	Person Responsible	Version Number	Modification
10/09/17	Angelika Galang	1.0	Initial Document : Added the use case name, description, precondition, flow of scenario events, activity diagram and uploaded the document
10/11/17	Angelika Galang	1.1	Fixed project title and unique reference
10/11/17	Angelika Galang	2.0	Removed application as an actor in scenario descriptions and activity diagram of the flow of events

Page 2 System: SARAPP Version: 2.0 Group: 1

Use-Case Name: 1.0 Search Food Store

Description: This case enables the user to search for a food store in UP he/she is looking for. The

search works by having the name of the food store as input. Two scenarios may arise

while performing this action and all of which are described in the table below.

Preconditions: The pre-condition would be that the data available in the mobile application must be


synced with both the server and the web application.

### Flow of Events:

Scenario Name	Description
Scenario 1	1. User enters the name of the food store.
User searches for a food store.	2. User sees the clickable store name
Scenario 2	1. User enters the name of the food store.
User searches for a food store that does not exist in the database.	2. User sees a message that the food store does not exist (and/or is not yet stored).

Page 3 System: SARAPP Version: 2.0 Group: 1

## Activity Diagram of the Flow of Events:



Postcondition: NONE

Relationships: NONE

Special Requirements:

NONE

Page 4 System: SARAPP Version: 2.0 Group: 1