SARAPP
Search and Application
Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:
Angelika Galang
Julian Troy Valdez
Richelle Yap

In partial fulfillment of academic requirements
for the course
CS 191 Software Engineering I
of the
1st Semester, AY <2017-2018>

Unique Reference:

This document is stored in the 02-Requirements Engineering folder of github.com/jcvaldez1/CS191_G1_17-18_SARAPP

Document Purpose:

This document contains the specification for the SARAPP system's use-case 2.0 – rate food store.

Target Audience:

This document serves as a partial fulfillment of academic requirements for the CS 191 Software Engineering course, handled by Ma'am Rowena Solamo, to whom this document is made for. Additionally, the users of the application will mainly consist of student, teachers, staff, and guests who would visit and look for some place to eat inside University of the Philippines Diliman.

Revision Control

History Revision:

| Revision Date	Person Responsible	Version Number	Modification
10/09/17	Angelika Galang	1.0	Created the document.

Use-Case Name: 2.0 Rate Food Store

Description: This case allows the user to rate a food store. He/she could give feedback of the store's food quality, pricing, and service. The user could also add pictures and comments through this functionality. Two scenarios may arise while performing this action and all of which are described in the table below.

Preconditions: The pre-condition would be that the data available in the mobile application must be synced with both the server and the web application.

Flow of Events:

Scenario Name	Description
Scenario 1 User rates a food store.	1. User enters rating for the food store. 2. Application stores the rating in the database.
Scenario 2 User inputs incomplete rating information.	1. User enters incomplete rating for the food store. 2. Application prompts an error message telling the user to complete the information.

Activity Diagram of the Flow of Events:

Postcondition: Post-conditions would be that the data syncing with the web application would occur after changes have been made

Relationships: NONE

Special Requirements:
            NONE