

Supplementary Material:

Effectiveness of community-based TURF-reserves in Mexican small-scale fisheries

Raw data and code are available on GitHub at: https://github.com/jcvdav/ReserveEffect

Table S1. Number of invertebrate transects performed in each site of each community.

Community	Control	Reserve
Isla Natividad	415	244
Maria Elena	27	21
Punta Herrero	51	73




Figure S1: Time series of lobster densities. Bars indicate standard errors.




Figure S2: Time series of invertebrate densities. Bars indicate standard errors.

 $\textbf{Table S2.} \ \ \text{Number of fish transects performed in each site of each community.}$

Community	Control	Reserve
Isla Natividad	400	241
Maria Elena	44	45
Punta Herrero	82	85




Figure S3: Time series of fish biomass. Bars indicate standard errors.




Figure S4: Time series of fish densities. Bars indicate standard errors.

Table S3. Mean ex-vessel prices (MXP / Kg) for lobster (Panulirus spp.) on each TURF (community) by zone (MC = Caribbean; PN = Pacific) and group (Control = only TURF, Treated = TURF and reserve).

Zone	Group	TURF	Before	After
MC MC MC MC PN		langosteros del caribe vigia chico cozumel jose maria azcorra bahia tortugas	178.21	176.72 175.31 170.49 207.83 122.46
PN PN PN	Control Control Treated	la purisima pesc nacionales de abulon buzos y pescadores de la baja california	67.54 67.16 89.35	157.88 88.79 190.07




Figure S5: Time series of landings and value of landings.

 Table S4. Coefficient estimates of biological indicators for Isla Natividad.

	Dependent variable:			
	Lobster abundance	Fish biomass	Invertebrate abundance	Invertebrate biomass
	(1)	(2)	(3)	(4)
zonaReserva	-0.011 (0.058)	-0.001*** (0.001)	0.014 (0.026)	-0.042** (0.018)
year1	0.032 (0.067)	0.001* (0.001)	-0.023(0.024)	-0.005(0.020)
year2	0.0002 (0.077)	0.001 (0.001)	-0.007(0.023)	-0.004(0.023)
year3	0.023 (0.072)	0.008*** (0.002)	0.008 (0.023)	0.045* (0.026)
year4	-0.030(0.058)	0.002*** (0.001)	0.017 (0.023)	-0.009(0.019)
year5	-0.006(0.061)	$0.005^{***} (0.001)$	0.025 (0.025)	0.019 (0.021)
year6	-0.014(0.062)	0.014*** (0.004)	0.025 (0.024)	0.036 (0.022)
year7	-0.021(0.060)	0.069*** (0.012)	0.020 (0.025)	0.047** (0.021)
year8	-0.026(0.059)	0.038*** (0.005)	0.036 (0.026)	0.013 (0.021)
year9	-0.038(0.057)	0.044*** (0.010)	0.086*** (0.029)	0.039* (0.023)
year10	-0.066(0.057)	0.052^{***} (0.010)	-0.002(0.024)	-0.015(0.019)
zonaReserva:year1	-0.058(0.078)	0.002* (0.001)	0.040 (0.041)	0.032 (0.025)
zonaReserva:year2	0.126 (0.121)	-0.0003(0.001)	0.058 (0.042)	0.014 (0.026)
zonaReserva:year3	0.053 (0.093)	-0.001 (0.002)	0.007 (0.035)	-0.005(0.029)
zonaReserva:year4	0.035 (0.065)	$0.004^{***} (0.001)$	0.020 (0.038)	$0.070^{***} (0.027)$
zonaReserva:year5	-0.045(0.068)	-0.001(0.001)	0.028 (0.042)	0.011 (0.030)
zonaReserva:year6	0.096 (0.075)	-0.007*(0.004)	-0.001 (0.039)	0.023 (0.028)
zonaReserva:year7	-0.030(0.065)	-0.014(0.018)	0.029 (0.044)	0.029 (0.028)
zonaReserva:year8	0.012 (0.069)	0.017 (0.017)	0.050 (0.044)	0.028 (0.026)
zonaReserva:year9	0.002 (0.064)	0.004 (0.013)	-0.060(0.041)	0.037 (0.028)
zonaReserva:year10	-0.016(0.062)	-0.017(0.016)	-0.007(0.038)	0.035 (0.025)
Constant	0.122** (0.054)	0.003*** (0.0005)	0.122*** (0.020)	0.125*** (0.016)
Observations	659	2,987	3,714	2,987
\mathbb{R}^2	0.049	0.090	0.012	0.020
Residual Std. Error	0.189 (df = 637)	0.072 (df = 2965)	0.244 (df = 3692)	0.177 (df = 2965)

*p<0.1; **p<0.05; ***p<0.01

 Table S5. Coefficient estimates of biological indicators for Maria Elena.

	Dependent variable:			
	Lobster abundance	Fish biomass	Invertebrate abundance	Invertebrate biomass
	(1)	(2)	(3)	(4)
zonaReserva	-0.033** (0.013)	-0.001 (0.002)	-0.017 (0.013)	-0.027 (0.051)
year1	0.008 (0.023)	0.004** (0.002)	-0.004(0.016)	-0.035(0.041)
year2	-0.019(0.015)	0.002 (0.002)	-0.012(0.013)	-0.022(0.048)
year3	-0.028**(0.014)	0.001 (0.002)	-0.017(0.013)	-0.049(0.041)
year4	0.023 (0.028)	0.001 (0.002)	0.011 (0.019)	0.022 (0.043)
zonaReserva:year1	-0.003(0.024)	0.004 (0.002)	0.020 (0.018)	0.076 (0.056)
zonaReserva:year2	0.046* (0.024)	0.001 (0.002)	0.024 (0.016)	0.005 (0.059)
zonaReserva:year3	0.074*** (0.024)	0.008 (0.007)	0.057** (0.027)	0.019 (0.053)
zonaReserva:year4	0.001 (0.031)	0.002 (0.002)	0.007 (0.020)	-0.023(0.056)
Constant	0.033** (0.013)	0.004** (0.001)	0.033*** (0.013)	0.133*** (0.040)
Observations	48	1,146	75	1,146
\mathbb{R}^2	0.222	0.012	0.113	0.019
Residual Std. Error	0.038 (df = 38)	0.021 (df = 1136)	0.034 (df = 65)	0.196 (df = 1136)

*p<0.1; **p<0.05; ***p<0.01

 Table S6. Coefficient estimates of biological indicators for Punta Herrero.

	Dependent variable:			
	Lobster abundance	Fish biomass	Invertebrate abundance	Invertebrate biomass
	(1)	(2)	(3)	(4)
zonaReserva	0.004 (0.009)	0.018*** (0.006)	0.055* (0.031)	0.218*** (0.057)
year-1	-0.006(0.007)	$-0.003^{***} (0.001)$	-0.008(0.007)	-0.097^{***} (0.016)
year1	-0.008(0.005)	-0.002*(0.001)	-0.014^{***} (0.004)	-0.052^{***} (0.017)
year2	0.004 (0.009)	$-0.002^{***}(0.001)$	0.013 (0.010)	-0.048***(0.017)
year3	-0.001(0.006)	-0.001 (0.002)	0.015 (0.013)	0.004 (0.030)
zonaReserva:year-1	0.017 (0.023)	0.025 (0.021)	-0.023(0.036)	0.053 (0.102)
zonaReserva:year1	0.018 (0.024)	-0.009(0.007)	0.090 (0.069)	-0.012(0.073)
zonaReserva:year2	0.019 (0.021)	0.0004 (0.009)	-0.033(0.035)	0.052 (0.094)
zonaReserva:year3	0.016 (0.016)	-0.012(0.008)	0.003 (0.045)	-0.106(0.074)
Constant	0.011** (0.005)	0.005*** (0.001)	0.034*** (0.003)	0.154*** (0.014)
Observations	124	1,628	262	1,628
R^2	0.051	0.025	0.054	0.036
Residual Std. Error	0.049 (df = 114)	0.061 (df = 1618)	0.169 (df = 252)	0.572 (df = 1618)

*p<0.1; **p<0.05; ***p<0.01

 Table S7. Coefficient estimates of socioeconomic indicators Isla Natividad.

	Dependent variable:		
	Landings	valor Revenues	
	(1)	(2)	
zonaReserva	-66.248*** (21.192)	-5.040* (2.817)	
year-6	-9.747(26.691)	6.074 (4.376)	
year-5	-26.548(36.201)	2.106 (7.819)	
year-4	-8.805(54.742)	-1.665(5.141)	
year-3	29.433 (53.606)	2.834 (5.409)	
year-2	-17.752(37.964)	3.423 (3.086)	
year-1	-5.421(46.563)	1.095 (3.894)	
year1	-46.722* (24.836)	-1.873(3.882)	
year2	9.037 (29.383)	10.802** (5.477)	
year3	-23.798(21.935)	9.425* (5.316)	
year4	-54.097** (24.541)	2.816 (5.541)	
year5	48.012** (21.950)	10.380 (7.267)	
year6	39.160 (39.516)	12.549 (7.653)	
year7	-11.992(30.520)	10.988 (12.703)	
year8	-26.265(37.453)	14.186 (14.328)	
zonaReserva:year-6	-12.067(26.691)	-1.980(4.376)	
zonaReserva:year-5	6.214 (36.201)	-1.715(7.819)	
zonaReserva:year-4	-26.453(54.742)	-1.237(5.141)	
zonaReserva:year-3	-18.071 (53.606)	-2.213(5.409)	
zonaReserva:year-2	5.569 (37.964)	-2.142(3.086)	
zonaReserva:year-1	-13.914(46.563)	-1.703(3.894)	
zonaReserva:year1	-0.696(24.836)	-1.119(3.882)	
zonaReserva:year2	1.436 (29.383)	8.758 (5.477)	
zonaReserva:year3	10.607 (21.935)	12.639** (5.316)	
zonaReserva:year4	-6.110(24.541)	2.515 (5.541)	
zonaReserva:year5	-61.368*** (21.950)	0.047 (7.267)	
zonaReserva:year6	-2.498(39.516)	12.371 (7.653)	
zonaReserva:year7	6.842 (30.520)	3.441 (12.703)	
zonaReserva:year8	65.875* (37.453)	10.347 (14.328)	
Constant	202.868*** (21.192)	15.517*** (2.817)	
Observations	60	60	
R^2	0.638	0.492	
Residual Std. Error ($df = 30$)	43.483	9.794	

*p<0.1; **p<0.05; ***p<0.01

 Table S8. Coefficient estimates of socioeconomic indicators for Maria Elena.

	Dependent variable:		
		valor	
	Landings	Revenues	
	(1)	(2)	
zonaReserva	-12.452 (21.012)	-1.831 (4.026)	
year-6	-10.495 (39.993)	-3.715(5.741)	
year-5	-1.865 (49.084)	-0.997 (8.401)	
year-4	-7.648(43.503)	1.206 (10.941)	
year-2	2.857 (49.422)	-0.051 (8.558)	
year-1	7.519 (40.701)	0.151 (6.850)	
year1	-9.668(21.613)	-1.990(4.118)	
zonaReserva:year-6	-7.993(39.993)	-0.607(5.741)	
zonaReserva:year-5	-12.027(49.084)	-2.239(8.401)	
zonaReserva:year-4	-11.520(43.503)	-4.595(10.941)	
zonaReserva:year-2	-18.129(49.422)	-3.360(8.558)	
zonaReserva:year-1	-11.395(40.701)	-2.079(6.850)	
zonaReserva:year1	-9.629(21.613)	-2.092(4.118)	
Constant	38.859* (21.012)	7.125* (4.026)	
Observations	21	21	
\mathbb{R}^2	0.230	0.242	
Residual Std. Error (df = 7)	39.665	7.294	

*p<0.1; **p<0.05; ***p<0.01