

Regression Models Project - Motor Trend Data ‘mtcars’

Miles Per Gallon Analysis

james c walmsley

12/1/2016

Executive Summary

Add after completing analysis

Analysis plan

```
Descriptive
  any(is.na)
  head(data)
  str(data)
  summary(data)
Exploratory
  Simple linear comparisons
  Multivariate
    Additive
    Multiplicative
    Missing
    Steped
    Coefficients
    Residuals
      Influence
      Leverage
    Deviance
    Anova
Inferential
  Null Hypothesis
  Alternative Hypothesis
  Power or Alpha
  Confidence Interval = .95, one or two sided?
  pValue
  R^2
Predictive ~ NA
Causal ~ NA
Mechanistic ~ NA
```

Accessing this data

Note on where to get this data:

Raw data overview:

Motor Trend 'mtcars' data set

```
rm(list = ls())  
data("mtcars")  
any(is.na(mtcars))
```

```
## [1] FALSE
```

```
head(mtcars,5)
```

```
##           mpg  cyl  disp  hp  drat    wt    qsec vs  am  gear  carb  
## Mazda RX4      21.0   6  160 110  3.90  2.620 16.46  0   1     4     4  
## Mazda RX4 Wag  21.0   6  160 110  3.90  2.875 17.02  0   1     4     4  
## Datsun 710     22.8   4  108  93  3.85  2.320 18.61  1   1     4     1  
## Hornet 4 Drive  21.4   6  258 110  3.08  3.215 19.44  1   0     3     1  
## Hornet Sportabout 18.7   8  360 175  3.15  3.440 17.02  0   0     3     2
```

Exploratory analysis

- Histograms
- Boxplots
- Rug
- Barplots
- Scatterplots
- Multiple plots
- Graphing - base, lattice, ggplot2
- ABlines (h/v)
- Confidence intervals
- Standard error
- Variance
- Fitted lines
- Heatmap
- K-Means
- Dimension Reduction
 - PCA
 - SVD
- Figures: Exploratory see Appendix A

Preliminary findings: questions of interest: & interpretation of results;

- A
- B
- C

Conclusions / recommendations

A
B
C

- 1 Challenge the results ?
- 2 Measures of uncertainty 'e'

Appendix A

Plots with Code
Pairs
Histograms
Box Plots
QQ Plots
Fitted
Residuals
Residuals vs Fitted

=== END ===