

The Association between Mars Crater Distance from Equator and

Jerry D'Antonio, Akron, Ohio, U.S.A.



Summary Statistics

```

> summary(LATITUDE_CIRCLE_IMAGE)
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
-86.700 -30.940 -10.080  -7.199  17.220  85.700
> summary(DIAM_CIRCLE_IMAGE)
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
  1.000   1.180   1.530   3.557   2.550 1164.000
> summary(DEPTH_RIMFLOOR_TOPOG)
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
-0.42000  0.00000  0.00000  0.07584  0.00000  4.95000
> stat.desc(LATITUDE_CIRCLE_IMAGE)
      nbr.val      nbr.null      nbr.na      min      max
3.843430e+05  7.000000e+00  0.000000e+00 -8.670000e+01  8.570200e+01
      range      sum      median      mean      SE.mean
1.724020e+02 -2.766965e+06 -1.007900e+01 -7.199209e+00  5.421203e-02
CI.mean.0.95      var      std.dev      coef.var
1.062540e-01  1.129563e+03  3.360897e+01 -4.668425e+00
> stat.desc(DIAM_CIRCLE_IMAGE)
      nbr.val      nbr.null      nbr.na      min      max      range
3.843430e+05  0.000000e+00  0.000000e+00  1.000000e+00  1.164220e+03  1.163220e+03
      sum      median      mean      SE.mean CI.mean.0.95      var
1.366988e+06  1.530000e+00  3.556686e+00  1.385908e-02  2.716338e-02  7.382234e+01
      std.dev      coef.var
8.591993e+00  2.415730e+00
> stat.desc(DEPTH_RIMFLOOR_TOPOG)
      nbr.val      nbr.null      nbr.na      min      max
3.843430e+05  3.075290e+05  0.000000e+00 -4.200000e-01  4.950000e+00
      range      sum      median      mean      SE.mean
5.370000e+00  2.914763e+04  0.000000e+00  7.583755e-02  3.573128e-04
CI.mean.0.95      var      std.dev      coef.var
7.003225e-04  4.907001e-02  2.215175e-01  2.920948e+00

```

Summary statistics for crater latitude (LATITUDE_CIRCLE_IMAGE), diameter (DIAM_CIRCLE_IMAGE), and depth (DEPTH_RIMFLOOR_TOPOG) calculated with R (functions summary and stat.desc).

Correlation of crater latitude, diameter, and depth


| The CORR Procedure | | | | | | | |
|--|--------|----------|----------|----------|-----------|----------|---|
| 3 Variables: DIAM_CIRCLE_IMAGE DEPTH_RIMFLOOR_TOPOG LATITUDE_CIRCLE_IMAGE | | | | | | | |
| Simple Statistics | | | | | | | |
| Variable | N | Mean | Std Dev | Sum | Minimum | Maximum | Label |
| DIAM_CIRCLE_IMAGE | 384343 | 3.55669 | 8.59199 | 1366988 | 1.00000 | 1164 | Crater Diameter (in km) |
| DEPTH_RIMFLOOR_TOPOG | 384343 | 0.07584 | 0.22152 | 29148 | -0.42000 | 4.95000 | Average Elevation of Crater Rim (in km) |
| LATITUDE_CIRCLE_IMAGE | 384343 | -7.19921 | 33.60897 | -2766965 | -86.70000 | 85.70200 | Latitude of Crater Center |

| Pearson Correlation Coefficients, N = 384343 Prob > r under H0: Rho=0 | | |
|--|-------------------|----------------------|
| | DIAM_CIRCLE_IMAGE | DEPTH_RIMFLOOR_TOPOG |
| DIAM_CIRCLE_IMAGE | 1.00000 | 0.58671 |
| Crater Diameter (in km) | | <.0001 |
| DEPTH_RIMFLOOR_TOPOG | 0.58671 | 1.00000 |
| Average Elevation of Crater Rim (in km) | <.0001 | |
| LATITUDE_CIRCLE_IMAGE | -0.05794 | -0.04288 |
| Latitude of Crater Center | <.0001 | <.0001 |


| Pearson Correlation Coefficients, N = 384343 Prob > r under H0: Rho=0 | |
|--|-----------------------|
| | LATITUDE_CIRCLE_IMAGE |
| | -0.05794 |
| | <.0001 |
| | -0.04288 |
| | <.0001 |
| | 1.00000 |

Correlation of crater latitude (LATITUDE_CIRCLE_IMAGE), diameter (DIAM_CIRCLE_IMAGE), and depth (DEPTH_RIMFLOOR_TOPOG). Proc Correlation procedure. Interpret Pearson Correlation Coefficients.


Crater frequency by nearest degree latitude



Crater depth by nearest degree latitude



Crater diameter by nearest degree latitude



Univariate statistics for nearest latitude

The UNIVARIATE Procedure

Variable: NEAREST_LATITUDE (Relative Distance from Equator (nearest 1 degree latitude))

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 384343 | Sum Weights | 384343 |
| Mean | -7.6983346 | Sum Observations | -2958801 |
| Std Deviation | 33.6107816 | Variance | 1129.68464 |
| Skewness | 0.19148212 | Kurtosis | -0.5437515 |
| Uncorrected SS | 456963095 | Corrected SS | 434185255 |
| Coeff Variation | -436.59809 | Std Error Mean | 0.05421496 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|-----------|
| Location | | Variability | |
| Mean | -7.6983 | Std Deviation | 33.61078 |
| Median | -11.0000 | Variance | 1130 |
| Mode | -22.0000 | Range | 172.00000 |
| | | Interquartile Range | 48.00000 |

| Tests for Location: Mu0=0 | | | |
|---------------------------|-----------|----------|------------------|
| Test | Statistic | | p Value |
| Student's t | t | -141.997 | Pr > t <.0001 |
| Sign | M | -42949.5 | Pr >= M <.0001 |
| Signed Rank | S | -9.501E9 | Pr >= S <.0001 |

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 100% Max | 85 |
| 99% | 68 |
| 95% | 52 |
| 90% | 38 |
| 75% Q3 | 17 |
| 50% Median | -11 |
| 25% Q1 | -31 |
| 10% | -51 |
| 5% | -62 |
| 1% | -74 |
| 0% Min | -87 |

| Extreme Observations | | | |
|----------------------|--------|---------|------|
| Lowest | | Highest | |
| Value | Obs | Value | Obs |
| -87 | 373860 | 84 | 68 |
| -87 | 372616 | 85 | 78 |
| -86 | 381586 | 85 | 209 |
| -86 | 381146 | 85 | 281 |
| -86 | 381141 | 85 | 3811 |

Mean crater latitude (rounded down to nearest whole degree) and standard deviation (quantitative, ordered variable). Variable named NEAREST_LATITUDE. Proc Univariate Procedure.

Univariate statistics for approximate diameter

The UNIVARIATE Procedure

Variable: APPROX_DIAMETER (Crater Diameter (nearest 1 km))

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 384343 | Sum Weights | 384343 |
| Mean | 3.18584181 | Sum Observations | 1224456 |
| Std Deviation | 8.56024026 | Variance | 73.2777133 |
| Skewness | 23.750816 | Kurtosis | 1928.47299 |
| Uncorrected SS | 32064626 | Corrected SS | 28163702.9 |
| Coeff Variation | 268.696337 | Std Error Mean | 0.01380786 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|----------|
| Location | | Variability | |
| Mean | 3.185842 | Std Deviation | 8.56024 |
| Median | 1.000000 | Variance | 73.27771 |
| Mode | 1.000000 | Range | 1163 |
| | | Interquartile Range | 1.00000 |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 230.7266 | Pr > t | <.0001 |
| Sign | M | 192171.5 | Pr >= M | <.0001 |
| Signed Rank | S | 3.693E10 | Pr >= S | <.0001 |

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 100% Max | 1164 |
| 99% | 37 |
| 95% | 12 |
| 90% | 6 |
| 75% Q3 | 2 |
| 50% Median | 1 |
| 25% Q1 | 1 |
| 10% | 1 |
| 5% | 1 |
| 1% | 1 |
| 0% Min | 1 |

| Extreme Observations | | | |
|----------------------|--------|---------|--------|
| Lowest | | Highest | |
| Value | Obs | Value | Obs |
| 1 | 384343 | 467 | 227410 |
| 1 | 384342 | 512 | 208706 |
| 1 | 384341 | 624 | 188255 |
| 1 | 384340 | 1096 | 188254 |
| 1 | 384339 | 1164 | 370653 |

Mean crater diameter (rounded down to nearest whole kilometer) and standard deviation (quantitative, ordered variable). Variable named APPROX_DIAMETER. Proc Univariate procedure.

ANOVA analysis of crater hemisphere and depth

The ANOVA Procedure

Dependent Variable: DEPTH_RIMFLOOR_TOPOG Average Elevation of Crater Rim (in km)

| Source | DF | Sum of Squares | Mean Square | F Value | Pr > F |
|-----------------|--------|----------------|-------------|---------|--------|
| Model | 1 | 22.11186 | 22.11186 | 451.15 | <.0001 |
| Error | 384341 | 18837.55491 | 0.04901 | | |
| Corrected Total | 384342 | 18859.66676 | | | |

| R-Square | Coeff Var | Root MSE | DEPTH_RIMFLOOR_TOPOG Mean |
|----------|-----------|----------|---------------------------|
| 0.001172 | 291.9239 | 0.221388 | 0.075838 |

| Source | DF | Anova SS | Mean Square | F Value | Pr > F |
|------------|----|-------------|-------------|---------|--------|
| HEMISPHERE | 1 | 22.11185935 | 22.11185935 | 451.15 | <.0001 |

Relationship of crater hemisphere (categorical variable) and crater depth (quantitative variable). Proc ANOVA procedure. Interpret columns F Value and P Value(451.15, 0.0001).

ANOVA analysis of crater latitude group and diameter

The ANOVA Procedure

Dependent Variable: DIAM_CIRCLE_IMAGE Crater Diameter (in km)

| Source | DF | Sum of Squares | Mean Square | F Value | Pr > F |
|-----------------|--------|----------------|-------------|---------|--------|
| Model | 17 | 124292.20 | 7311.31 | 99.47 | <.0001 |
| Error | 384325 | 28248733.53 | 73.50 | | |
| Corrected Total | 384342 | 28373025.73 | | | |

| R-Square | Coeff Var | Root MSE | DIAM_CIRCLE_IMAGE Mean |
|----------|-----------|----------|------------------------|
| 0.004381 | 241.0486 | 8.573342 | 3.556686 |

| Source | DF | Anova SS | Mean Square | F Value | Pr > F |
|----------------|----|-------------|-------------|---------|--------|
| LATITUDE_GROUP | 17 | 124292.1958 | 7311.3056 | 99.47 | <.0001 |

Relationship of crater latitude group (categorical variable) and crater diameter (quantitative variable). Proc ANOVA procedure. Interpret columns F Value and P Value(99.47, 0.0001).

ANOVA analysis with Duncan test (1 of 2)

The ANOVA Procedure

Duncan's Multiple Range Test for DIAM_CIRCLE_IMAGE

Note: This test controls the Type I comparisonwise error rate, not the experimentwise error rate.

| | |
|-----------------------------|----------|
| Alpha | 0.05 |
| Error Degrees of Freedom | 384325 |
| Error Mean Square | 73.5022 |
| Harmonic Mean of Cell Sizes | 705.6669 |

Note: Cell sizes are not equal.

| Number of Means | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Critical Range | 0.895 | 0.942 | 0.974 | 0.997 | 1.015 | 1.030 | 1.043 | 1.054 | 1.063 | 1.071 | 1.079 | 1.085 | 1.091 | 1.097 |

| 16 | 17 | 18 |
|-------|-------|-------|
| 1.102 | 1.106 | 1.111 |

| Means with the same letter are not significantly different. | | | |
|---|---------|------------------|----|
| Duncan Grouping | Mean | N LATITUDE_GROUP | |
| A | 11.2684 | 44 | 8 |
| B | 5.0076 | 18758 | -6 |
| B | 4.9270 | 631 | -9 |
| C | 4.8263 | 13528 | -7 |
| C | 4.3694 | 6983 | -8 |
| C | 4.3176 | 25392 | -5 |
| C | 3.8681 | 34576 | -4 |
| F | 3.4729 | 46156 | -2 |
| F | 3.4511 | 46503 | -3 |

ANOVA analysis with Duncan test (2 of 2)

The ANOVA Procedure

Duncan's Multiple Range Test for DIAM_CIRCLE_IMAGE

Note: Cell sizes are not equal

| Means with the same letter are not significantly different. | | | | | |
|--|---|---|--------|-------|----------------|
| Duncan Grouping | | | Mean | N | LATITUDE_GROUP |
| F | E | D | 3.3732 | 32364 | 0 |
| F | E | D | | | |
| F | E | D | 3.3559 | 40922 | -1 |
| F | E | | | | |
| F | E | | 3.2558 | 30414 | 1 |
| F | E | | | | |
| F | E | | 3.1461 | 2780 | 7 |
| F | E | | | | |
| F | E | | 3.1058 | 28990 | 2 |
| F | E | | | | |
| F | E | | 3.0962 | 23365 | 3 |
| F | E | | | | |
| F | E | | 3.0014 | 14162 | 4 |
| F | | | | | |
| F | | | 2.7450 | 10800 | 5 |
| F | | | | | |
| F | | | 2.5939 | 7975 | 6 |

Relationship of crater diameter (quantitative variable), crater depth (quantitative variable), and latitude group (categorical variable). Proc ANOVA procedure with Duncan's multiple range test. Interpret column Duncan Grouping. (2 of 2)

Chi Square analysis of crater hemisphere and presence of primary morphology

The FREQ Procedure

Table of PRIMARY_MORPHOLOGY by HEMISPHERE

| | | HEMISPHERE(Hemisphere with respect to equator (0=South, 1=North)) | | Total |
|--|-----------|---|--------|--------|
| | | 0 | 1 | |
| PRIMARY_MORPHOLOGY(Crater has a classifiable primary morphology (1) or does not (0)) | | | | |
| 0 | Frequency | 207584 | 132134 | 339718 |
| | Percent | 54.01 | 34.38 | 88.39 |
| | Row Pct | 61.10 | 38.90 | |
| | Col Pct | 88.92 | 87.57 | |
| 1 | Frequency | 25865 | 18760 | 44625 |
| | Percent | 6.73 | 4.88 | 11.61 |
| | Row Pct | 57.96 | 42.04 | |
| | Col Pct | 11.08 | 12.43 | |
| Total | | Frequency | 233449 | 150894 |
| | | Percent | 60.74 | 39.26 |
| | | | | 100.00 |

Statistics for Table of PRIMARY_MORPHOLOGY by HEMISPHERE

| Statistic | DF | Value | Prob |
|-----------------------------|----|----------|--------|
| Chi-Square | 1 | 163.5012 | <.0001 |
| Likelihood Ratio Chi-Square | 1 | 162.4070 | <.0001 |
| Continuity Adj. Chi-Square | 1 | 163.3693 | <.0001 |
| Mantel-Haenszel Chi-Square | 1 | 163.5007 | <.0001 |
| Phi Coefficient | | 0.0206 | |
| Contingency Coefficient | | 0.0206 | |
| Cramer's V | | 0.0206 | |

| Fisher's Exact Test | |
|--------------------------|-----------|
| Cell (1,1) Frequency (F) | 207584 |
| Left-sided Pr <= F | 1.0000 |
| Right-sided Pr >= F | 1.794E-37 |
| Table Probability (P) | 2.516E-38 |
| Two-sided Pr <= P | 3.441E-37 |

Sample Size = 384343

Relationship of crater hemisphere (categorical variable) and the presence/absence of crater primary morphology (categorical variable). Proc Frequency procedure with Chi Square analysis. Interpret row Chi-Square (162.4070, p 0.0001).