

Figure 143: Encounter Activity (V3) Example

```
<encounter classCode="ENC" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.22.4.49" extension="2015-08-01" />
  <id root="2a620155-9d11-439e-92b3-5d9815ff4de8" />
  <code code="99213" displayName="Office outpatient visit 15 minutes"
codeSystemName="CPT-4" codeSystem="2.16.840.1.113883.6.12">
    <originalText>
      <reference value="#Encounter1" />
    </originalText>
    <translation code="AMB" codeSystem="2.16.840.1.113883.5.4" displayName="Ambulatory"
codeSystemName="HL7 ActEncounterCode" />
  </code>
  <effectiveTime value="201209271300+0500" />
  <performer>
    <assignedEntity>
      . . .
    </assignedEntity>
  </performer>
  <participant typeCode="LOC">
    <participantRole classCode="SDLOC">
      <templateId root="2.16.840.1.113883.10.20.22.4.32" />
      . . .
    </participantRole>
  </participant>
  <entryRelationship typeCode="RSON">
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.22.4.19" extension="2014-06-09" />
      . . .
    </observation>
  </entryRelationship>
</encounter>
```

3.24 Encounter Diagnosis (V3)

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.80:2015-08-01 (open)]

Table 273: Encounter Diagnosis (V3) Contexts

Contained By:	Contains:
Health Concern Act (V2) (optional) Risk Concern Act (V2) (optional) Encounter Activity (V3) (optional)	Problem Observation (V3) (required)

This template wraps relevant problems or diagnoses at the close of a visit or that need to be followed after the visit. If the encounter is associated with a Hospital Discharge, the Hospital Discharge Diagnosis must be used. This entry requires at least one Problem Observation entry.

Table 274: Encounter Diagnosis (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
act (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.80:2015-08-01)					
@classCode	1..1	SHALL		1198-14889	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = ACT
@moodCode	1..1	SHALL		1198-14890	urn:oid:2.16.840.1.113883.5.1001 (HL7ActMood) = EVN
templateId	1..1	SHALL		1198-14895	
@root	1..1	SHALL		1198-14896	2.16.840.1.113883.10.20.22.4.80
@extension	1..1	SHALL		1198-32542	2015-08-01
code	1..1	SHALL		1198-19182	
@code	1..1	SHALL		1198-19183	29308-4
@codeSystem	1..1	SHALL		1198-32160	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
entryRelationship	1..*	SHALL		1198-14892	
@typeCode	1..1	SHALL		1198-14893	urn:oid:2.16.840.1.113883.5.1002 (HL7ActRelationshipType) = SUBJ
observation	1..1	SHALL		1198-14898	Problem Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.4:2015-08-01)

1. **SHALL** contain exactly one [1..1] **@classCode**="ACT" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1198-14889).
2. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1198-14890).
3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1198-14895) such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.80" (CONF:1198-14896).
 - b. **SHALL** contain exactly one [1..1] **@extension**="2015-08-01" (CONF:1198-32542).
4. **SHALL** contain exactly one [1..1] **code** (CONF:1198-19182).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="29308-4" Diagnosis (CONF:1198-19183).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-32160).
5. **SHALL** contain at least one [1..*] **entryRelationship** (CONF:1198-14892) such that it

- a. **SHALL** contain exactly one [1..1] **@typeCode="SUBJ"** (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 **STATIC**) (CONF:1198-14893).
- b. **SHALL** contain exactly one [1..1] [Problem Observation \(V3\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.4:2015-08-01) (CONF:1198-14898).

Figure 144: Encounter Diagnosis (V3) Example

```
<act classCode="ACT" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.22.4.80" extension="2015-08-01" />
  <code code="29308-4" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName=" DIAGNOSIS" />
  <statusCode code="active" />
  <effectiveTime>
    <low value="20903003" />
  </effectiveTime>
  <entryRelationship typeCode="SUBJ">
    <observation classCode="OBS" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.22.4.4" extension="2015-08-01" />
      <!-- Problem Observation -->
      ...
    </observation>
  </entryRelationship>
</act>
```

3.25 Entry Reference

[act: identifier urn:oid:2.16.840.1.113883.10.20.22.4.122 (open)]

Table 275: Entry Reference Contexts

Contained By:	Contains:
Goal Observation (optional) Outcome Observation (optional) Health Concern Act (V2) (optional) Risk Concern Act (V2) (optional) Planned Intervention Act (V2) (optional) Planned Intervention Act (V2) (required) Intervention Act (V2) (optional)	

This template represents the act of referencing another entry in the same CDA document instance. Its purpose is to remove the need to repeat the complete XML representation of the referred entry when relating one entry to another. This template can be used to reference many types of Act class derivations, such as encounters, observations, procedures etc., as it is often necessary when authoring CDA documents to repeatedly reference other Acts of these types. For example, in a Care Plan it is necessary to repeatedly relate Health Concerns, Goals, Interventions and Outcomes.