- b. **SHALL** contain exactly one [1..1] **SOP Instance Observation** (identifier: urn:oid:2.16.840.1.113883.10.20.6.2.8) (CONF:81-16083).
- 8. MAY contain zero or more [0..\*] entryRelationship (CONF:81-9314) such that it
  - a. **SHALL** contain exactly one [1..1] **@typeCode="**SPRT" Has Support (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 **STATIC**) (CONF:81-9315).
  - b. SHALL contain exactly one [1..1] Quantity Measurement Observation (identifier: urn:oid:2.16.840.1.113883.10.20.6.2.14) (CONF:81-16084).
- 9. Code Observations **SHALL** be rendered into section/text in separate paragraphs (CONF:81-9310).

## Figure 134: Code Observations Example

## 3.14 Cognitive Status Problem Observation (DEPRECATED)

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.73:2014-06-09 (open)]

Table 249: Cognitive Status Problem Observation (DEPRECATED) Contexts

Contained By:	Contains:
Functional Status Section (V2) (optional)	

A cognitive status problem observation is a clinical statement that describes a patient's cognitive condition, findings, or symptoms. Examples of cognitive problem observations are inability to recall, amnesia, dementia, and aggressive behavior.

A cognitive problem observation is a finding or medical condition. This is different from a cognitive result observation, which is a response to a question that provides insight into the patient's cognitive status, judgement, comprehension ability, or response speed.

THIS TEMPLATE HAS BEEN DEPRECATED AND MAY BE DELETED FROM A FUTURE RELEASE OF THIS IMPLEMENTATION GUIDE. USE OF THIS TEMPLATE IS NOT RECOMMENDED.

Reason for deprecation: Cognitive Status Problem Observation has been merged, without loss of expressivity, into Mental Status Observation (2.16.840.1.113883.10.20.22.4.74).

Table 250: Cognitive Status Problem Observation (DEPRECATED) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:	nl7ii:2.16.840.1.	113883.10.2	0.22.4.73	3:2014-06-09	9)
@classCode	11	SHALL		1098- 14319	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS
@moodCode	11	SHALL		1098- 14320	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN
@negationInd	01	MAY		1098- 14344	
templateId	11	SHALL		1098- 14346	
@root	11	SHALL		1098- 14347	2.16.840.1.113883.10.20.22.4 .73
@extension	11	SHALL		1098- 32600	2014-06-09
id	1*	SHALL		1098- 14321	
code	11	SHALL		1098- 14804	
@code	01	SHOULD		1098- 14805	urn:oid:2.16.840.1.113883.6.9 6 (SNOMED CT) = 373930000
text	01	SHOULD		1098- 14341	
reference	01	SHOULD		1098- 15532	
@value	01	SHOULD		1098- 15533	
statusCode	11	SHALL		1098- 14323	
@code	11	SHALL		1098- 19091	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = completed
effectiveTime	01	SHOULD		1098- 14324	
low	11	SHALL		1098- 26458	
high	01	MAY		1098- 26459	
value	11	SHALL	CD	1098- 14349	urn:oid:2.16.840.1.113883.3.8 8.12.3221.7.4 (Problem)
methodCode	0*	MAY		1098- 14693	

- 1. **SHALL** contain exactly one [1..1] **@classCode="**OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1098-14319).
- 2. **SHALL** contain exactly one [1..1] **@moodCode="**EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1098-14320).

Use negationInd="true" to indicate that the problem was not observed.

- 3. MAY contain zero or one [0..1] @negationInd (CONF:1098-14344).
- 4. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-14346) such that it
  - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.4.73" (CONF:1098-14347).
  - b. **SHALL** contain exactly one [1..1] **@extension=**"2014-06-09" (CONF:1098-32600).
- 5. **SHALL** contain at least one [1..\*] **id** (CONF:1098-14321).
- 6. **SHALL** contain exactly one [1..1] **code** (CONF:1098-14804).
  - a. This code **should** contain zero or one [0..1] **@code=**"373930000" Cognitive function finding (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96 **STATIC**) (CONF:1098-14805).
- 7. **SHOULD** contain zero or one [0..1] **text** (CONF:1098-14341).
  - a. The text, if present, **SHOULD** contain zero or one [0..1] **reference** (CONF:1098-15532).
    - i. The reference, if present, **SHOULD** contain zero or one [0..1] **@value** (CONF:1098-15533).
      - 1. SHALL begin with a '#' and **SHALL** point to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1) (CONF:1098-15534).
- 8. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1098-14323).
  - a. This statusCode **SHALL** contain exactly one [1..1] **@code="**completed" Completed (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14 **STATIC**) (CONF:1098-19091).
- 9. **SHOULD** contain zero or one [0..1] **effectiveTime** (CONF:1098-14324).

The value of effectiveTime/low represents onset date.

a. The effectiveTime, if present, **SHALL** contain exactly one [1..1] **low** (CONF:1098-26458).

If the problem is resolved, record the resolution date in effectiveTime/high. If the problem is known to be resolved but the resolution date is not known, use @nullFlavor="UNK". If the problem is not resolved, do not include the high element.

- b. The effectiveTime, if present, **MAY** contain zero or one [0..1] **high** (CONF:1098-26459).
- 10. **SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", where the code **SHOULD** be selected from ValueSet <u>Problem</u> urn:oid:2.16.840.1.113883.3.88.12.3221.7.4 **DYNAMIC** (CONF:1098-14349).
- 11. MAY contain zero or more [0..\*] methodCode (CONF:1098-14693).

Value Set: Problem urn:oid:2.16.840.1.113883.3.88.12.3221.7.4

(Clinical Focus: A pathology or disorder identified in a patient), (Data Element Scope: Observations), (Inclusion Criteria: Limited to terms descending from the Clinical Findings (404684003) or Situation with Explicit Context (243796009) hierarchies.), (Exclusion Criteria: any concept not in the hierarchies specified)

This value set was imported on 6/26/2019 with a version of 20190426.

Value Set Source:

https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.3.88.12.3221.7.4/expansion

Code	Code System	Code System OID	Print Name
10000006	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Radiating chest pain (finding)
10001005	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Bacterial sepsis (disorder)
10007009	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Coffin-Siris syndrome (disorder)
10010001191 02	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Pulmonary embolism with pulmonary infarction (disorder)
10010001241 04	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Normal left ventricular systolic function (finding)
10017004	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Occlusal wear of teeth (disorder)
10019100011 9105	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Asymmetry of prostate (finding)
10021100011 9106	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Muscle spasm of thoracic back (disorder)
10023100011 9101	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Acquired pericardial cyst (disorder)
10028000	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Uncomplicated sedative, hypnotic AND/OR anxiolytic withdrawal (disorder)

## 3.15 Comment Activity

[act: identifier urn:oid:2.16.840.1.113883.10.20.22.4.64 (open)]

## Table 252: Comment Activity Contexts

Contained By:	Contains:
	Author Participation (optional)

Comments are free text data that cannot otherwise be recorded using data elements already defined by this specification. They are not to be used to record information that can be recorded elsewhere. For