

3.4 Age Observation

[observation: identifier urn:oid:2.16.840.1.113883.10.20.22.4.31 (open)]

Table 227: Age Observation Contexts

Contained By:	Contains:
Family History Observation (V3) (optional) Problem Observation (V3) (optional)	

This Age Observation represents the subject's age at onset of an event or observation. The age of a relative in a Family History Observation at the time of that observation could also be inferred by comparing RelatedSubject/subject/birthTime with Observation/effectiveTime. However, a common scenario is that a patient will know the age of a relative when the relative had a certain condition or when the relative died, but will not know the actual year (e.g., "grandpa died of a heart attack at the age of 50"). Often times, neither precise dates nor ages are known (e.g., "cousin died of congenital heart disease as an infant").

Table 228: Age Observation Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.31)					
@classCode	1..1	SHALL		81-7613	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS
@moodCode	1..1	SHALL		81-7614	urn:oid:2.16.840.1.113883.5.1001 (HL7ActMood) = EVN
templateId	1..1	SHALL		81-7899	
@root	1..1	SHALL		81-10487	2.16.840.1.113883.10.20.22.4.31
code	1..1	SHALL		81-7615	
@code	1..1	SHALL		81-16776	445518008
@codeSystem	1..1	SHALL		81-26499	urn:oid:2.16.840.1.113883.6.96 (SNOMED CT) = 2.16.840.1.113883.6.96
statusCode	1..1	SHALL		81-15965	
@code	1..1	SHALL		81-15966	urn:oid:2.16.840.1.113883.5.14 (HL7ActStatus) = completed
value	1..1	SHALL	PQ	81-7617	
@unit	1..1	SHALL	CS	81-7618	urn:oid:2.16.840.1.113883.11.20.9.21 (AgePQ_UCUM)

1. **SHALL** contain exactly one [1..1] **@classCode**="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:81-7613).
2. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:81-7614).
3. **SHALL** contain exactly one [1..1] **templateId** (CONF:81-7899) such that it

- a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.31" (CONF:81-10487).
4. **SHALL** contain exactly one [1..1] **code** (CONF:81-7615).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="445518008" Age At Onset (CONF:81-16776).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:81-26499).
5. **SHALL** contain exactly one [1..1] **statusCode** (CONF:81-15965).
 - a. This statusCode **SHALL** contain exactly one [1..1] **@code**="completed" Completed (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14 **STATIC**) (CONF:81-15966).
6. **SHALL** contain exactly one [1..1] **value** with **@xsi:type**="PQ" (CONF:81-7617).
 - a. This value **SHALL** contain exactly one [1..1] **@unit**, which **SHALL** be selected from ValueSet AgePQ UCUM urn:oid:2.16.840.1.113883.11.20.9.21 **DYNAMIC** (CONF:81-7618).

Table 229: AgePQ_UCUM

Value Set: AgePQ_UCUM urn:oid:2.16.840.1.113883.11.20.9.21 (Clinical Focus: Units of time needed for humans and animals),(Data Element Scope: time),(Inclusion Criteria: time units from year to minute),(Exclusion Criteria: only units within inclusion criteria) This value set was imported on 6/24/2019 with a version of 20180508. Value Set Source: https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.11.20.9.21/expansion			
Code	Code System	Code System OID	Print Name
a	UCUM	urn:oid:1.3.6.1.4.1.12009.10.3.1	year
d	UCUM	urn:oid:1.3.6.1.4.1.12009.10.3.1	day
h	UCUM	urn:oid:1.3.6.1.4.1.12009.10.3.1	hour
min	UCUM	urn:oid:1.3.6.1.4.1.12009.10.3.1	minute
mo	UCUM	urn:oid:1.3.6.1.4.1.12009.10.3.1	month
wk	UCUM	urn:oid:1.3.6.1.4.1.12009.10.3.1	week

Figure 126: Age Observation Example

```
<observation classCode="OBS" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.22.4.31" />
  <!-- Age observation -->
  <code code="445518008"
    codeSystem="2.16.840.1.113883.6.96"
    displayName="Age At Onset" />
  <statusCode code="completed" />
  <value xsi:type="PQ" value="57" unit="a" />
</observation>
```

3.5 Allergy Concern Act (V3)

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.30:2015-08-01 (open)]

Table 230: Allergy Concern Act (V3) Contexts

Contained By:	Contains:
Allergies and Intolerances Section (entries optional) (V3) (optional) Allergies and Intolerances Section (entries required) (V3) (required)	Allergy - Intolerance Observation (V2) (required) Author Participation (optional)

This template reflects an ongoing concern on behalf of the provider that placed the allergy on a patient's allergy list. As long as the underlying condition is of concern to the provider (i.e., as long as the allergy, whether active or resolved, is of ongoing concern and interest to the provider), the statusCode is "active". Only when the underlying allergy is no longer of concern is the statusCode set to "completed". The effectiveTime reflects the time that the underlying allergy was felt to be a concern. The statusCode of the Allergy Concern Act is the definitive indication of the status of the concern, whereas the effectiveTime of the nested Allergy - Intolerance Observation is the definitive indication of whether or not the underlying allergy is resolved.

The effectiveTime/low of the Allergy Concern Act asserts when the concern became active. This equates to the time the concern was authored in the patient's chart. The effectiveTime/high asserts when the concern was completed (e.g., when the clinician deemed there is no longer any need to track the underlying condition).