Revision from "2018-05-01".

- b. This templateId **SHALL** contain exactly one [1..1] @extension="2019-06-21" (CONF:4437-3406).
- 2. **SHALL** contain exactly one [1..1] **code** (CONF:4437-3404).

Note: Code for "Device Brand Name"

Code used to specify the **Brand Name**.

- a. This code **SHALL** contain exactly one [1..1] **@code=**"C71898" Brand Name (CodeSystem: NCI Thesaurus (NCIt) urn:oid:2.16.840.1.113883.3.26.1.1 **STATIC**) (CONF:4437-3407).
- b. This code **SHALL** contain exactly one [1..1] @codeSystem="2.16.840.1.113883.3.26.1.1" (CONF:4437-3408).
- c. This code MAY contain zero or one [0..1] @codeSystemName="NCI Thesaurus" (CONF:4437-3409).
- d. This code MAY contain zero or one [0..1] @displayName="Brand Name" (CONF:4437-3410).

The Brand Name can point to its corresponding narrative using the approach defined in CDA Release 2, section 4.3.5.1.

3. **SHALL** contain exactly one [1..1] **value** with @xsi:type="ED" (CONF:4437-3411).

Figure 2: Brand Name Example

2.2 Catalog Number Observation

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.302:2019-06-21 (open)]

Table 5: Catalog Number Observation Contexts

Contained By:	Contains:
<u>UDI Organizer</u> (optional)	

This template is intended to be used in addition to the **Product Instance** template urn:oid:2.16.840.1.113883.10.20.22.4.37 to exchange the **Catalog Number**. The UDI-DI of the medical device may be used to retrieve the Catalog Number in accessGUDID, which should be considered the source of truth.

XPath	Card.	Verb	Data Type	CONF#	Value	
observation (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.302:2019-06-21)						
templateId	11	SHALL		<u>4437-</u> <u>3432</u>		
@root	11	SHALL		<u>4437-</u> <u>3434</u>	2.16.840.1.113883.10.20.22.4 .302	
@extension	11	SHALL		<u>4437-</u> <u>3435</u>	2019-06-21	
code	11	SHALL		<u>4437-</u> <u>3433</u>		
@code	11	SHALL		4437- 3436	urn:oid:2.16.840.1.113883.3.2 6.1.1 (NCI Thesaurus (NCIt)) = C99286	
@codeSystem	11	SHALL		<u>4437-</u> <u>3437</u>	2.16.840.1.113883.3.26.1.1	
@codeSystemName	01	MAY		<u>4437-</u> <u>3438</u>	NCI Thesaurus	
@displayName	01	MAY		<u>4437-</u> <u>3439</u>	Catalog Number	
value	11	SHALL	ED	<u>4437-</u> <u>3440</u>		

Table 6: Catalog Number Observation Constraints Overview

- 1. **SHALL** contain exactly one [1..1] **templateId** (CONF:4437-3432).
 - a. This templateId **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.22.4.302" (CONF:4437-3434). Note: template oid

Revision from "2018-05-01".

- b. This templateId **SHALL** contain exactly one [1..1] @extension="2019-06-21" (CONF:4437-3435).
- 2. **SHALL** contain exactly one [1..1] **code** (CONF:4437-3433). Note: Code for "Device Catalog Number"

Code used to specify the **Catalog Number**.

- a. This code **SHALL** contain exactly one [1..1] **@code=**"C99286" Catalog Number (CodeSystem: NCI Thesaurus (NCIt) urn:oid:2.16.840.1.113883.3.26.1.1 **STATIC**) (CONF:4437-3436).
- b. This code **SHALL** contain exactly one [1..1] **@codeSystem="2**.16.840.1.113883.3.26.1.1" (CONF:4437-3437).
- c. This code MAY contain zero or one [0..1] @codeSystemName="NCI Thesaurus" (CONF:4437-3438).
- d. This code MAY contain zero or one [0..1] @displayName="Catalog Number" (CONF:4437-3439).

The Catalog Number can point to its corresponding narrative using the approach defined in CDA Release 2, section 4.3.5.1.

3. **SHALL** contain exactly one [1..1] **value** with @xsi:type="ED" (CONF:4437-3440).

Figure 3: Catalog Number Sample

2.3 Company Name Observation

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.303:2019-06-21 (open)]

Table 7: Company Name Observation Contexts

Contained By:	Contains:
<u>UDI Organizer</u> (optional)	

This template is intended to be used in addition to the **Product Instance** template urn:oid:2.16.840.1.113883.10.20.22.4.37 to exchange the **Company Name**. The UDI-DI of the medical device may be used to retrieve the **Company Name** in accessGUDID, which should be considered the source of truth.